Author Index

AAASPS Investigators, 459A
Abadallah KA, 447A
Abbott DF, 228
Abdulrazzak M, 520A
Abe K, 429A, 467A, 491A
Abe T, 523A
Abele LI, 431A
Abo Mouch S, 437A
Abramova NN, 148
Abrams CK, 439A
Abu-Sheik S, 877
Accardo P, 541A
Ackrell BAC, 330
Adams K, 463A
Adamson J, 460A
Adler CH, 431A, 432A, 434A
Afsar N, 421A
Agid Y, 127, 400
Agius MA, 451A
Ahlskog JE, 464A
Ahmed A, 497A
Ahn C, 447A
Ahn CH, 438A
Ahn YH, 434A
Ahn YS, 475A
Akbudak E, 517A
Akman CI, 435A
Alaedini A, 439A
Alapati A, 439A
Albert ML, 270
Alcorn DM, 548A
Alesch F, 372
Alexander C, 464A
Alexander S, 456A
Al-Fahim A, 476A
Algeri S, 686
Allen PS, 463A
Allsop D, 859
Almli CR, 517A
Alon M, 453A
Alonso E, 416A
Al-Qudah A-K, 877
Altarescu G, 488A
Amano T, 500A
Ambrosetto G, 39
Amerio G, 809
Amodio R, 686
An SF, 97, 665
Anagnostou E, 537A
Andermann E, 39, 435A
Andermann F, 39, 435A
Andersen PM, 470A
Anderson B, 425A
Anderson M, 454A
Anderson NJ, 529A
Anderson P, 395
Andersson M, 211
Ando I, 497A
Annoni G, 388
Antel JP, 758
Antoine H, 444A
Antoine JC, 105
Antunes NL, 540A
Aotsuka A, 194
Apetauerova D, 503A
Applebury CB, 11
Arahata K, 471A
Arai H, 685
Arakawa K, 438A
Arce C, 465A
Archelos JJ, 362, 948
Archer JW, 504A
Archibald S, 453A
Ariagno RL, 539A
Arii J, 547A
Armon C, 502A
Arnold L, 466A
Aronow B, 953A
Asano E, 531A
Ascherio A, 431A
Asgharnejad M, 516A
Asherov A, 436A
Ashizawa T, 416A
Ashwal S, 518A, 539A, 551A
Askanas V, 439A
Assimakopoulou M, 540A
Atkins J, 548A
Atkins JF, 164
Atkinson EJ, 450A
Atlas SW, 539A
Augelli B, 453A
Auger D, 484A
Auger RG, 432A
Augustin AJ, 512A
Austin R, 516A
Avoni P, 647
Awan T, 269
Aziz T, 476A
Azizi SA, 453A, 932

Baarsma GS, 936
Babikian V, 455A
Badgett D, 490A
Badhwar A, 435A
Baes M, 336
Bähr M, 415A
Baier M, 480A
Bailey PAB, 503A
Bakay RAE, 429A
Bake M, 859
Baker JV, 481A
Baker L, 433A
Baker M, 436A, 460A, 806
Baker S, 497A
Bakker J, 496A
Bakshi R, 541A
Baladi J-F, 503A
Baldwin RB, 539A
Balej J, 435A
Bales K, 953A
Ballard C, 868
Balsamo L, 517A
Bamborschke S, 459A
Bandele AN, 511A, 542A
Bang JH, 434A
Banin E, 60
Banks S, 426A
Bao W-L, 485A
Baquero M, 466A
Barber D, 954A
Barber PA, 421A
Barbieri M, 304
Barbosa JB, 543A
Bargiello TA, 439A
Barilla-Clark D, 885
Barisic N, 483A
Barkovich AJ, 518A, 528A
Barmada MA, 547A
Barohn R, 468A
Barone FC, 456A, 457A
Barrett JR, 501A
Bartenstein P, 842
Bartolic E, 426A
Bartolomei F, 39
Barton JJS, 529A
Barzideh A, 549A
Basconcelos MM, 543A
Basso G, 517A
Bastos AC, 39
Bates J, 422A, 502A
Bates JE, 499A, 501A
Baumgartner JE, 515A
Beach T, 434A
Beal MF, 438A, 949
Beall SS, 446A
Bear DG, 812
Beardsley SA, 420A
Beauchamp N, 458A
Beaumont TL, 481A
Bécane HM, 170
Becher MW, 812
Beck H, 766
Becker K, 133
Beckmann A, 131
Beggs AH, 514A
Behen M, 531A
Behen ME, 517A
Behrendt J, 459A
Behrens L, 679
Belle S, 817
Belliard S, 400
Bellocchio EE, 954A
Belman A, 489A
Belman AO, 533A
Ben-Ari Y, 632
Benchimol D, 261
Bendl C, 448A
Bendotti C, 686
Bendtzen K, 706
Benedict R, 541A
Bennett JC, 148
Bennett JP, 444A
Bennett JP Jr, 148
Bennett MVL, 439A
Bennett-Desmelik JA, 429A
Berardelli A, 20
Berenstein A, 454A
Berg AT, 140
Bergeron M, 285
Beric A, 467A
Berkovic SF, 264
Berman PH, 546A
Bernardini GL, 499A, 501A
Berner N, 842
Berrih-Aknin S, 696
Bersudsky M, 472A
Bertini E, 745
Bettis DB, 519A
Bhadelia RA, 458A
Bhatia K, 436A
Bhatia S, 463A
Bhatt M, 440A
Bhattacharyya N, 504A
Bianchini R, 512A, 516A
Bidault J, 696
Bilaniuk L, 27
Bindoff LA, 188
Birch-Machin MA, 330
Bird TD, 376
Birner P, 788
Bittner A, 464A
Bjartmar C, 893
Björklund A, 689
Blaas S, 448A
Black S, 503A
Bladin CF, 228
Blass JP, 297
Blassuci LM, 465A
Blau N, 466A, 483A
Bloem BR, 268
Blumberg B, 481A
Blümcke I, 766
Blumen SC, 436A, 437A
Blumhardt LO, 480A
Bø L, 446A
Bocian M, 542A
Bodemer M, 323
Boggild M, 480A
Bogousslavsky J, 220, 421A
Bohr KC, 446A
Boissard CG, 423A
Bollen ELEM, 641
Boller F, 466A
Boman J, 400
Bonafe L, 466A
Bonafè M, 388

July issue, pp 1–136; August issue, pp 137–274; September issue, pp 275–552; October issue, pp 553–688; November issue, pp 689–822; December issue, pp 823–1012.

Copyright © 2000 by the American Neurological Association

Bondurand N, 671
Bonilla E, 435A
Bonne G, 170
Boor R, 170
Borchelf DR, 952A
Borgatti R, 39
Borland MK, 148
Borowicz LM, 419A, 458A
Borroni B, 460A
Bostwick H, 541A
Bouchard J-P, 436A
Bouchard R, 503A
Bouhour F, 105
Bouley S, 400
Bourdette DN, 885
Bourgeois BFD, 525A
Bourgeon A, 261
Boyd JC, 540A
Boylan KB, 472A
Bozorgmanesh A, 531A
Brace LD, 424A
Bradley W, 468A
Brais B, 436A, 798
Brandt T, 458A
Braniecki SH, 517A
Breakefield XO, 65
Breau LM, 544A
Brechtel C, 395
Bredy B, 452A
Breier JI, 515A
Bressman S, 466A, 730
Brice A, 127, 400
Bril V, 440A
Brink B, 665
Britt WG III, 502A
Brizel S, 429A
Brod SA, 447A
Broderick J, 421A, 425A
Broderick JP, 5, 462A
Bromberg M, 443A
Bronfin L, 440A
Bronte-Stewart H, 464A
Brooke MH, 469A
Brooks BR, 447A, 488A
Brooks DJ, 689
Brott T, 421A
Brouwers P, 513A
Brown CA, 538A
Brown CV, 459A
Brown DT, 188, 440A
Brown J, 939
Brown RH Jr, 468A
Brownscheidle C, 490A
Bruand C, 696
Brück W, 362
Brumback RA, 544A
Brundin P, 689
Bruno C, 730
Bryan W, 468A
Buchan AM, 421A, 424A
Buchanan CP, 523A, 541A, 542A
Buchhalter JR, 545A
Buckley C, 953A
Buckwald S, 526A
Budka H, 372, 788
Bugiani O, 126, 269
Burgess DL, 416A
Burkard RF, 490A
Burke D, 826
Burke T, 436A
Burleson JA, 530A
Buschke H, 425A
Bushby K, 170
Bushnell C, 421A
Bushnell CD, 498A
Busto R, 456A
Butler IJ, 548A
Byrne P, 436A

Cabello A, 745
Cabrera-Gomez JA, 447A
Cahill WT, 462A
Cairns N, 859, 868
Calabresi P, 478A
Camdessanchè JP, 105
Camerino DC, 304
Camfield CS, 516A, 544A
Camfield P, 520A, 534A
Camfield PR, 516A
Campbell KP, 538A, 902
Campeau N, 482A
Campeau NG, 458A
Campion D, 400
The Canadian Collaborative Study Group, 927
Canadian Pediatric Ischemic Stroke Study Group, 514A
Cannon SC, 404, 687A
Caplan LR, 455A
Cappelen-Smith C, 826
Carasso RL, 436A, 437A
Carniciu S, 440A
Caro JJ, 496A
Carrigan DR, 452A
Carroll J, 543A
Cartechini E, 399
Casadei V, 388
Caselli RJ, 432A
CASES Investigators, 424A
Cassarino DS, 148
Castellan CC, 65
Castellani RJ, 532A
Cattabeni F, 460A
Caviness J, 130, 434A
Caviness JN, 431A, 432A
Caviness VS Jr, 463A
Cellini E, 433A
Cendes F, 39
Ceravolo R, 689
Cerquiglini A, 522A
Cha J-K, 422A
Chan JG, 228
Chang CWJ, 496A
Chang GY, 441A
Chapman DF, 485A
Chapman J, 436A, 448A, 449A
Chapot R, 669
Chateau D, 745
Chatterjee S, 428A
Chaturvedi S, 501A
Chaudhry Fa, 954A
Chaumont JL, 485A, 486A
Chaves C, 455A
Cheema SS, 473A
Chen C, 419A, 422A
Chen L, 439A
Chen M, 475A
Cheng H-L, 473A
Cheng S-C, 424A
Cherin E, 487A
Chew NK, 802
Chez MG, 523A, 541A, 542A
Chinnery PF, 188, 440A
Chiou Y-W, 609
Chitnis T, 447A
Chmiel JJ, 498A
Cho KG, 434A
Choi G, 455A
Chol HB, 952A
Cholfin JA, 418A
Chow T, 461A
Choy Y-S, 532A
Christodoulou K, 877
Chu Y, 434A
Chua KB, 802
Chudnow RS, 544A
Chugani DC, 88, 517A, 531A
Chugani HT, 88, 517A, 531A
Chung KKK, 952A
Chutorian AM, 524A
Cinotti L, 105
Citicoline 010 Investigators, 713
Civitello LA, 513A
Claassen J, 422A, 499A, 502A
Clark CM, 795
Clarke DF, 520A, 551A
Claussen GG, 468A
Clayton PT, 438A
Clegg NJ, 518A
Clementi M, 399
Clemmesen KM, 706
Clerget-Darpoux F, 400
Clifford DB, 484A
Coad ML, 490A
Cochran B, 330
Cockerell OC, 833
Coelln RV, 415A
Coffeen C, 443A
Cohen BI, 456A
Cohen ME, 541A
Cohn RD, 538A
Cohn WF, 501A
Colciaghi F, 460A
Cole TG, 201
Coles-Haskayne A, 421A
Colford JM Jr, 513A
Comella CL, 432A
Comi AM, 511A
Confavreux C, 105
Conlon PJ, 758
Connolly AM, 514A
Connolly ES, 422A, 455A, 499A, 501A, 502A
Connor GS, 486A
Connors AF Jr, 495A
Constantinou JC, 539A
Constantinou JEC, 515A
Conturo TE, 517A
Cook S, 477A
Cookfair DL, 885
Cooper J, 511A
Cooper JM, 438A
Copeland D, 422A, 502A
Copeland DL, 499A, 501A
Copenhagen DR, 954A
Coral-Vazquez R, 538A
Cordery RJ, 665
The Corticobasal Degeneration Collaborative Group, 436A
Cottini E, 460A
Coulter DL, 550A
Counter CM, 482A
Counts S, 429A
Cowan R, 496A
Cox C, 548A
Crain BJ, 404
Cramer JA, 498A
Cramer M, 268
Crawford K, 430A
Crawford TO, 532A
Crenfell TJ, 415A
Crimmins D, 541A
Crino PB, 133
Crook R, 806
Croul SE, 932
Crowe PD, 758
Cruz-Flores S, 423A
Cubo E, 432A
Cuisset JM, 170
Culver D, 444A
Cummings JL, 427A, 460A, 461A
Cunningham L, 456A
Curatolo P, 522A
Currà A, 20
Curran GL, 943
Curtiss SR, 418A
Cutter G, 480A
Cwik V, 502A
Członkowska A, 127

Dabora S, 532A
Dai AI, 522A
Damasio A, 344
Dana Consortium, 484A
Danish Multiple Sclerosis Study Group, 706
Danon MJ, 440A, 470A
D'Arceuil H, 539A
Darlow BA, 526A, 528A
Darnell RB, 270
Darras BT, 538A
Darrio BT, 547A
Das AM, 536A
Dashe JF, 458A, 713
David P, 39

Davidson AL, 885
Davies VL, 502A
Davies Y, 859
Davis LE, 812
Davis RG, 547A
Dawson TM, 952A
Dawson VL, 952A
Day S, 551A
D'Cruz O, 520A
de Andrade M, 450A
de Carli C, 463A
de Chadarevian JP, 540A
de Coo I, 774
de Crispigny A, 539A
Defanti CA, 269
De Gregorio L, 533A
De Groot CJA, 399
Deiana GA, 816
de Jong BA, 641
DeKosky ST, 817
de la Fuente-Fernández R, 782
Del Bigio MR, 745
Delgado MR, 518A
Del Valle L, 540A, 932
DeMattos R, 953A
Demchuk AM, 421A
Demirci M, 468A
Denckla MB, 542A
Deng A, 425A
Deng M, 913
Deonna T, 384
Depper M, 531A
De prez C, 528A, 537A
Desguerre I, 170
Desmond H, 485A
deVeber GA, 514A, 526A
Dhanji T, 502A
Dhar R, 464A
Dhib-Jalbut S, 475A
Diaz F, 774
Di Castelnuovo A, 686
Dichgans J, 415A
Dickens B, 528A
Diels C, 454A
Diem G, 487A
Diers-Fenger M, 362
DiFazio MP, 531A
Dilenge M-E, 537A
Dillon S, 546A
Di Luca M, 460A
DiMario FJ Jr, 530A
DiMauro S, 435A, 730
Dimsdale TA, 502A
Dinov ID, 427A
Dinulos MB, 534A
Dion P, 798
Dlugos D, 525A, 547A
Do AK, 497A
Dobrenis K, 439A
Dobyns WB, 39
Dogan S, 447A
Dole A, 479A
Dolei A, 816
Domanska-Pakiela D, 532A
Domi T, 526A
Done S, 462A
Dong S, 541A
Dong-Si T, 448A
Donnan GA, 228
Donnelly JH, 538A
Dooley JM, 534A
Dore-Duffy P, 481A
dos Santos HG, 745
Dou C, 549A
Douillet P, 488A
Dournaux SF, 504A
Dowd CF, 11
Drachman DA, 376
Drachman DB, 441A, 792
Dronsky V, 468A
Drory V, 449A
Drory VE, 448A, 453A
Drumm D, 466A
Duboc D, 170
Dubois B, 400
Duchowny M, 137
Duffau H, 129
Duffner PK, 541A
Dugaw K, 534A
du Plessis A, 533A
duPlessis AJ, 529A
Duquette P, 927
Dure LS, 548A
Durif F, 127
During MJ, 27, 468A
Dürr A, 127
Dworetzky SI, 423A
Dykes-Hoberg M, 469A
Dzhala V, 632

Easterday M, 444A
Eberhardt O, 415A
Eberling JL, 275
Ebers GC, 481A, 927
Eberwine JH, 77
Eckelman WC, 457A
Edgeworth J, 436A
Edwards KR, 486A
Edwards RH, 954A
Egan GF, 228
Egarter-Vigl E, 97
Eisen A, 470A
Elger CE, 766, 949
El-Khateeb M, 877
Elkort M, 550A
Elleder M, 426A
Ellgring H, 487A
Emborg M, 434A
Embry AF, 271
Enam S, 932
Engel WK, 439A
Entsuah AR, 486A
Entsuah R, 487A
Epstein LG, 484A, 590
Erbay S, 458A
Erg T, 463A
Erhardt JA, 456A, 457A
Erickson BJ, 482A
Eriksson P, 454A
Erlander M, 464A
Erwa W, 121
Esposito E, 686
Estournet B, 745
Estrada EY, 456A
Eunson LH, 647
Evrard P, 336
Eymard B, 170

Faden AI, 485A
Fagan AM, 201
Fagan SC, 421A
Fahn S, 487A, 730
Faienza C, 539A
Fairclough RH, 451A
Fak AS, 421A
Fan L, 485A
Fang G, 429A
Fanjiang G, 495A
Farcnik KD, 503A
Fardeau M, 170, 745
Farley TL, 11
Faure C, 671
Fehlings D, 514A
Feldman EL, 416A, 472A, 473A
Felix AC, 484A
Fellus J, 500A
Fenichel G, 469A
Fenstermacher JD, 236
Ferber S, 444A
Fernandes W, 39
Fernandez G, 949
Fernandez HH, 433A
Ferrante RJ, 426A
Ferreiro A, 745
Ferrer X, 170
Ferri C, 388
Ferriero DM, 285, 528A
Ferro RS, 430A
Fife TD, 546A
Filipek PA, 542A
Fink DJ, 9
Fink JK, 437A
Finkel RS, 546A
Finley GA, 544A
Fischer JS, 885
Fish D, 665
Fisher M, 236
Fisher PG, 548A
Fishman P, 428A
FitzGerald GA, 795
Fitzpatrick R, 448A, 495A
Flanigan KM, 164, 443A
Fleisher BE, 539A
Flicker H, 788
Florence J, 469A
Florence JM, 514A
Flynn K, 462A
Foley J, 478A
Follett PL, 527A
Folstein M, 495A
Fontan D, 745
Ford GC, 902
Forleo P, 433A
Forte DK, 502A
Foster NL, 391
Foster-Barber A, 528A
Fowler L, 545A
Francel P, 461A
Franceschi C, 388
Francisco G, 500A
Franco DA, 482A
Frank J, 483A
Frank K, 470A
Frank LM, 546A
Frankfurter A, 540A
Franssen H, 919
Franz DN, 523A
Freckmann M-L, 102
Freed C, 487A
Freedman MS, 476A
Freeman AAH, 525A
Freeman J, 495A
Freeman K, 540A
Freese A, 27
Freidin M, 439A
Fremeau RT, 954A
Frey KA, 391
Frija-Orvoen E, 488A
Fritz V, 665
Frost MD, 537A
Fryer AA, 480A
Fryer JD, 201
Fu JM, 527A
Fuerst D, 463A
Fujii N, 487A
Fujita N, 491A
Fukazawa T, 156, 470A
Fukushi K, 194
Fukuyama K, 482A
Fuller M, 537A
Fulmor IE, 422A
Funato T, 449A
Furie KL, 424A
Furlong R, 859
Furuya H, 441A

Gabis L, 489A, 533A, 538A
Gaens E, 461A
Gaillard WD, 463A, 517A
Galantowicz P, 490A
Gambetti P, 665, 788
Gammans R, 713
Gamst A, 419A
Ganel R, 470A
Ganguli M, 817
Ganguly G, 441A
Gao J, 952A
Gargus JJ, 542A
Garrels J, 126
Gash DM, 250
Gauthier S, 503A
Gay CT, 535A
Gaydos CA, 450A
Gearhart JD, 468A
Gearing A, 456A
Gearing M, 418A
Gebel J, 425A
Geddes J, 806
Geddes JF, 540A
Gefeller O, 323
Geiger JD, 723
Gelbard HA, 590

Gelinas D, 468A
Genain CP, 416A
Gerhardt E, 415A
Gerhardt GA, 250
Geschwind DH, 418A, 427A, 444A, 460A, 466A
Gesteland RF, 164
Getsios D, 496A
Ghetti B, 376
Ghika-Schmid F, 220
Giaccone G, 269
Gibbs CJ Jr, 395
Gibson GE, 297, 438A
Gidday JM, 285
Giese A, 323
Giglio P, 541A
Gilani A, 451A
Gilbert J, 466A
Gilbert K, 462A
Gilio F, 20
Gillain C, 39
Ginsbach CG, 448A
Ginsberg MD, 456A
Ginsberg SD, 77
Giometto B, 97
Giuliani G, 399
Gjedde A, 676
Glass JD, 444A
Glauser TA, 521A
Glew C, 426A
Gluckman PD, 526A
Goebel THH, 379
Goedert M, 939
Goetz CG, 432A, 433A, 434A, 465A
Goh KJ, 802
Goikhman I, 523A
Gokhan S, 415A
Gold M, 422A
Goldberg ME, 420A
Goldberg MP, 453A
Golde T, 806
Golden M, 440A
Goldsborough MA, 458A
Goldsborough MM, 419A
Goldsmith PC, 257
Goldstein DS, 49
Goldstein LB, 421A, 497A, 498A
Goli V, 487A
Golomb MR, 526A
Golovoy D, 472A
Gomez CM, 535A
Gomez CR, 424A
Gondim FdeAA, 423A
Goodkin DE, 885
Goodman AD, 478A, 481A
Goodridge DM, 833
Goossens M, 671
Gordon KE, 520A, 534A
Gorelick PB, 459A
Gorgun G, 549A
Gorson KC, 441A, 484A
Goto K, 471A
Gotoh F, 500A, 503A
Gottesman R, 548A
Govoni M, 388
Graf WD, 534A
Graff-Radford NR, 460A
Grafman JH, 850, 885
Graham R, 541A
Grahame-Smith DG, 446A
Grandin CB, 517A
Granger CV, 885
Grau AJ, 448A
Graves MC, 502A
Gray AT, 954A
Gray P, 519A
Green DM, 442A
Greenamyre JT, 429A
Greenberg BD, 420A
Greenberg DA, 257
Greenberg HS, 482A
Greene E, 550A
Greene P, 487A
Greenlee JE, 271
Greenstein JI, 477A
Grenfell TJ, 567
Gress DR, 11, 495A
Gressens P, 336
Grewal RP, 416A
Gribkoff VK, 423A, 457A
Griffin WST, 818
Griggs RC, 469A
Grimaldi LME, 388, 818
Grimbergen YAM, 268
Grond M, 423A
Grond-Ginsbach C, 458A
Grondin R, 250
Groozman GB, 448A
Gropman A, 511A
Grossetete M, 456A
Gross-Tsur V, 60, 544A
Grotta JC, 421A
Growdon JH, 425A, 913
Grus FH, 512A
Grzenkowski M, 362
Guarnieri BM, 433A
Gubitz G, 424A
Guénot M, 614
Guentchev M, 788
Guerreiro MM, 39
Guerrini R, 39
Guicheney P, 745
Guiliano J, 544A
Gunning MI, 526A
Guo H, 590
Guo H-Q, 464A
Guo M, 953A
Gupta A, 532A
Gupta G, 456A
Gupta RK, 181
Gurney J, 513A
Gutrecht JA, 449A
Guyon T, 696
Gyo K, 254

Haas J, 446A
Haberler C, 372
Haenggeli C-A, 745
Hagell P, 689
Hagenah J, 126
Haginoya K, 461
Hahn JS, 518A, 524A, 539A, 548A
Haid S, 415A
Hainfellner JA, 372, 788
Hakamies L, 354
Halbach VV, 11
Haley EC Jr, 421A, 495A
Hallett M, 7
Haltia M, 806
Hamasaki Y, 482A
Hamilton R, 418A, 419A
Hammerschlag MR, 400
Hancock WW, 415A, 567
Hanna MG, 438A, 469A, 647
Hannequin D, 400
Hansen BH, 512A
Hanstock CC, 463A
Hara H, 471A
Hardy J, 806, 859
Harigaya Y, 402
Harmony J, 953A
Harnett K, 713
Haroutunian V, 297
Harper R, 526A
Harrell LE, 425A
Harris JC, 533A
Harrison MB, 501A
Hartung H-P, 362, 948
Hasbani MJ, 453A
Hasegawa M, 859
Hashimoto T, 806
Hashimoto Y, 479A
Hata T, 457A
Hato N, 254
Hatori K, 443A, 952A
Hatta J, 463A
Hattori N, 437A
Hattori T, 624
Haug K, 949
Hauser SL, 416A
Hauser WA, 140
Hausser I, 458A
Hawkins CP, 480A
Hay BA, 953A
Hayashi S, 245
Hayes C, 188
Hayman-Abello B, 463A
Healy K, 519A
Hebrink DD, 450A
Heckmann JG, 418A
Hecox KE, 534A
Hedehus M, 539A
Heils A, 949
Heim P, 535A
Heiss WD, 459A
Heiss W-D, 423A
Helgason CM, 424A
Helmer KG, 236
Helms S, 952A
Hemby SE, 77
Hendriks JC, 500A
Henkel K, 323
Hentz JG, 431A, 432A
Herishanu YO, 472A
Herman MM, 540A
Hernán MA, 431A
Hernandez AW, 547A
Herndon RM, 885
Hersch SM, 429A
Herscovitch P, 488A
Hess EJ, 512A
Hesselgesser J, 954A
Heuvel RV, 543A
Hewawasam P, 423A, 457A
Hewitt D, 497A
Hibbard JR, 423A
Hietala M, 354
Higashida RT, 11
Higuchi S, 685
Hilkevitch O, 448A
Hill MD, 421A, 424A
Hillert J, 211
Hillis A, 458A
Hillman RE, 512A
Hinshaw DB Jr, 518A
Hirabuki N, 491A
Hirai S, 402
Hirano T, 228
Hirose G, 474A
Hirota N, 470A
Ho T, 468A
Ho TH, 745
Hobart J, 448A, 495A
Hoch W, 952A
Hockertz M, 446A
Hoffman EP, 536A, 537A
Hogan N, 454A
Hogan PJ III, 433A
Hohlfeld R, 679
Hohol M, 476A
Holland KL, 520A
Holmes C, 868
Holmes GL, 463A
Holshouser B, 539A
Holshouser BA, 518A, 539A
Holt PJ, 550A
Holton JL, 806
Holtzman DM, 201, 953A
Honda M, 497A, 503A
Honda N, 254
Hong E, 953A
Hong H, 473A
Honma H, 472A
Honnorat J, 105
Hood L, 446A
Hooi PS, 802
Hoque R, 457A
Horani K, 877
Horstman L, 475A
Horuk R, 954A
Horvath S, 949
Hosain S, 546A
Hosain SA, 515A, 524A
Houdart E, 669
Houlden H, 436A, 806
Houtchens M, 501A
Hovey KMO, 885
Howard MT, 164
Howard T, 483A
Howell B, 511A
Howell SJ, 452A

Hsich G, 533A
Hsich GE, 547A
Huang L, 27
Huang W, 489A, 533A, 538A
Huang X, 520A
Hughes C, 544A
Huizinga TWJ, 641
Hulihan J, 486A
Hulse RE, 445A
Huna R, 454A
Hung E, 459A
Hunt PR, 511A
Hunter JV, 547A
Hunter W, 476A
Huntington Study Group, 467A
Huppi PS, 518A
Huston K, 423A
Hutchinson D, 488A
Hutchinson M, 436A
Hutchinson S, 427A
Huttenlocher PR, 534A
Hutton M, 436A, 460A, 466A, 806, 859
Huynh DP, 745
Hwu W-L, 609
Hyland K, 466A

Iannaccone S, 468A
Iannoccone ST, 514A
Ichikawa Y, 442A, 472A
Ifergane G, 472A
IFNβ-1b Multiple Sclerosis Collaborative Research Group in Japan, 487A
Ignatius J, 39
Iinuma K, 461
Ikeda K, 442A
Ikeda M, 402
Ikeuchi T, 245
Imai N, 441A
Inder TE, 518A, 526A, 528A, 529A
Inoue K, 108
Inoue M, 471A
Inzelberg R, 436A, 437A
Inzitari D, 269
Irie S, 449A
Irie T, 194
Irons M, 533A
Isenmann S, 415A
Ishii K, 482A
Ishikawa A, 245
Ishikawa K, 457A
Isnard J, 614
Issazadeh S, 415A, 567
Istvan J, 514A
Itoyama Y, 487A, 489A
Iuliano L, 809
Ivanhoe C, 500A
Iwabuchi K, 108
Iwasaki Y, 442A
Iwatsubo T, 859
Izzi G, 539A

Jack RM, 534A
Jackson C, 421A
Jackson R, 444A
Jacnckc L, 419A
Jacobs H, 126
Jacobs L, 477A
Jacobs LD, 480A, 490A, 885
Jacobson RD, 522A
Jagoda EM, 457A
Jagust WJ, 275
Jakobs C, 121
Jankelevich S, 513A
Janson CG, 27
Janssen A, 336
Jarius C, 788
Jaros E, 868
Jedynak P, 127
Jeffries EM, 449A
Jellinger K, 372
Jennett RJ, 526A
Jensen FE, 527A
Jeong M-H, 422A
Jeste DV, 467A
Jewart DR, 418A
Jimenez JJ, 475A
Jimi T, 471A
Jin BG, 434A
Jin KL, 257
Jinnah HA, 533A
Jobe TH, 424A
Johannesson G, 524A
Johansson BB, 454A
Johns DR, 438A
Johnsen SD, 527A
Johnson AL, 833
Johnson G, 423A
Johnson KP, 475A
Johnson M, 868
Johnson MA, 188, 440A, 679
Johnson MI, 549A
Johnson RT, 1, 135, 405
Johnston DCC, 497A
Johnston KC, 459A, 495A
Johnston MV, 403
Johnston SC, 11, 495A, 498A, 499A
Jolesz FA, 518A
Jones C, 481A, 541A
Jones MD, 512A
Jones P, 480A
Jones R, 429A
Jones S, 544A
Joseph J, 427A
Joshi C, 524A
Joshi SM, 548A
Jotkowitz A, 477A
Joyce JN, 434A
Józwiak S, 532A
Juhász C, 88, 517A, 531A
Juncos JL, 418A
Jung S, 433A
Junn E, 428A
Justinger T, 480A
Juvonen V, 354

Kaakkola S, 354
Kadhim HJ, 528A, 537A
Kadimi S, 424A
Kafri M, 449A
Kahler SG, 102
Kaida K-i, 442A
Kalimo H, 806
Kalina P, 526A
Kalish H, 454A
Kalman B, 400
Kamakura K, 442A
Kamarulzaman A, 802
Kamboh MI, 817
Kamholz J, 451A
Kamin M, 486A
Kaminski HJ, 443A
Kamiya T, 108
Kanai M, 402
Kanazawa I, 442A, 443A
Kanazawa N, 449A
Kanda F, 487A
Kanda T, 449A
Kane KJ, 376
Kaneko J, 156, 470A
Kanemoto K, 950
Kang PB, 548A
Kann M, 65
Kantarci OH, 450A
Kao A, 547A
Kaplan C, 665
Kaplan PW, 532A
Kappenberger L, 421A
Karnath H-O, 444A
Karni A, 450A
Karpati G, 537A
Kasim S, 533A
Kasnicka I, 545A
Kasper LH, 462A
Kasprzyk-Obara J, 532A
Kastrukoff LF, 450A
Katayama Y, 108
Kathuria MK, 181
Kato R, 461
Katsetos CD, 540A
Katsumori H, 580
Kattah M, 452A
Kauffman T, 418A
Kaufmann M, 450A
Kaul R, 27
Kawachi I, 431A
Kawarai T, 850
Kawasaki S, 108
Ke Z, 400
Keegan BM, 451A
Keenan HTJP, 475A
Keenan JP, 418A, 420A
Keene DL, 530A
Keeney PM, 148
Kelly P, 521A
Kelly PJ, 424A
Kelly TE, 501A
Kennedy DN, 463A
Kennelly KD, 472A
Kenney K, 395
Kerr D, 468A, 951
Kersbergen MC, 641
Kershaw P, 459A

Kertesz A, 503A
Kessler J, 459A
Kessler JA, 415A
Khaigrekht M, 453A
Khajavi M, 416A
Khakoo Y, 549A
Khalili K, 540A, 932
Khan N, 939
Khan O, 451A
Khan SM, 148
Khazipov R, 632
Khoury J, 425A, 462A
Khoury SJ, 447A, 450A, 477A
Khurana RK, 820
Kida E, 536A
Kidd G, 893
Kido H, 489A
Kieburtx K, 484A
Kierson M, 953A
Kiesewettr DO, 457A
Kikinis R, 518A
Kilbourn MR, 391
Kilgannon P, 590
Killestein J, 313, 399
Kilpatrick TJ, 473A
Kim B, 470A
Kim F, 463A
Kim J, 434A
Kim M, 468A
Kim S, 473A
Kim S-H, 468A
Kim SU, 434A, 443A, 952A
Kim Y-J, 471A
Kindler DD, 444A
King CL, 490A
King W, 469A
Kingsley PB, 526A
Kinney GG, 423A
Kinoshita M, 442A
Kinsman SL, 518A
Kinzie MB, 501A
Kiprovski K, 440A
Kira J, 487A
Kira J-i, 438A, 441A, 475A
Kirby DM, 102
Kirvan CA, 451A
Kis B, 65, 126
Kisaki H, 254
Kissel J, 468A
Kissel JT, 469A
Kissela B, 425A, 462A
Kistler JP, 424A
Kitagawa Y, 457A
Kladis T, 434A
Klein C, 65, 126
Kleiner-Fisman G, 420A
Kleyner Y, 549A
Kloog Y, 449A
Klöppel S, 788
Kluenemann HH, 426A
Kmiec T, 532A
Knaus WA, 501A
Knipe J, 457A
Knobler RL, 451A
Knox KK, 452A

Ko NU, 498A
Kobayashi H, 108
Koch TK, 519A
Koch-Henriksen N, 706
Koeppe RA, 391
Koga M, 624
Koh S, 527A
Kohlschütter A, 535A
Kohno Y, 547A
Koike F, 108
Kojima H, 471A
Koldzic G, 450A
Koleini B, 455A
Kolodny EH, 440A, 688
Komeichi K, 156, 470A
Kominami E, 471A
Kompoliti K, 432A, 434A
Kondo H, 108
Kongable G, 459A
Konishi T, 487A
Kooijmans-Coutinho MF, 885
Korczyn AD, 436A, 448A, 449A
Kordower J, 434A
Kornblum H, 444A
Kornblum HI, 418A
Kotagal S, 545A
Kothari R, 421A
Kotzuk JA, 812
Kovnar EH, 522A
Kowall NW, 426A, 949
Kracht LW, 423A
Kraig RP, 445A
Kramer PL, 65, 126
Kraner S, 379
Krarup C, 453A
Krasnik C, 464A
Krause BJ, 490A
Kraut L, 486A
Krebs CT, 148
Krebs HI, 454A
Kreiter K, 422A, 502A
Kreiter KT, 499A, 501A
Kremenchutzky M, 481A
Kretzschmar H, 665
Kretzschmar HA, 323
Krieger J, 490A
Krieger M, 544A
Krishnamoorthy KS, 521A
Krishnan BS, 423A
Krizaj D, 954A
Krynska B, 932
Kuban KC, 538A
Kuban KCK, 527A
Kubota K, 454A
Kudin AP, 766
Kuerley-Schaffer D, 545A
Kügler S, 415A
Kuhl DE, 391
Kuhlemeier KA, 431A
Kujawa KA, 434A
Kullmann DM, 647
Kumagai T, 471A
Kumar-Singh S, 806
Kunkler PE, 445A
Kunz NR, 487A
Kunz WS, 766, 949
Kupersmith MJ, 454A
Kurkowska-Jastrzębska I, 127
Kurlan R, 953A
Kurohara K, 108, 395
Kurtin PJ, 482A
Kurtzke JF, 480A
Kusunoki S, 442A, 443A
Kuwabara S, 624, 826
Kuzniecky R, 39
Kwiatkowski DJ, 532A
Kwong WJ, 502A
Kyriacou K, 877
Kyriakides T, 877

Lacombe D, 170
Lacroix C, 671
Lacy JR, 477A
LaFleur B, 525A
Laganière J, 798
Lah J, 429A
Lahad A, 544A
Lahat E, 60
Lai E, 549A
Lai S-Y, 609
Laing NG, 514A
Lam SK, 802
Lamoureux JA, 426A
Lamping D, 448A, 495A
Landrieu P, 671
Lang CJG, 418A
Langer D, 454A
Lantos PL, 859, 939
Lapane KL, 433A
Lapchak PA, 485A
Laptook A, 516A
Laroche C, 745
Lashley T, 806
Lasker AG, 542A
Lassmann H, 954A
Latov N, 439A, 473A
Lau A, 450A
Laurenza A, 516A
Lavenstein BL, 536A
Lavoie H, 436A
Law R, 417A
Lawson V, 443A
Lazar RM, 455A
Leber SM, 551A
Lederman HM, 532A
LeDoux MS, 435A
Lee HS, 434A
Lee JS, 531A
Lee K-M, 657
Lee K-W, 468A
Lee L, 419A
Lee MA, 434A
Lee VM-Y, 77, 795, 850
Lee Y-M, 609
Lefkowitz DM, 713
Legido A, 537A, 540A
Leiguarda R, 435A
Lemere CA, 415A, 567
Lenn N, 538A
Lennon VA, 472A
Leonard J, 523A
Leonard JV, 438A
Leone P, 27
Lepore FE, 489A
Leppert M, 525A
Leroux P, 336
Leshner R, 468A
Lesser M, 297
Lester CM, 462A
Leung J, 65
Leurgans S, 432A, 433A, 434A, 459A, 465A
Leuzzi V, 539A
Levey AI, 429A, 553
Levine D, 661
Levine DN, 440A
Levine SR, 421A
Levinthal EC, 427A
Lewis D, 516A
Lewis DW, 546A
Lewis KS, 527A
Lewis P, 806
Lewis R, 451A
Lewis RF, 445A
Lewis S, 545A
Lezak MD, 885
Lezama R, 580
Li DKB, 481A
Li F, 236
Li S-T, 49
Liang Y, 850
Licastro F, 388
Licht DJ, 535A
Lidsky TI, 483A
Lievens FM-J, 269
Ligers A, 211
Liguori R, 647
Lima DFN, 543A
Limperopoulos C, 548A
Lin C-LG, 417A
Lin CS-Y, 826
Lin M-I, 519A
Lin MT, 438A
Lin X, 480A
Lindeman E, 500A
Lindenau J, 415A
Lindsey B, 502A
Lindsey JW, 447A
Lindvall O, 689
Linfante I, 427A, 455A
Lippa CF, 376, 426A, 850
Lisak R, 451A
Liu H, 580
Liu K-F, 236
Liu MW, 424A
Liu S, 467A
Liu W-K, 859
Llado J, 468A
Llinas R, 427A, 455A
Lo EH, 954A
Lobeck LJ, 452A
Lockwood AH, 490A
Lodi R, 72
Logan WJ, 530A
Loginov M, 466A
Lombardo LA, 423A
Lombet A, 336
Loor Y, 456A
Lopes L, 473A
Lorenzano C, 20
Lu F, 400
Lu M, 421A
Ludvigsson P, 524A
Luecke T, 536A
Lueders E, 419A
Luo L, 464A
Lupski JR, 132
Luyirnbazi J, 952A
Lyden PD, 421A
Lyketsos CG, 419A
Lynch DR, 535A
Lynch T, 730
Lyonnet S, 671

MacDonald BK, 833
MacGregor DL, 551A
Maclean R, 543A
Madhav TR, 446A
Madison B, 416A
Madison R, 453A
Mador N, 479A
Maeda F, 420A, 475A
Maeder P, 384
Maertzdorf J, 936
Mahad DJ, 452A
Mahagne MH, 261
Mahendru P, 472A
Maier S, 679
Majnemer A, 548A
Major EO, 823
Makhlouf K, 477A
Malheiros AFA, 543A
Mameli G, 479A
Mamula P, 547A
Manabe Y, 429A
Mandell R, 424A
Mandir AS, 532A
Manfredi M, 20
Manguière F, 614
Mann C, 480A
Mann D, 859
Manners D, 72
Mannix LK, 502A
Mantel-Guiochon-A, 671
Manwani S, 515A
Mao XO, 257
Maragakis N, 417A
Maragakis NJ, 468A
Maraziotis T, 540A
Marder K, 467A, 484A
Maria BL, 531A, 688
Marini C, 264
Markus R, 228
Marler JR, 421A
Maron R, 415A, 567
Marret S, 336
Marrosu MG, 816
Marshall RS, 455A
Martin J-J, 806
Martin R, 475A
Martin WRW, 463A
Marubuchi S, 442A
Maruyama M, 245

Masser-Frye DS, 542A
Massirer B, 545A
Masterman DM, 461A
Masterman T, 211
Masuda M, 108
Matalon R, 27
Mathews S, 461A
Mathieson-Burden N, 469A
Matjucha I, 455A
Matsubara E, 402
Matsui T, 685
Matsumine H, 437A
Matsuo M, 482A
Matsushita S, 475A, 685
Matsuura T, 416A
Matthews I, 479A
Mattson MP, 723
Mattsson B, 454A
Matusevicius D, 476A
Mauro LM, 475A
Mayank S, 526A
Mayer RF, 821
Mayer SA, 422A, 499A, 501A, 502A
Mayr W, 545A
Mazal PR, 372
Mazarati AM, 580
Mazurek M, 464A, 465A
McAbee GN, 541A
McArthur JC, 484A
McCarthy M, 484A
McConville J, 952A
McCutchen CM, 525A
McDermott MP, 484A, 590
McDermott MW, 11
McDonald MT, 532A
McGowan E, 806
McGrath PJ, 544A
McGuire D, 427A
McKay CM, 423A
McKay E, 130
McKay WJ, 228
McKee AC, 426A
McKeith I, 868
McKenzie E, 497A
McKhann GM, 419A, 458A
McKinstry RC, 517A
McMonagle P, 436A
McMurray CT, 450A
McPhee SW, 27
McRae C, 437A, 487A
McWilliam RC, 647
Meanwell NA, 423A
Mechanic D, 503A
Medynski S, 436A
Mee E, 27
Mega MS, 427A, 461A
Mehler MF, 415A
Meijer CJLM, 399
Meininger V, 488A
Melick N, 524A
Melms A, 603, 952A
Melvin JJ, 537A
Menache C, 524A
Menache CC, 525A, 538A
Mendell J, 468A
Mendell JR, 469A
Mendez MF, 459A
Mendizabal JE, 500A
Mendoza M, 468A
Menzo S, 399
Meola C, 540A
Mercuri E, 170
Merello M, 435A
Merland J-J, 669
Merlini L, 170
Mertens A, 513A
Mervis Y, 434A
Metz LM, 496A, 498A
Metzger J, 421A
Meurers BH, 464A
Meyer E, 676
Meyer JS, 430A
Meyer K, 535A
Michel D, 105
Middleton L, 877
Mielke R, 459A
Migliaccio-Walle K, 496A
Mikami A, 454A
Mikol D, 473A
Miles JH, 512A
Miller BL, 427A, 460A
Miller GM, 458A
Miller K, 456A
Miller MB, 512A
Miller MD, 545A
Miller R, 425A, 434A, 462A
Miller RG, 468A
Miller SP, 527A, 537A
Minagar A, 429A, 466A, 474A, 475A
Minn AY, 464A
Minohara M, 475A
Minoshima S, 391
Minster RL, 817
Mintzer J, 459A
Mirmiran M, 539A
Mirski MA, 496A
Mirski MM, 134
Misra VK, 424A
Mitchell WG, 519A, 536A
Mitchell WM, 478A
Miyai I, 454A
Miyake M, 547A
Miyazaki S, 482A
Miyazaki T, 443A
Miyoshi Y, 438A
Mizuno Y, 437A
Mizusawa H, 449A
Mocatta T, 528A
Mock DJ, 481A
Modugno N, 20
Mogilner AY, 467A
Mogridge N, 529A
Mogyoros I, 826
Mohr E, 503A
Mohr JP, 455A
Mohs RC, 297
Mokri B, 430A, 431A
Molaie M, 428A
Molaie N, 428A
Molinoff PB, 423A
Mondell BE, 403
Montenegro MA, 39
Montine KS, 949
Montine TJ, 949
Mook IH, 434A
Moon SI, 423A
Moonis M, 497A
Moore D, 468A
Moore DF, 488A
Moore SA, 538A, 902
Moraes CT, 774
Morcher M, 458A
Mordeson JN, 424A
Morelli M, 399
Moretti PM, 437A
Morgan G, 514A
Morgan PS, 480A
Mori C, 415A, 567
Mori M, 624
Mørk S, 446A
Mörk S, 893
Morré SA, 399
Morrell MJ, 462A
Morris AAM, 438A
Morris JC, 201
Morrissey M, 432A, 434A
Morrow JD, 949
Moses DE, 502A
Moshe SL, 140
Mostofsky SH, 542A
Motoyoshi K, 442A
Mottaghy FM, 490A
Mouly V, 696
Mouradian MM, 428A
Mouradian MS, 455A
Movsesyan V, 485A
Movva V, 431A
Moxley RT, 469A
MS Collaborative Research Group, 885
MSTRAC Investigators Group, 477A
Mubaidin A, 877
Muchir A, 170
Muenter MD, 432A, 464A
Mukai E, 487A
Mukai T, 547A
Müller-Gartner H-W, 490A
Mulley JC, 264
Mullins P, 485A
Munakata M, 461
Mungas D, 275
Munoz D, 426A
Muntoni F, 170
Murahashi M, 471A
Murakami S, 254
Murakami T, 429A
Murillo F, 536A
Murphy BP, 518A, 529A
Murphy DL, 420A
Murphy P, 545A
Murray BJ, 419A
Murzenok P, 476A
Musumaci O, 435A
Muzik O, 88, 517A, 531A
Myers R, 467A
Myers RA, 423A

Nacmias B, 433A
Nadell JM, 545A
Nagai A, 443A, 952A
Nagatsuka S-i, 194
Nagelkerken L, 313
Najafian N, 447A
Nakagawa E, 434A, 952A
Nakagawa M, 108
Nakamori M, 467A
Nakamura A, 108
Nakamura H, 491A
Nakamura M, 467A
Nakamura T, 487A
Nakamuro T, 108
Namba H, 194
Nance M, 467A
Narayana PA, 447A, 476A
Narayanan JT, 455A
Nasreddine ZS, 427A
Navia B, 549A
Neame S, 485A
Nee LE, 376, 850
Neil JJ, 517A
Nekic M, 459A
Nelson DL, 416A
Nelson GB, 524A
Nelson PA, 490A
Nett R, 516A
Neundörfer B, 418A
Newcommon N, 421A
Newsom-Davis J, 479A, 952A, 953A
Newstein D, 140
Ng WK, 500A
Ng Y-t, 548A
Nguyen K, 511A
Nguyen LT, 490A
Nguyen MB, 420A
Nicholson C, 445A
Nick T, 500A
Niehaus A, 362
Niimi Y, 454A
Nishimura M, 950
Nishimura Y, 475A
Nishizawa M, 156, 470A
Nisipeanu P, 436A, 437A
Nitsch R, 425A
Nitsch RM, 913
Nobel KJ, 498A
Nochlin D, 376
Noda M, 547A
Noebels JL, 416A
Nogoshi S, 156, 470A
Nogués M, 435A
North KN, 514A
Nouzeilles MI, 435A
Novicoff WU, 501A
Nowinski C, 523A
Nowinski CV, 541A, 542A
Nuijten M, 496A
Nunjinduswamy S, 497A
Nutescu E, 424A
Nwokoro N, 483A
Nygaard T, 466A

Nyhan WR, 533A
Nyland H, 446A
Nylander KD, 474A

Oaklander AL, 430A
Oberholzer KS, 451A
O'Brien C, 497A
O'Brien CF, 504A
O'Brien J, 868
O'Brien JF, 426A
O'Connor P, 476A
O'Connor SE, 534A
Oda Y, 523A
O'Dell C, 140, 540A
Odent S, 745
Oertel W, 689
Ogawa M, 471A
Ogawara K, 624
Oger J, 476A
Oh SJ, 439A, 468A
Ohashi Y, 487A
Ohta S, 685
Ohta T, 457A
Okamoto K, 402
Okita N, 489A
Olafsson E, 524A
Olds J, 530A
O'Leary D, 485A
Olerup O, 211
Olivieri F, 388
Ollier W, 480A
Olson DM, 524A
Olsson T, 211
Omae T, 236
O'Neill BP, 482A, 483A
O'Neill JP, 533A
Oniki H, 471A
Ono S, 442A
Oommen J, 461A
Oommen KJ, 461A
Oppenheimer S, 273
Ortiz A, 423A
Osterhaus ADME, 936
Ostrowsky K, 614
Ostuni J, 483A
Ota T, 194
Ottowitz W, 459A
Ou J, 444A
Ouaknine GE, 453A
Owen F, 859
Øye I, 842
Oyler GA, 428A
Ozaki A, 952A
Ozelius L, 126
Ozelius LJ, 65

Pachner AR, 477A
Packer RJ, 513A
Padberg GW, 500A
Paddock M, 534A
Padovani A, 460A
Paetau A, 806
Paetau R, 39
Page CC, 65
Page WF, 480A
Päivärinta M, 354
Pajor L, 423A, 457A
Palmer C, 496A
Palmini A, 39
Panayiotopoulos CP, 647
Pancioli A, 421A
Pandya S, 469A
Panet A, 479A
Papanicolaou AC, 515A
Pappert EJ, 465A
Paquis Ph, 261
Parano E, 512A, 516A, 530A
Parfrey N, 436A
Park K-S, 468A
Park LCH, 297
Parker WD Jr, 148
Parkinson Study Group, 433A, 489A
Parks BJ, 423A
Parks JK, 148
Parmeggiani A, 39
Parrish J-A, 425A
Parson WW, 534A
Parsons D, 425A
Parvizi J, 344
Paschke E, 121
Pascual-Leone A, 418A, 419A, 420A, 465A, 475A, 490A
Pastorino L, 460A
Patalapati R, 477A
Patel T, 485A
Patten SB, 498A
Patterson M, 419A
Paty DW, 446A, 481A
Paul SM, 953A
Paulson A, 462A
Pavlakis SG, 526A
Pavone P, 512A, 516A, 530A
Pawlik G, 423A
Pearl PL, 525A
Pearlson GD, 556
Pedrini S, 388
Peery S, 501A, 502A
Pelletier SL, 501A
Pellock JM, 521A
Pendlebury WW, 426A
Penisson-Besnier I, 170
Penttinen M, 354
Perez ER, 384
Perfilieva E, 454A
Periasamy A, 457A
Perkins BA, 440A
Perkins KK, 885
Perlman J, 516A
Perry E, 868
Perry R, 868
Perryman KM, 459A
Peruyera G, 429A
Pession A, 388
Pestronk A, 469A
Peters J, 516A
Petros LM, 164
Pettigrew LC, 713
Pevsner J, 511A
Peykamian M, 516A
Peyser JM, 426A
Pfahlberg A, 323
Pfeifer H, 522A
Pfund Z, 531A
Phan TG, 482A
Phillips CA, 462A
Phillips HA, 264
Phillips JT Jr, 477A
Phillips S, 424A
Phillips TM, 528A
Phuah H-K, 548A
Piacentini S, 433A
Pianta T, 488A
Piccini P, 689
Piccolo F, 902
Pick BA, 522A
Pickering-Brown S, 859
Piggott M, 868
Pilz P, 372
Pi[til]na-Garza JE, 522A
Pineda A, 451A
Pingault V, 671
Pinter MM, 372
Pisani F, 539A
Plawner LL, 518A
Plecko B, 121
Plioplys AV, 545A
Podratz JL, 416A
Poduslo JF, 943
Poea S, 696
Polizzi A, 530A
Pollen DA, 376
Pollitt C, 170
Pollock A, 547A
Polman CH, 313, 399, 641
Poore Q, 463A
Porter F, 483A
Poser S, 323
Posner J, 426A
Post-Munson DJ, 423A
Potter CG, 472A
Poulsen D, 468A
Powers JM, 481A
Pradhan S, 181
Pramstaller P, 126
Pramstaller PP, 65, 97
Praticò D, 795, 809
Pratley RE, 130
Price DL, 469A, 952A
Priore RL, 885
PRISMS Study Group, 477A, 481A, 498A
Propping P, 949
Prudent N, 550A
Przedborski S, 730
Pucci E, 399
Puel M, 400
Pugliatti M, 479A, 816
Pugliese M, 517A
Pulkes T, 438A, 469A
Pullicino P, 713
Pulst SM, 416A
Pulst S-M, 745
Punnett HH, 537A
Puoti G, 269
Qin Y, 758
Qin Z, 491A
Quaskey SA, 419A
Quigg M, 117
Quinless J, 477A
Quinn N, 689
Quisling RG, 531A
Qureshi A, 499A

Rabinstein A, 466A
Radensky PW, 504A
Raggio G, 496A
Raman R, 432A, 433A, 434A
Ramanathan M, 490A
Rana M, 774
Ransohoff RM, 954A
Rantamäki M, 354
RANTTAS investigators, 495A
Rao T, 477A
Raskind M, 460A
Rasmussen A, 416A
Ratan RR, 428A
Rauch GM, 430A
Raymond D, 466A
Rea R, 647
Read SJ, 228
Reardon K, 473A
Rebeck GW, 425A
Rebstock J
Recan D, 170
Recht LD, 455A
Reddihough D, 102
Reding M, 454A
Reed BR, 275
Reed RC, 498A
Rehncrona S, 689
Reid SA, 423A
Reigle SC, 525A
Reimer RJ, 954A
Reinhardt C, 603
Reitter B, 379
Renault-Mannel V, 105
Renna R, 514A
Reploeg M, 484A
Reuner U, 170
Revesz T, 97, 806
Reyes SA, 490A
Rezai AR, 467A
Reznickova N, 426A
Rice G, 477A
Rice GPA, 481A
Rich JN, 482A
Rich MM, 443A
Richards KC, 532A
Richer LP, 527A, 543A
Richert JR, 452A, 885
Richert N, 483A
Richman DP, 451A
Richmonds CR, 443A
Riddehough A, 481A
Riley J, 431A
Risedal A, 454A
Rissmiller J, 430A
Rivera VM, 447A

Rivero A, 435A
Riviello JJ Jr, 522A, 524A
Rizzini C, 939
Roberts LJ II, 949
Robertson PL, 520A
Robertson R, 533A
Robillard A, 503A
Robinson ED, 452A
Robinson RC Jr, 543A
Robison J, 469A
Robison L, 513A
Roblin P, 400
Roche P, 489A, 533A
Rochefort D, 798
Rochkind S, 453A
Rodriguez M, 451A
Roep BO, 113
Rogopoulos A, 261
Rohlicek C, 548A
Rokach J, 795, 809
Romero NB, 745
Rooks R, 529A
Ropka ME, 501A
Ropper A, 484A
Ropper AH, 441A, 442A
Roque CT, 538A
Rosati A, 39
Rosati C, 479A
Rosati G, 816
Rose JW, 478A, 501A
Rosebush P, 464A, 465A
Roseman B, 541A
Rosen G, 842
Rosenbaum DM, 456A, 457A
Rosenbaum PS, 456A, 457A
Rosenberg GA, 456A
Rosenblatt B, 543A, 548A
Rosengart A, 502A
Rosengart AJ, 499A, 501A
Rosmus C, 544A
Ross C, 706
Ross CA, 952A
Rossor M, 859
Rossi C, 686
Rossi G, 269
Rossini PM, 128
Rossor MN, 665, 939
Rostasy K, 549A
Rothermel RD, 517A
Rothman SM, 521A
Rothner AD, 516A, 531A, 532A
Rothstein JD, 417A, 441A, 468A, 469A, 470A, 792
Rotilio D, 686
Rotondo T, 686
Rouleau GA, 436A, 798
Rowland LP, 435A, 951
Royal MA, 431A
Royall R, 419A
Rozzini L, 460A
Rudick R, 893
Rudick RA, 480A, 885
Rudinsky R, 534A
Rudolph RL, 486A, 487A
Rupprecht CE, 435A
Russell D, 487A
Russell JW, 472A
Russman B, 468A
Russo LS, 465A
Ryan H, 468A
Ryan K, 462A
Ryan MM, 514A
Ryan P, 503A
Ryan S, 525A
Ryan SG, 548A
Ryoo H, 434A
Ryu H, 428A
Ryu JK, 434A, 952A

Sa'adi L, 523A
Sabatino G, 809
Sabounjian L, 713
Sachinidis JI, 228
Sacktor N, 484A
Sadovnick AD, 927
Sahenk Z, 439A
Sahin M, 524A
Saida T, 487A
Saiki S, 474A
St. George-Hyslop P, 376
St. George-Hyslop PH, 850
Saito M, 245
Saito T, 449A
Sakai F, 449A
Sakai K, 438A
Sakai T, 108
Sakoda S, 491A
Salachas F, 488A
Salazar AM, 885
Salazar D, 422A, 457A
Salerno A, 97
Salinas E, 486A
Salman MS, 551A
Salonen O, 39
Salunga R, 464A
Salvi RJ, 490A
Samaha F, 468A
Samanta J, 466A
Samuel M, 689
Sanchez JD, 537A
Sander HW, 440A, 470A
Sander JWAS, 833
Sanders DB, 820
Sanger TD, 465A
Sanjak M, 447A, 488A
Sankar R, 580
Santos ISO, 543A
Sarnat HB, 530A
Sasaki H, 156, 470A
Sasazuki T, 438A
Sato S, 525A
Sato T, 487A
Saul I, 456A
Saul TA, 427A
Saunders-Pullman R, 466A
Savatic MM, 538A
Savitz SI, 456A, 457A
Savontaus M-L, 354
Sayegh MH, 447A
Scalais E, 549A
Scarano A, 539A
Scaravilli F, 665, 806
Scaravilli T, 97
Schacter M, 885
Schaffer BAJ, 460A
Schapira AHV, 72, 438A
Schauer GM, 537A
Scheff SW, 723
Scheffer IE, 264
Schefft G, 517A
Scheid EA, 478A
Scheinthal DM, 541A
Scheithauer B, 482A
Scherer M, 65
Scherer S, 473A
Scherzer CR, 429A
Schessler L, 446A
Schierbecker J, 469A
Schiff D, 483A
Schiffmann R, 488A
Schifitto G, 484A
Schimschock JR, 519A
Schlaggar BL, 517A
Schlaug G, 419A, 422A, 455A
Schmidt-Kastner R, 456A
Schmier J, 496A
Schneider E, 541A
Schneider JS, 483A
Schneider L, 419A
Schnell C, 514A
Schnitzler P, 448A
Schoenfeld D, 913
Schor NF, 474A
Schramm J, 766
Schrank B, 379
Schraufnagel CD, 544A
Schrijver HM, 313, 641
Schröder JM, 131
Schröter A, 323
Schulz JB, 415A
Schulze K, 419A
Schulz-Schaeffer WJ, 323, 665
Schumacher K, 126
Schwab T, 416A
Schwabe MJ, 515A
Schwaiger M, 842
Schwartz K, 170
Schwartzman J, 462A
Schwarz EJ, 453A
Schwid SR, 478A
Schwiderski U, 713
Schwinger E, 126
Sciacca FL, 388
Scoles DR, 745
Scott AM, 228
Seale C, 462A
Sébire G, 528A, 537A
Seguin R, 462A
Seil FJ, 948
Sekiguchi S, 489A
Selkoe DJ, 415A, 567
Selnes OA, 419A
Selveraj N, 497A
Semenza GL, 285
Sencakova D, 430A, 431A
Sepulveda L, 502A
Serchuck L, 513A
Seri S, 522A
Serra C, 479A, 816
Setton A, 454A
Sevush S, 429A
Shafiq M, 850
Shafiroff J, 499A
Shafrir Y, 535A
Shah A, 88, 463A
Shah AK, 500A
Shah J, 88, 463A
Shah NS, 536A
Shahar E, 60
Shalak L, 516A
Shalev RS, 60, 544A
Shamblott MJ, 468A
Shamel M, 502A
Shanker V, 466A
Shanmugam V, 798
Shanske S, 730
Shapiro AW, 449A
Shapiro F, 538A
Sharif UM, 527A
Sharp FR, 285, 474A
Shavelle RM, 551A
Shelton F, 454A
Sheremata WA, 474A, 475A
Sherer M, 500A
Sherman WH, 473A
Shetter A, 466A
Sheu RK-F, 297
Shevell M, 548A
Shevell MI, 527A, 537A, 543A
Shi J, 362
Shi Q, 297
Shibasaki Y, 108
Shibuya S, 471A
Shield LK, 514A
Shields DW, 418A
Shierbecker J, 514A
Shiga Y, 489A
Shih VE, 424A
Shiina M, 443A
Shimojo S, 472A
Shimony JS, 517A
Shin D, 580
Shinnar S, 140
Shinobu L, 949
Shinohara Y, 457A
Shinotoh H, 194
Shiokawa K, 441A
Shiraishi K, 156, 470A
Shiran SI, 517A
Shiro Y, 429A
Shirts BH, 164
Shoji M, 402
Shooter E, 427A
Short RA, 460A
Shorvon SD, 833
Shu S, 518A
Shucard DW, 885
Shulman LM, 466A
Siddiqi Z, 421A
Sidney S, 495A, 498A

Sieb JP, 379
Signor LJ, 423A
Signore L, 469A
Sigurdardottir LY, 524A, 525A
Silberstein SD, 498A
Silva MD, 236
Silver K, 39
Silverberg GD, 427A
Simard L, 537A
Simon DK, 438A
Simon EM, 518A
Simon JH, 885
Simos PG, 515A
Sims K, 435A
Sindou M, 614
Singer HS, 512A, 542A, 544A
Singh M, 456A, 457A
Singh N, 525A
Singh V, 498A, 499A
Singhal AB, 954A
Singh-Kler R, 188
Singleton JR, 471A
Skarpa D, 483A
Skinner EP, 502A
Skovgaard GL, 706
Sliwinski M, 425A
Sloan AE, 481A
SMA Study Group, 468A
Smeets H, 774
Smith AG, 471A
Smith BE, 432A
Smith M, 542A
Smith MJ, 420A
Smith RA, 502A
Smith S, 468A
Smith SA, 537A
Smith T, 485A
Snow K, 426A
Snowdon LR, 271
Snyder AZ, 517A
Snyder E, 496A
Snyder EY, 468A
So G, 481A
Sobrido MJ, 427A, 466A
Sobue G, 487A
Solenski NJ, 457A
Solomon GE, 524A
Somberg J, 434A
Somer M, 806
Soos JM, 490A
Sorbi S, 433A
Sørensen PS, 706
Sørensen TL, 954A
Sorgi F, 27
Sotak CH, 236
Sotgiu S, 479A, 816
Soul J, 533A
Spauschus A, 647
Spence MA, 542A
Spillantini MG, 939
Spillner C, 446A
Spinazzola R, 526A
Spooner ET, 415A, 567
Sramek J, 434A
Srinivas N, 422A, 457A
Sriram S, 450A, 478A
Stacy M, 434A, 466A
Stark PC, 458A
Starrett JE Jr, 423A, 457A
Stasheff SF, 529A
Staton JC, 431A
Staudinger R, 661
Steffens J, 478A
Steinbuchel P, 543A
Steiner I, 479A
Steinfeld R, 535A
Steinhoff BJ, 323
Steinlein OK, 379
Steinway M, 473A
Stephens D, 514A
Stephenson JBP, 550A, 647
Sterio D, 467A
Stevens JC, 432A
Stevens R, 549A
Stewart H, 488A
Stewart HG, 470A
Stewart WA, 520A, 534A
Stöckler-Ipsiroglu S, 121
Stockton R, 480A
Stommel EW, 462A
Storch GA, 484A
Storm-Mathisen J, 954A
Stoy N, 130
Strange R, 480A
Stratton CS, 478A
Straume M, 117
Strauss D, 551A
Strickland C, 514A
Strohmeier M, 459A
Struys EA, 121
Stuart WH, 477A
Sturk A, 641
Stuve O, 490A
Styles P, 72
Subedi P, 496A
Subramony SH, 491A
Sue CM, 435A
Sullivan EV, 427A
Sullivan PG, 723
Sulzbacher SI, 534A
Sutherland GR, 264
Suzuki T, 454A
Svenson M, 706
Swaminathan B, 661
Swash M, 806
Swearer JM, 376, 462A
Sweeney MG, 438A
Swerdlow RH, 148
Szaflarski J, 425A
Szaflarski JP, 462A

Taanman J-W, 438A
Tabarki-Mlaiki B, 528A
Tabbal S, 466A
Taber M, 423A
Tabuchi K, 482A
Tack C, 49
Tada K, 108
Tagliavini F, 269
Takada A, 156, 470A
Takahashi H, 245, 395
Takamori M, 487A
Takanashi J-i, 547A
Takanashi M, 491A
Takashima H, 108
Takeoka M, 463A, 521A, 522A
Takidouchi H, 497A
Takiyama Y, 156, 470A
Tamargo RJ, 445A
Tan CT, 802
Tan KS, 802
Tanabe Y, 547A
Tanada S, 194
Tanaka H, 108, 156, 245, 470A, 491A
Tanaka K, 271
Tanaka M, 271
Tanaka N, 194
Tanaka Y, 952A
Tang LX, 809
Tanimura M, 438A
Taniwaki T, 438A
Tanji K, 435A
Tarby TJ, 526A, 527A
Tarsy D, 465A, 503A, 504A
Tashima K, 479A
Tashiro K, 156, 470A, 487A
Tassin J, 127
Taus C, 399
Taylor DJ, 72
Taylor GA, 529A
Taylor RW, 188, 330
Tchervenkov C, 548A
Tedde A, 433A
Teele R, 529A
Teener JW, 443A
Tekin S, 461A
Temlett J, 665
Tempkin T, 467A
Teng YD, 468A
Tennis M, 913
Terakawa H, 467A
Terayama Y, 497A, 500A, 503A
Terry JB, 424A
Thadani VM, 462A
Thaler DE, 458A
Thalody G, 423A
Theodore WW, 463A
Theys P, 488A
Thiel A, 423A
Thiele E, 522A, 529A
Thomas RG, 419A
Thomas-Anterion C, 400
Thompson A, 448A, 495A
Thompson M, 549A
Thompson PM, 427A
Thorarensen O, 547A
Thorburn DR, 102
Thornby J, 430A
Thornell B, 424A
Thyagarajan D, 730
Tilikete C, 105
Tilley BC, 421A
Tilton AH, 545A
Tochon-Danguy HJ, 228
Toga AW, 427A
Tölle TR, 842
Tomé FMS, 436A
Tomita T, 806
Tomitaka M, 474A
Tomitaka S, 474A
Tomiyasu H, 457A
Tondelli T, 539A
Tong KA, 539A
Tong N, 590
Toniolo D, 170
Tourette Syndrome Study Group, 953A
Toutain A, 745
Toyka K, 362
Traboulsi E, 531A
Trapp BD, 446A, 893
Trauner DA, 529A
Trebst CK, 954A
Tricarico D, 304
Trifiletti RR, 511A, 512A, 516A, 530A, 542A
Trimmer PA, 148
Trojanowski JQ, 77, 795, 850
Trojnacki JT, 423A
Troncosco JC, 952A
Trotter J, 362
Truettner J, 456A
Truyen L, 460A
Tsai YC, 428A
Tschampa HJ, 323
Tsingis M, 877
Tsuji S, 108, 156, 245, 470A
Tsukahara T, 471A
Tsuruda J, 478A
Tudor C, 523A
Tulyapronchote R, 424A
Turnbull DM, 188, 330, 440A
Turnbull J, 268
Turner T, 590
Tusa RJ, 474A
Ty EB, 531A
Tzartos SJ, 379

UBC MS/MRI Research Group, 481A
Uchino M, 471A, 479A
Udeman H, 422A
Ueda M, 108
Uekawa K, 108
Uitdehaag BMJ, 641
Ullrich K, 535A, 536A
Unis AS, 534A
Urakami K, 685
Urayama H, 497A
Urtizberea A, 170
Urtizberea J-A, 745
Uryu K, 850
Utsumi H, 108
Uyama E, 471A, 479A
Uzun G, 458A

Vafaee MS, 676
Vaina LM, 420A
Vajsar J, 514A
Valdman S, 472A
Valerio RM, 435A
Valkenburg VV, 268
Vamecq J, 336
van Asseldonk RJGP, 500A
Van Bogaert P, 39
van Boxel-Dezaire AHH, 313
Van Broeckhoven C, 806
van de Beek WJT, 113
Van den Berg LH, 919
Van den Berg-Vos RM, 919
Van den Brule AJC, 399
van der Kooi EL, 500A
Van der Lelij A, 936
Van der Valk P, 399
Van Es HW, 919
van Hilten JJ, 113
Van Hoesen GW, 344
van Houwelingen JC, 313
Van Melle G, 421A
Van Regemorter N, 537A
van Trigt-Hoff SCJ, 313
Van Veldhoven P, 336
Varady J, 452A
Varakis JN, 540A
Varelas PN, 134
Vartanian T, 477A
Vedeler C, 446A
Veglia F, 388
Vehmas AK, 952A
Venkataraman V, 515A
Verellen C, 537A
Verellen G, 528A
Verheijde J, 488A
Verjans GMGM, 936
Verkkoniemi A, 806
Vernino SA, 472A
Verpillat P, 400
Verselis VK, 439A
Vezina G, 483A
Vidailhet M, 127
Vielhaber S, 766
Vieregge P, 65, 126
Vierimaa O, 354
Vieth R, 271
Vig PJS, 491A
Vighetto A, 105
Villemure J-G, 384
Villemure KM, 384
Vincent A, 479A, 952A, 953A
Vinters HV, 461A
Violi F, 809
Virji H, 421A
Vischer VC, 384
Visintainer P, 541A
Vitaliani R, 97
Vitek JL, 429A
Vo A, 487A
Vogels OJM, 500A
Volpe BT, 454A
Volpe JJ, 518A, 525A, 527A, 529A
von Büdingen H-C, 416A
Vorgerd M, 170
Vrisendorp FS, 447A

Wack D, 490A
Wagner DP, 495A
Wagner JA, 511A
Wainer B, 418A
Wakabayashi H, 489A
Wakabayashi K, 245
Wakayama Y, 471A
Wallace J, 456A
Waller J, 543A
Wallin MT, 480A
Walsh DJ, 522A
Wan J, 464A
Wang CH, 512A
Wang L, 476A
Wang M, 444A
Wang N, 449A
Wang S, 452A
Wang X, 954A
Wang X-F, 482A
Wang Z, 27
Wanschitz J, 788
Warach S, 455A, 713
Warde A, 418A
Wardell TM, 188
Warfield S, 518A
Warita H, 429A
Warner TT, 72
Wasserman EM, 420A
Wasterlain CG, 580
Watanabe M, 469A
Watase K, 416A
Watson C, 88, 463A
Watson D, 134
Weatherby SJM, 480A
Weaver JP, 462A
Webb LK, 517A
Weber M, 470A
Weber R, 458A
Wehnert M, 170
Weinberg DH, 441A
Weinberg WA, 544A
Weiner HL, 415A, 450A, 477A, 567
Weiner MW, 275
Weiner WH, 466A
Weinshenker B, 451A
Weinshenker BG, 450A
Weinstein A, 478A
Weinstein R, 441A
Weinstock A, 480A
Weinstock-Guttman B, 480A, 490A
Weisleder P, 546A
Weiss EH, 679
Weiss HD, 273
Weller M, 415A
Wen P, 483A
Wenche JY, 475A
Wende KE, 885
Wendlandt JT, 512A, 544A
Wengenack TM, 943
Werner J Jr, 543A
Werner RR, 522A
Wessel T, 461A
Westendorp RGJ, 641
Wester HJ, 842
Wheelock V, 467A
Whelan HT, 522A
Whelan SL, 943
Wheless JW, 515A
Whittemore SR, 484A
Wicklein EM, 170
Widner H, 689
Wieler M, 463A
Wiendl H, 679
Wienecke G, 431A
Wiener H, 423A
Wigger F, 458A
Wijamn C, 455A
Wijdicks E, 483A
Wijdicks EFM, 458A
Wilfong AA, 522A
Wilhelmsen KC, 427A, 460A
Willamson R, 538A
Willcox N, 479A, 953A
Willett WC, 431A
Williams CE, 526A
Williams CL, 426A
Williams SL, 438A
Williamson K, 466A
Willoch F, 842
Wills AJ, 469A
Wills-Karp M, 952A
Wilson CB, 11
Wilson DA, 535A
Wilson M, 480A
Windebank AJ, 416A
Windl O, 323
Wingard E, 497A
Wingerchuk DM, 481A
Winner P, 516A
Winner PK, 498A
Winterbourn CC, 528A
Wirguin I, 472A
Wisniewski KE, 536A
Wityk R, 273
Wityk RJ, 458A
Witzig TE, 482A
Wokke JHJ, 919
Wolinsky JS, 447A, 476A
Wollmann R, 534A
Wolters P, 513A
Wong KT, 802
Wong P, 469A
Woo D, 425A, 462A
Wood EP, 520A, 534A
Wood L, 513A
Wood N, 436A
Wood NW, 72, 438A, 806
Woodroofe MN, 452A
Woodward H, 65
Wooley K, 539A
Worrall BB, 459A, 501A
Wszolek ZK, 437A, 466A
Wu JY, 538A
Wu X-w, 452A
Wu Y, 444A
Wu YW, 513A

Xaliproden [SR57746A] ALS International Study Group, 488A
Xin S, 473A
Xu B, 517A

Yabe I, 156, 470A
Yablon SA, 500A
Yagi K, 487A
Yamada T, 438A, 441A
Yamagata T, 416A
Yamamoto K, 438A
Yamamoto M, 457A, 497A, 503A
Yamanishi Y, 485A
Yamashita I, 156, 470A
Yamashita S, 471A
Yamawaki M, 449A
Yamaya Y, 474A
Yamazaki S, 523A
Yanagihara N, 254
Yang X-F, 521A
Yang Y, 430A
Yao S, 478A
Yarchoan R, 513A
Yasaki S, 472A
Yates CM, 534A
Yee IML, 927
Yeleswaram K, 423A, 457A
Yen S-H, 859
Yeung PP, 467A
Yonehara T, 479A
Yonemitsu N, 482A
Yoshida H, 939
Yoshii A, 521A
Yoshikawa H, 523A
Yoshioka A, 474A
Yoshiyama Y, 487A
Young WL, 498A
Younkin LH, 201
Younkin SG, 201
Youroukos S, 647
Yu AY, 285
Yuasa T, 245
Yuki N, 624
Yum SW, 537A
Yung SY, 415A
Yuzuriha T, 685

Zagzag D, 440A, 661
Zaitsu M, 482A
Zaman K, 428A
Zamba E, 877
Zamrini E, 425A
Zamvil SS, 490A
Zaretzky M, 448A
Zecchinni D, 450A
Zee DS, 445A, 542A
Zelnik N, 523A
Zeltzer L, 513A
Zeng Z, 27
Zerr I, 323
Zetterstrom TSC, 446A
Zhai H, 451A
Zhang H, 297

Zhang J, 421A
Zhang SM, 431A
Zhang Y, 952A
Zhang Z, 250
Zhao GJ, 481A
Zhao H, 467A
Zhao W, 456A
Zhong N, 536A
Zhu B, 485A
Zhu J, 464A
Zhukareva V, 850
Ziai WD, 134
Zientara GP, 518A
Zimmerman RA, 546A, 548A
Zivin JA, 485A
Zoghbi HY, 416A
Zonenshayn M, 467A
Zu L, 416A
Zuberi SM, 647
Zucca C, 39
Zupec-Kania BA, 522A
Zuschratter W, 766
Zvartau-Hind M, 451A
Zweifler RM, 500A

Subject Index

Absence epilepsy; *see* Epilepsy, absence

Academic achievement; *see* Educational status

Acalculia
- cortical areas differentially involved in multiplication and subtraction: a functional magnetic resonance imaging study and correlation with a case of selective acalculia (Lee) 2000;48:657

Accidental falls
- "stops walking when talking" does not predict falls in Parkinson's disease (Bloem et al) 2000;48:268 (Letter)

Acetazolamide
- acetazolamide opens the muscular $K_{Ca^{2+}}$ channel: a novel mechanism of action that may explain the therapeutic effect of the drug in hypokalemic periodic paralysis (Tricarico et al) 2000;48:304

Acetylcholine
- antibodies to fetal acetylcholine receptors in parous women (Vincent et al) 2000;48:479A
- antibodies to the receptor tyrosine kinase MuSK in myasthenia gravis seronegative for acetylcholine receptor antibodies (McConville et al) 2000;48:952A
- construction and expression of recombinant anti-acetylcholine receptor monoclonal antibodies to study the role of complement activation in experimental autoimmune myasthenia gravis (Kirvan et al) 2000;48:451A
- modulation of acetylcholine receptor expression in seronegative myasthenia gravis (Poea et al) 2000;48:696
- severe congenital myasthenic syndrome due to homozygosity of the 1293insG ε-acetylcholine receptor subunit mutation (Sieb et al) 2000;48:379

Acetylcholinesterase
- apolipoprotein E allele and platelets amyloid precursor protein in Alzheimer's disease: biological effect of acetylcholinesterase inhibitors treatment (Padovani et al) 2000;48:460A
- limited donepezil inhibition of acetylcholinesterase measured with positron emission tomography in living Alzheimer cerebral cortex (Kuhl et al) 2000;48:391
- progressive loss of cortical acetylcholinesterase activity in association with cognitive decline in Alzheimer's disease: a positron emission tomography study (Shinotoh et al) 2000;48:194

Achromatium
- novel *tau* mutation (N296N) in familial dementia with swollen achromatic neurons and corticobasal inclusion bodies (Spillantini et al) 2000;48:939

Actins
- parkin is associated with actin filaments in neuronal and nonneural cells (Huynh et al) 2000;48:745

Adaptation, psychological
- concerns of Haitian families with a disabled child (Coulter et al) 2000;48:550A

Adenoidectomy
- medial medullary injury during adenoidectomy (Kang et al) 2000;48:548A

Adenoviruses
- protection by synergistic effects of adenovirus-mediated XIAP and GDNF gene transfer in the MPTP model of Parkinson's disease (Schulz et al) 2000;48:415A

Administration, intranasal
- nasal administration of amyloid-β peptide decreases cerebral amyloid burden in a mouse model of Alzheimer's disease (Weiner et al) 2000;48:567

African-Americans
- characteristics of white and African-American probable Alzheimer's disease patients seen in a memory clinic (Harrell et al) 2000;48:425A
- recurrent transverse myelitis in African-Americans (Khan et al) 2000;48:451A

Age factors
- effects of age at onset and duration of seizure disorder on severity of hippocampal sclerosis and cognitive dysfunction in temporal lobe epilepsy (Watson et al) 2000;48:463A
- epileptogenesis after status epilepticus reflects age- and model-dependent plasticity (Sankar et al) 2000;48:580
- HLA-DR15 is associated with lower age at onset in multiple sclerosis (Masterman et al) 2000;48:211
- maternal effect on Parkinson's disease (de la Fuente-Fernández) 2000;48:782
- neurological and neuroradiological correlation in herpes simplex encephalitis type I: is topography of lesions age dependent? (Scalais and Stevens) 2000;48:549A
- use of dopamine agonists in aging patients with Parkinson's disease (Shulman et al) 2000;48:466A

Aged
- absence of the 414 mitochondrial DNA mutation in the brains of elderly subjects (Simon et al) 2000;48:438A
- dopaminergic therapy improves upper limb motor performance in aged rhesus monkeys (Grondin et al) 2000;48:250

Agglutination tests
- agglutination immunoassay for rapid detection of anti-GM1 antibodies in patients with neuropathy (Alaedini and Latov) 2000;48:439A

Albuterol
- efficacy of strength training and albuterol in facioscapulohumeral muscular dystrophy (van der Kooi et al) 2000;48:500A

Alopecia
- zinc supplementation is effective for children with hair loss due to chronic valproic acid therapy or the ketogenic diet (Buchanan et al) 2000;48:523A

α Macroglobulins
- α2-macroglobulin gene and Alzheimer's disease: confirmation of association by haplotypes analyses (Verpillat et al) 2000;48:400 (Letter)

Alteplase
- ApoE phenotype and the effectiveness of intravenous tissue-type plasminogen activator in acute ischemic stroke (Broderick et al) 2000;48:421A
- interim analysis of the Canadian Activase for Stroke Effectiveness Study: outcome depends on time to treatment (Phillips et al) 2000;48:424A

July issue, pp 1–136; August issue, pp 137–274; September issue, pp 275–552; October issue, pp 553–688; November issue, pp 689–822; December issue, pp 823–1012.

Copyright © 2000 by the American Neurological Association

why don't stroke patients receive tissue plasminogen activator? an analysis of patient eligibility: implications for improving clinical impact by increasing future treatment numbers (Barber et al) 2000;48:421A

Alzheimer's disease, analysis

apolipoprotein E allele and platelets amyloid precursor protein in Alzheimer's disease: biological effect of acetylcholinesterase inhibitors treatment (Padovani et al) 2000;48:460A

cystatin C and Alzheimer's disease (Deng et al) 2000;48:425A

increased 8,12-*iso*-$iPF_{2\alpha}$-VI in Alzheimer's disease: correlation of a noninvasive index of lipid peroxidation with disease severity (Praticò et al) 2000;48:795

no difference in plasma or urinary F_2-isoprostanes among patients with Huntington's disease or Alzheimer's disease, and controls (Montine et al) 2000;48:949 (Letter)

taps to Alzheimer's patients: a continuous Japanese study of cerebrospinal fluid biomarkers (Shoji et al) 2000;48:402 (Letter)

Alzheimer's disease, anatomy

UCLA Alzheimer's atlas: structural and functional applications (Mega et al) 2000;48:427A

Alzheimer's disease, drug therapy

cognitive and functional benefits of galantamine: a 12-month study in Alzheimer's disease (Raskind and Truyen) 2000;48:460A

galantamine provides cognitive and functional benefits over 12 months in patients with Alzheimer's disease (Mintzer and Kershaw) 2000;48:459A

limited donepezil inhibition of acetylcholinesterase measured with positron emission tomography in living Alzheimer cerebral cortex (Kuhl et al) 2000;48:391

long-term cognitive benefits of galantamine treatment in patients with Alzheimer's disease (Wessel and Gaens) 2000;48:461A

rivastigmine for Alzheimer's disease: Canadian interpretation of scale changes and implications to costs (Baladi et al) 2000;48:503A

Alzheimer's disease, ethnology

characteristics of white and African-American probable Alzheimer's disease patients seen in a memory clinic (Harrell et al) 2000;48:425A

Alzheimer's disease, genetics

α2-macroglobulin gene and Alzheimer's disease: confirmation of association by haplotypes analyses (Verpillat et al) 2000;48:400 (Letter)

differences in the Aβ40/Aβ42 ratio associated with cerebrospinal fluid lipoproteins as a function of apolipoprotein E genotype (Fagan et al) 2000;48:201

familial Alzheimer's disease: site of mutation influences clinical phenotype (Lippa et al) 2000;48:376

gene polymorphism affecting α1-antichymotrypsin and interleukin-1 plasma levels increases Alzheimer's disease risk (Licastro et al) 2000;48:388

genetic association studies of interleukin-1 (IL-1A and IL-1B) and interleukin-1 receptor antagonist genes and the risk of Alzheimer's disease (Minster et al) (Letter); (Grimaldi and Griffin) (Reply) 2000;48:817

large-scale gene expression in Alzheimer's disease lymphoblasts (Scherzer et al) 2000;48:429A

mitochondrial damage in Alzheimer's disease varies with apolipoprotein E genotype (Gibson et al) 2000;48:297

NOS3 polymorphism not associated with Alzheimer's disease in Japanese (Higuchi et al) 2000;48:685 (Letter)

variant Alzheimer's disease with spastic paraparesis and cotton wool plaques is caused by PS-1 mutations that lead to exceptionally high amyloid-β concentrations (Houlden et al) 2000;48:806

Alzheimer's disease, pathology

Alzheimer's disease cybrids replicate β-amyloid abnormalities through cell death pathways (Khan et al) 2000;48:148

clusterin/apolipoprotein J facilitates Alzheimer's-like neuritic degeneration: dissociation between fibril formation and toxicity in vivo (Holtzman et al) 2000;48:953A

expression profile of transcripts in Alzheimer's disease tangle-bearing CA1 neurons (Ginsberg et al) 2000;48:77

orbitofrontal and anterior cingulate cortex neurofibrillary tangle burden is associated with agitation in Alzheimer's disease (Tekin et al) 2000;48:461A

progressive loss of cortical acetylcholinesterase activity in association with cognitive decline in Alzheimer's disease: a positron emission tomography study (Shinotoh et al) 2000;48:194

selective muscarinic M1 agonist AF102B decreases levels of total amyloid-β in cerebrospinal fluid of patients with Alzheimer's disease (Nitsch et al) 2000;48:913

selective pathological changes of the periaqueductal gray matter in Alzheimer's disease (Parvizi et al) 2000;48:344

Alzheimer's disease, physiopathology

description of behaviors emerging in community-dwelling persons with Alzheimer's disease over 12 months (Gamst et al) 2000;48:419A

memory failure has different mechanisms in subcortical stroke and Alzheimer's disease (Reed et al) 2000;48:275

predicting long-term implications for the course of Alzheimer's disease from short-term clinical trial results (Caro et al) 2000;48:496A

retention-weighted memory improves discrimination of Alzheimer's disease (Buschke and Sliwinski) 2000;48:425A

ventricular dilatation on magnetic resonance imaging predicts early onset of urinary incontinence in patients with probable Alzheimer's disease (Sevush et al) 2000;48:429A

Alzheimer's disease, prevention and control

immunization for Alzheimer's disease: a shot in the arm or a whiff? (Levey) 2000;48:553 (Editorial)

Alzheimer's disease, surgery

low-flow cerebrospinal fluid shunting in Alzheimer's disease: a phase I, controlled clinical trial (McGuire et al) 2000;48:427A

Alzheimer's disease, therapy

nasal administration of amyloid β-peptide decreases cerebral amyloid burden in a mouse model of Alzheimer's disease (Weiner et al) 2000;48:415A

nasal administration of amyloid-β peptide decreases cerebral amyloid burden in a mouse model of Alzheimer's disease (Weiner et al) 2000;48:567

Aminoglycosides

sequence specificity of aminoglycoside-induced stop codon readthrough: potential implications for treatment of Duchenne muscular dystrophy (Howard et al) 2000;48:164

Ammonia

excellent outcome following profound transient hyperammonemic coma in a toddler (Richards and McDonald) 2000;48:532A

Amobarbital

language dominance in children as determined by magnetic source imaging and the intracarotid amobarbital procedure: a comparison (Breier et al) 2000;48:515A

Amyloid β-protein
Alzheimer's disease cybrids replicate β-amyloid abnormalities through cell death pathways (Khan et al) 2000;48:148
amyloid-β (Aβ) immunization results in decreased Aβ deposition in the brains of APP-PS1 mice (Vehmas et al) 2000;48:952A
apolipoprotein E allele and platelets amyloid precursor protein in Alzheimer's disease: biological effect of acetylcholinesterase inhibitors treatment (Padovani et al) 2000;48:460A
erythropoietin expression was upregulated in human astrocytes by interleukin-6 and amyloid-β peptides (Nagai et al) 2000;48:443A
improved diagnostic discrimination of patients with vascular dementia using tau and β-amyloid$_{(1-42)}$ levels in cerebrospinal fluid (Mielke et al) 2000;48:459A
nasal administration of amyloid β-peptide decreases cerebral amyloid burden in a mouse model of Alzheimer's disease (Weiner et al) 2000;48:415A
nasal administration of amyloid-β peptide decreases cerebral amyloid burden in a mouse model of Alzheimer's disease (Weiner et al) 2000;48:567
selective muscarinic M1 agonist AF102B decreases levels of total amyloid-β in cerebrospinal fluid of patients with Alzheimer's disease (Nitsch et al) 2000;48:913
variant Alzheimer's disease with spastic paraparesis and cotton wool plaques is caused by PS-1 mutations that lead to exceptionally high amyloid-β concentrations (Houlden et al) 2000;48:806
Amyloid γ-protein
genetic screen to identify regulators of the amyloid precursor protein γ secretase (Guo et al) 2000;48:953A
Amyloidoma
clinical and neuroimaging features of primary central nervous system amyloidoma (Phan et al) 2000;48:482A
Amyotrophic lateral sclerosis
early decrease of redox factor-1 in the spinal cord of a transgenic model for amyotrophic lateral sclerosis (Warita et al) 2000;48:429A
expression of a copper/zinc superoxide dismutase typical of familial amyotrophic lateral sclerosis induces neuronal death in transfected VSC4.1 cells (Lee et al) 2000;48:468A
gene expression analysis in a transgenic model of amyotrophic lateral sclerosis and in ALS brain tissue (Rothstein et al) 2000;48:417A
immunohistochemical analyses of neuronal cytosolic aggregates in familial and sporadic amyotrophic lateral sclerosis (Watanabe et al) 2000;48:469A
inhibition of cyclooxygenase-2 protects motor neurons in an organotypic model of amyotrophic lateral sclerosis (Drachman and Rothstein) 2000;48:441A, 2000;48:792
lyophilized red wine administration prolongs survival in an animal model of amyotrophic lateral sclerosis (Esposito et al) 2000;48:686 (Letter)
physiological basis of conduction slowing in amyotrophic lateral sclerosis patients homozygous for the autosomal recessive D90A copper/zinc superoxide dismutase mutation (Weber et al) 2000;48:470A
prospective quality control of vital capacity as primary endpoint in international multicenter therapeutic trial of SR57746A (xaliproden) in amyotrophic lateral sclerosis (Sanjak et al) 2000;48:488A
stem cell transplantation: in vitro and in vivo models of motor neuron disease—appraoches for treating amyotrophic lateral sclerosis (Maragakis et al) 2000;48:468A
therapeutic benefit of polyamine-modified catalase as a scavenger of H_2O_2 and nitric oxide in familial amyotrophic lateral sclerosis transgenics (Poduslo et al) 2000;48:943
Aneurysm
aneurysm of a dural sigmoid sinus: a novel vascular cause of pulsatile tinnitus (Houdart et al) 2000;48:669
cavernous carotid aneurysms should not be included in the analysis of intracranial aneurysms (Kupersmith et al) 2000;48:454A
coiling, clipping, or medical management of unruptured intracranial aneurysms: time to randomize? (Broderick) 2000;48:5 (Editorial)
endovascular and surgical treatment of unruptured cerebral aneurysms: comparison of risks (Johnston et al) 2000;48:11
learning curve for a new technique: coil embolization of unruptured aneurysms (Singh and Johnston) 2000;48:499A
Angiography
concordant carotid Doppler and magnetic resonance angiography obviates need for cerebral angiography (Johnston and Goldstein) 2000;48:497A
Angioplasty
elective angioplasty and stenting of tandem lesions in the carotid territory (Kadimi et al) 2000;48:424A
results of cerebral angioplasty with prospective neurologist follow-up (Chaturvedi) 2000;48:501A
Anisotropy
evaluation of diffusion anisotrophy during human cortical gray matter development (Neil et al) 2000;48:517A
Anoxia
correlation of diffusion-weighted imaging, T2 relaxation times, and magnetic resonance spectroscopy in pediatric hypoxic-ischemic injury (Ashwal et al) 2000;48:539A
correlation of neonatal cytokines with neurological injury and outcome in perinatal hypoxia-ischemia (Foster-Barber et al) 2000;48:528A
fate of hypoxic tissue on ^{18}F-fluoromisonidazole positron emission tomography after ischemic stroke (Read et al) 2000;48:228
release of the neuronal glycoprotein ICAM-5 in serum after hypoxic-ischemic injury (Guo et al) 2000;48:590
role of hypoxia-inducible factor-1 in hypoxia-induced ischemic tolerance in neonatal rat brain (Bergeron et al) 2000;48:285
seizures accelerate anoxia-induced neuronal death in the neonatal rat hippocampus (Dzhala et al) 2000;48:632
Antibodies
agglutination immunoassay for rapid detection of anti-GM1 antibodies in patients with neuropathy (Alaedini and Latov) 2000;48:439A
antibodies to fetal acetylcholine receptors in parous women (Vincent et al) 2000;48:479A
antibodies to interferon-β in multiple sclerosis patients: measurement by a commercially available kit (Pachner et al) 2000;48:477A
antibodies to the calpain-calpastatin complex in patients with tics, Tourette syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:542A
antibodies to the receptor tyrosine kinase MuSK in myasthenia gravis seronegative for acetylcholine receptor antibodies (McConville et al) 2000;48:952A
anti-brain antibodies are frequently present in children with PANDAS but not uncomplicated active group A streptococcal infections (Bianchini et al) 2000;48:512A

axonal Guillain-Barré syndrome: relation to anti-ganglioside antibodies and *Campylobacter jejuni* infection in Japan (Ogawara et al) 2000;48:624
clinical utility of anti-ganglioside antibody determination in the diagnosis of Guillain-Barré syndrome (Wirguin et al) 2000;48:472A
demyelinating antibodies in multiple sclerosis (Seil) (Letter); (Archelos and Hartung) (Reply) 2000;48:948
[^{18}F]fluorodeoxyglucose positron emission tomography in the diagnosis of cancer in patients with paraneoplastic neurological syndrome and anti-Hu antibodies (Antoine et al) 2000;48:105
Guillain-Barré syndrome with IgM antibody to a ganglioside, GalNAc-GD1a (Kaida et al) 2000;48:442A
interferon-neutralizing antibodies reduce clinical and magnetic resonance imaging efficacy in multiple sclerosis patients treated with interferon β-1a (Rebif): observations from the PRISMS 4-year extension study (Rice and PRISMS) 2000;48:477A
patients with active relapsing-remitting multiple sclerosis synthesize antibodies recognizing oligodendrocyte progenitor cell surface protein: implications for remyelination (Niehaus et al) 2000;48:362
peripheral nerve hyperexcitability associated with schwannoma and antibodies to voltage-gated potassium channels (Potter et al) 2000;48:472A
serum antibodies to specific brain proteins in patients with tics, Tourette's syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:511A

Antibodies, monoclonal
construction and expression of recombinant anti-acetylcholine receptor monoclonal antibodies to study the role of complement activation in experimental autoimmune myasthenia gravis (Kirvan et al) 2000;48:451A

Anticholesteremic agents
effect of anticholesterol therapy on soluble intercellular adhesion molecule-1 in chronic stroke patients with hyperlipidemia (Tomiyasu et al) 2000;48:457A

Antichymotrypsin; *see* Chymotrypsin

Antigens
analysis of myelin antigen–specific autoreactive T cells from opticospinal multiple sclerosis patients (Minohara et al) 2000;48:475A

Antigens, viral, tumor
from telomeres to T antigens: many roads. . . multiple pathways. . . novel associations in the search for the origins of human gliomas (Major) 2000;48:823 (Editorial)

Antihypertensive agents
antihypertensive use in women and men in the African-American antiplatelet stroke prevention study (Worrall et al) 2000;48:459A

Antimyelin; *see* Myelin proteins

Antipsychotic drugs; *see* Tranquilizing agents, major

Antithrombotic agents; *see* Fibrinolytic agents

Antitoxins
early antitoxin treatment in wound botulism results in better outcome (Ganguly and Chang) 2000;48:441A

Apolipoprotein E
ApoE phenotype and the effectiveness of intravenous tissue-type plasminogen activator in acute ischemic stroke (Broderick et al) 2000;48:421A
apolipoprotein E allele and platelets amyloid precursor protein in Alzheimer's disease: biological effect of acetylcholinesterase inhibitors treatment (Padovani et al) 2000;48:460A
differences in the Aβ40/Aβ42 ratio associated with cerebrospinal fluid lipoproteins as a function of apolipoprotein E genotype (Fagan et al) 2000;48:201
mitochondrial damage in Alzheimer's disease varies with apolipoprotein E genotype (Gibson et al) 2000;48:297
population-based association study of apolipoprotein E variants with multiple sclerosis (Kantarci et al) 2000;48:450A

Apolipoprotein J
clusterin/apolipoprotein J facilitates Alzheimer's-like neuritic degeneration: dissociation between fibril formation and toxicity in vivo (Holtzman et al) 2000;48:953A

Apoptosis; *see* Cell death

Apraxia
limb-kinetic apraxia: clinical, kinematic and electrophysiological study (Leiguarda et al) 2000;48:435A

Aquaporin 4
analytical studies on the mechanism of the depletion of the aquaporin 4 molecule in the muscle plasma membrane with Duchenne muscular dystrophy (Wakayama et al) 2000;48:471A

Areflex; *see* Reflex, abnormal

Arm
dopaminergic therapy improves upper limb motor performance in aged rhesus monkeys (Grondin et al) 2000;48:250

Arteries
identifying arterial input from perfusion-weighted magnetic resonance imaging time series (Chen and Schlaug) 2000;48:422A

Arteriovenous malformations
acquired central nervous system vascular malformations in ataxia telangiectasia (Crawford et al) 2000;48:532A
increased detection of cerebral vascular malformations in a large health maintenance organization (Singh et al) 2000;48:498A

Aspartoacylase
aspartoacylase gene transfer to the mammalian central nervous system with therapeutic implications for Canavan disease (Leone et al) 2000;48:27

Asphyxia
prediction of outcome in severe infantile syncope (Stephenson) 2000;48:550A

Aspirin
aspirin inhibits secretion of monocyte chemotactic protein 1 and expression of vascular cell adhesion molecule 1 on cultured endothelial cells (Cha and Jeong) 2000;48:422A
measure of interaction of aspirin-clopidogrel for ex vivo platelet aggregation in patients with ischemic stroke (Helgason et al) 2000;48:424A

Astrocytes
development of a model of human astrocyte transformation (Rich et al) 2000;48:482A
erythropoietin expression was upregulated in human astrocytes by interleukin-6 and amyloid-β peptides (Nagai et al) 2000;48:443A

Astrocytoma
class III β-tubulin: a marker for malignancy in astrocytomas (Katsetos et al) 2000;48:540A
radiological evolution of brain lesions in tuberous sclerosis from infancy to childhood (Gupta and Rothner) 2000;48:532A

Ataxia
clinical, genetic, and expression studies of mutations in the potassium channel gene KCNA1 reveal new phenotypic variability (Eunson et al) 2000;48:647

clinical and genetic findings in Finnish ataxia patients with the spinocerebellar ataxia 8 repeat expansion (Juvonen et al) 2000;48:354
late-onset optic atrophy, ataxia, and myopathy associated with a mutation of a complex II gene (Birch-Machin et al) 2000;48:330
novel locus for dominant ataxia maps to chromosome 19q13.4-qter (Sasaki et al) 2000;48:470A
novel type of autosomal-dominant cerebellar ataxia linked to chromosome 8q (Yamada et al) 2000;48:438A

Ataxia telangiectasia
acquired central nervous system vascular malformations in ataxia telangiectasia (Crawford et al) 2000;48:532A

Atherosclerosis
encephalodural arteriosynangiosis for atherosclerotic hemodynamic ischemia (Marshall et al) 2000;48:455A

Athetosis
treatment of refractory choreoathetosis and dystonia with intrathecal baclofen therapy (Tilton et al) 2000;48:545A

Atlases
UCLA Alzheimer's atlas: structural and functional applications (Mega et al) 2000;48:427A

Atrophy
autonomic testing in patients with orthostatic instability: comparison between Parkinson's disease and multiple system atrophy (Kujawa et al) 2000;48:434A

Attention
cognitive fatigue measured during a test of sustained attention in multiple sclerosis patients (Schwid et al) 2000;48:478A

Attention deficit disorder with hyperactivity
comparison of claims data and healthcare professional perceptions in the management of attention-deficit hyperactivity disorder in children and young adults within a commercially insured, managed care population in Georgia (Steinbuchel et al) 2000;48:543A
norepinephrine regulates behavior in an animal model of hyperactivity (Hess and Jones) 2000;48:512A
oculomotor findings in boys with Tourette syndrome with and without attention-deficit hyperactivity disorder (Mostofsky et al) 2000;48:542A
prevalence and psychosocial risk factors for attention-deficit hyperactivity disorder in a public Brazilian elementary school (Basconcelos et al) 2000;48:543A
routine electroencephalography in the initial evaluation of children with suspected attention-deficit hyperactivity disorder (Richer et al) 2000;48:543A
treatment of attention deficit hyperactivity disorder in children with Tourette's syndrome (TACT Trial) (Tourette and Kurlan) 2000;48:953A
use of complementary medicine in children with neurological disorders (Gross-Tsur et al) 2000;48:544A

Auditory cortex
lidocaine changes neural activity associated with the loudness of tinnitus in auditory cortex (Reyes et al) 2000;48:490A

Autism
donepezil (Aricept) use in children with autistic spectrum disorders (Chez et al) 2000;48:541A
evidence of mitochondrial dysfunction in autistic patients with 15q inverted duplication (Filipek et al) 2000;48:542A
identification of a novel transcript in linkage disequilibrium with autism (Wang et al) 2000;48:512A
novel association of Duchenne muscular dystrophy with autistic spectrum disorder (Wu et al) 2000;48:538A
presence of gastrointestinal symptoms in children with primary diagnoses of autistic disorder (Chez et al) 2000;48:542A
use of secretin to treat autism: a pilot study (Roseman et al) 2000;48:541A

Autoantibodies
autoantibody repertoires in children with Tourette's syndrome: multivariate statistical comparison by discriminant analysis of activity against human striatum, muscle, and a neuroblastoma cell line (Wendlandt et al) 2000;48:512A
clinicopathological aspects of the neuropathy in P-anti-neutrophil cytoplasmic autoantibody–positive patients (Yasaki et al) 2000;48:472A
glutamic acid decarboxylase 65 autoantibody syndrome with progressive degeneration of nervous system (Molaie and Molaie) 2000;48:428A

Autoimmune diseases
anti-brain antibodies are frequently present in children with PANDAS but not uncomplicated active group A streptococcal infections (Bianchini et al) 2000;48:512A
treatment of experimental autoimmune neuritis by a Ras inhibitor s-farnesylthiosalicylic acid (Kafri et al) 2000;48:449A

Autoimmunity
role of thymoma in inducing autoimmunity: raised numbers of mature T cells exported from primary and recurrent thymomas (Buckley et al) 2000;48:953A

Axons
activity-dependent hyperpolarization and conduction block in chronic inflammatory demyelinating polyneuropathy (Cappelen-Smith et al) 2000;48:826
axonal Guillain-Barré syndrome: relation to anti-ganglioside antibodies and *Campylobacter jejuni* infection in Japan (Ogawara et al) 2000;48:624
infantile neuroaxonal dystrophy: early, accurate diagnosis by nerve and muscle biopsy (Frost et al) 2000;48:537A
neurological disability correlates with spinal cord axonal loss and reduced *N*-acetyl aspartate in chronic multiple sclerosis patients (Bjartmar et al) 2000;48:893
pathogenesis of Charcot-Marie-Tooth disease: a new connexin 32 mutation associated with impaired regeneration of large-caliber axons (Abrams et al) 2000;48:439A
Schwann cell caveolin-1 expression increases during development and decreases following axotomy (Mikol et al) 2000;48:473A

Baclofen
suppression of tics with baclofen: double-blind, placebo-controlled, crossover clinical trial (Singer et al) 2000;48:544A
treatment of refractory choreoathetosis and dystonia with intrathecal baclofen therapy (Tilton et al) 2000;48:545A

Balance
correlational study of perceived and actual balance abilities in patients with Parkinson's disease (Adler et al) 2000;48:431A

Balint-Holmes syndrome
impaired complex motion perception in two patients with Balint-Holmes syndrome (Vaina et al) 2000;48:420A

Basal ganglia
gene expression profiles in the primate basal ganglia: implications for research in movement disorders (Meurers et al) 2000;48:464A

genetic heterogeneity of idiopathic basal ganglia calcification (Fahr's disease) (Sobrido et al) 2000;48:466A
magnetic resonance spectroscopy of basal ganglia lesions in acute disseminated encephalomyelitis (Gabis et al) 2000;48:538A
metabolite changes in the basal ganglia in patients with Parkinson's disease (Terakawa et al) 2000;48:467A
novel *tau* mutation (N296N) in familial dementia with swollen achromatic neurons and corticobasal inclusion bodies (Spillantini et al) 2000;48:939
pathologically confirmed corticobasal degeneration shares the same tau haplotype association as progressive supranuclear palsy (Houlden et al) 2000;48:436A

Bcl-xL
insulin-like growth factor-I and Bcl-xL inhibit c-jun *N* terminal protein kinase and promote Schwann cell survival (Cheng et al) 2000;48:473A

Behavior
description of behaviors emerging in community-dwelling persons with Alzheimer's disease over 12 months (Gamst et al) 2000;48:419A

Bell's palsy; *see* Facial paralysis

Benign rolandic epilepsy; *see* Epilepsy

Biogenic amines
disorder of biogenic amine and pterin metabolism in a girl with late-onset ceroid lipofuscinosis (Barisic et al) 2000;48:483A

Biopterin
phenylalanine loading in the diagnosis of dopa-responsive dystonia: the necessity for measuring biopterin (Saunders-Pullman et al) 2000;48:466A

BK virus
BK virus and neurological disease: a case series and review of the literature (Reploeg et al) 2000;48:484A

Bladder incontinence; *see* Urinary incontinence

Blindness
role of visual cortex in tactile Braille reading: the early blind, the sighted, and the blindfolded (Kauffman et al) 2000;48:418A
tactile "imagery" in the blind: a transcranial magnetic stimulation study (Murray et al) 2000;48:419A

Blinking
orbicularis oculi premotor neurons within the supraoculomotor area (LeDoux and Rupprecht) 2000;48:435A

Blood circulation
impaired activation of oxygen consumption and blood flow in visual cortex of patients with mitochondrial encephalomyopathy (Vafaee et al) 2000;48:676

Blood coagulation disorders
children with presumed prenatal or perinatal arterial ischemic stroke have frequent coagulation abnormalities and persistent neurologic deficits (Golomb et al) 2000;48:526A
predictors of coagulopathy in patients with acute ischemic stroke (Bushnell et al) 2000;48:421A

Blood platelets
endothelial microparticles in multiple sclerosis, as defined by expression of platelet-endothelial cell adhesion molecule-1, are elevated in exacerbation: a new aspect of disease pathogenesis (Minagar et al) 2000;48:475A

Blood–brain barrier
immunohistochemistry of matrix metalloproteinases and opening of the blood–brain barrier in reperfusion injury (Rosenberg et al) 2000;48:456A

Blood–nerve barrier
sera from patients with Guillain-Barré syndrome increases the permeability in an in vitro blood–nerve barrier model (Kanda et al) 2000;48:449A

BMS-204352
BMS-204352: a novel maxi-K potassium channel opener for the treatment of stroke: safety and clinical pharmacology in healthy subjects (Gold et al) 2000;48:422A
brain uptake and biodistribution studies in rats of the maxi-K channel opener BMS-204352, a potential neuroprotectant for the treatment of acute stroke (Starrett et al) 2000;48:457A
targeting ischemic neurons with the large-conductance calcium-activated (maxi-K) potassium-channel opener BMS-204352 (Gribkoff et al) 2000;48:423A

Body temperature
cutaneous blood flow and temperature regulation in patients with Prader-Willi syndrome (DiMario and Burleson) 2000;48:530A

Bone marrow
bone marrow to brain: marrow stromal cells can be induced to express neural markers (Azizi et al) 2000;48:453A

Book reviews
Amyotrophic Lateral Sclerosis, edited by Brown Jr et al (Rowland) 2000;48:951
Atlas of Electromyography, by Leis and Trapani (Mayer) 2000;48:821
Autonomic Failure: A Textbook of Clinical Disorders of the Autonomic Nervous System, 4th ed, edited by Mathias and Bannister (Khurana) 2000;48:820
Corticobasal Degeneration and Related Disorders; Advances in Neurology, Vol 82, edited by Litvan et al (Kolodny) 2000;48:688
Diseases of the Spine and Spinal Cord, by Byrne et al (Kerr) 2000;48:951
Early Diagnosis of Alzheimer's Disease, edited by Scinto and Daffner (Crain) 2000;48:404
Emergency Neurology: Principles and Practice, edited by Shah and Kelly (Becker) 2000;48:133
The Headaches, 2nd ed, edited by Olesen et al (Mondell) 2000;48:403
Immunological and Inflammatory Disorders of the Central Nervous System, edited by Scolding (Johnson) 2000;48:405
Ion Channels and Disease, by Ashcroft (Cannon) 2000;48:404
Mechanism and Management of Headache, 6th ed, edited by Lance and Goadsby (Weiss) 2000;48:273
Medical Neurotoxicology: Occupational and Environmental Causes of Neurologic Dysfunction, edited by Blain and Harris (Watson) 2000;48:134
Myasthenia Gravis and Myasthenic Disorders, edited by Engel (Sanders) 2000;48:820
The Nervous System and the Heart, edited by Ter Horst (Oppenheimer) 2000;48:273
Neurofibromatosis: Phenotype, Natural History, and Pathogenesis, 3rd ed, by Friedman et al (Maria) 2000;48:688
Neurologic Catastrophes in the Emergency Department, edited by Wijdicks (Ziai et al) 2000;48:134
Pediatric Neuroimaging, 3rd ed, by Barkovich (Johnston) 2000;48:403
A Short History of Neurology: The British Contribution 1660–1910, edited by Rose (Johnson) 2000;48:135
Transcranial Doppler Ultrasonography, 2nd ed, edited by Babikian and Wechsler (Wityk) 2000;48:273
Tuberous Sclerosis Complex: Developmental Perspectives in Psychiatry, 3rd ed, edited by Gomez et al (Crino) 2000;48:133

Botulinum toxins
effects of botulinum toxin type A on intracortical inhibition in patients with dystonia (Gilio et al) 2000;48:20
how does botulinum toxin work? (Hallett) 2000;48:7 (Editorial)
quality-of-life impact of botulinum toxin treatments for spasmodic dysphonia and oromandibular dystonia (Bhattacharyya and Tarsy) 2000;48:504A
Botulism
early antitoxin treatment in wound botulism results in better outcome (Ganguly and Chang) 2000;48:441A
Bowel incontinence; *see* Fecal incontinence
Brachial plexus
brachial plexus palsy reconsidered: the posterior shoulder and arm (Tarby and Jennett) 2000;48:526A
outcome of perinatal brachial plexus palsy (Manwani and Hosain) 2000;48:515A
Braille
role of visual cortex in tactile Braille reading: the early blind, the sighted, and the blindfolded (Kauffman et al) 2000;48:418A
Brain, abnormalities
elucidating the clinical spectrum of holoprosencephaly through a clinical-neuroradiologic analysis (Plawner et al) 2000;48:518A
Brain, anatomy
macrostructural adaptation of the brain in musicians (Schlaug et al) 2000;48:419A
Brain, transplantation
generation of immortalized human neural stem cells and brain transplantation in animal models of Parkinson's disease (Kim et al) 2000;48:434A
Brain factor-1
transformation by brain factor-1 does not require DNA binding (Khakoo et al) 2000;48:549A
Brain injuries
activation of c-Jun NH_2-terminal kinase pathway in traumatic brain injury (Zhu et al) 2000;48:485A
amplitude-integrated electroencephalography: a valuable addition to the early neurological assessment of newborns with birth depression who are candidates for early therapeutic interventions (Shalak et al) 2000;48:516A
bladder and bowel incontinence after traumatic brain injury: risk factors, prevalence, and outcome (Yablon et al) 2000;48:500A
dietary supplement creatine protects against TBI (Sullivan et al) 2000;48:723
does reaction time tell us anything about brain injury after subarachnoid hemorrhage? (Rosengart et al) 2000;48:501A
evidence for spatial neglect in infants and toddlers following prenatal or perinatal unilateral brain damage (Trauner) 2000;48:529A
magnetic resonance spectroscopy for evaluation of acute pediatric brain injury (Ashwal and Holshouser) 2000;48:539A
prognostic value of proton magnetic resonance spectroscopy in perinatal insults (Shu et al) 2000;48:518A
selective blockage of the mGluR1 receptor reduces traumatic neuronal injury in vitro and improves outcomes after brain trauma (Faden et al) 2000;48:485A
Brain neoplasms; *see also specific neoplasms*
expression of prostaglandin H synthese-2 in human brain tumors (Matsuo et al) 2000;48:482A
factors associated with stress and satisfaction with family and patient care in parents of children diagnosed with brain or spinal cord tumors (Freeman et al) 2000;48:540A
neurological and school performance status of long-term survivors of childhood brain tumors: a report from the Childhood Cancer Survivors Study (Packer et al) 2000;48:513A
Brain plasticity
brain redundancy: responsivity or plasticity? (Rossini) (Letter); (Duffau) (Reply) 2000;48:128
Brain stem
brainstem isthmus in normal development and in hindbrain malformations: Joubert syndrome versus Dandy-Walker syndrome (Bozorgmanesh et al) 2000;48:531A
Brazil
prevalence and psychosocial risk factors for attention-deficit hyperactivity disorder in a public Brazilian elementary school (Basconcelos et al) 2000;48:543A
Bronchiolitis
encephalopathy associated with respiratory syncytial virus bronchiolitis (Ng et al) 2000;48:548A
Bukhara Jews; *see* Jews

Caffeine
prospective study of caffeine intake and risk of Parkinson's disease in men and women (Ascherio et al) 2000;48:431A
Calcitonin
calcitonin treatment of osteoporosis in severe cerebral palsy (Plioplys et al) 2000;48:545A
Calcium
neuronal calcium rises progressively only during recurrent spreading depression (Kunkler and Kraig) 2000;48:445A
targeting ischemic neurons with the large-conductance calcium-activated (maxi-K) potassium-channel opener BMS-204352 (Gribkoff et al) 2000;48:423A
Calpain
antibodies to the calpain-calpastatin complex in patients with tics, Tourette syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:542A
Calpastatin
antibodies to the calpain-calpastatin complex in patients with tics, Tourette syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:542A
Campylobacter jejuni
axonal Guillain-Barré syndrome: relation to anti-ganglioside antibodies and *Campylobacter jejuni* infection in Japan (Ogawara et al) 2000;48:624
Canada
Canadian Pediatric Ischemic Stroke Registry: analysis of children with arterial ischemic stroke (deVeber and Canadian) 2000;48:514A
interim analysis of the Canadian Activase for Stroke Effectiveness Study: outcome depends on time to treatment (Phillips et al) 2000;48:424A
rivastigmine for Alzheimer's disease: Canadian interpretation of scale changes and implications to costs (Baladi et al) 2000;48:503A
Canavan disease
aspartoacylase gene transfer to the mammalian central nervous system with therapeutic implications for Canavan disease (Leone et al) 2000;48:27
gene therapy for Canavan disease? (Fink) 2000;48:9 (Editorial)

Cancer; *see* Neoplasms; *specific neoplasms*
Cannabinoids
CB1 cannabinoid receptor induction in experimental stroke (Jin et al) 2000;48:257
Carbamazepine
does carbamazepine really exacerbate seizures? (Huang and D'Cruz) 2000;48:520A
Carboplatin
multifocal inflammatory leukoencephalopathy associated with 5-fluorouracil and carboplatin therapy in a patient with partial dihydropyrimidine dehydrogenase deficiency (Franco and Greenberg) 2000;48:482A
Cardiomyopathies
sarcoglycan-sarcospan complex in vascular smooth muscle: role in the pathogenesis of cardiomyopathy and muscular dystrophy (Cohn et al) 2000;48:538A
Carotid arteries
concordant carotid Doppler and magnetic resonance angiography obviates need for cerebral angiography (Johnston and Goldstein) 2000;48:497A
Carotid artery diseases
cavernous carotid aneurysms should not be included in the analysis of intracranial aneurysms (Kupersmith et al) 2000;48:454A
cystathionine-β synthase mutation causing severe hyperhomocystinemia, carotid artery thrombosis, and embolic cerebral infarction: a case report and family study (Kelly et al) 2000;48:424A
elective angioplasty and stenting of tandem lesions in the carotid territory (Kadimi et al) 2000;48:424A
oligemia and stress gene expression after chronic bilateral carotid occlusion in rat brain (Schmidt-Kastner et al) 2000;48:456A
Carpal tunnel syndrome
carpal tunnel syndrome in diabetic polyneuropathy (Perkins and Bril) 2000;48:440A
Carrier proteins
intranuclear inclusions in oculopharyngeal muscular dystrophy contain poly(A) binding protein 2 (Becher et al) 2000;48:812
PABP2 polyalanine tract expansion causes intranuclear inclusions in oculopharyngeal muscular dystrophy (Shanmugam et al) 2000;48:798
Catalase
therapeutic benefit of polyamine-modified catalase as a scavenger of H_2O_2 and nitric oxide in familial amyotrophic lateral sclerosis transgenics (Poduslo et al) 2000;48:943
Catatonia
neurological disorders in catatonic patients admitted to psychiatry (Rosebush and Mazurek) 2000;48:465A
Catecholamines
cerebrospinal fluid catecholamines in patients with neuropsychiatric manifestations of 22Q11.2 deletion syndrome and the low-activity 108/158 catechol-*O*-methyltransferase gene polymorphism (Graf et al) 2000;48:534A
Caveolin-1
Schwann cell caveolin-1 expression increases during development and decreases following axotomy (Mikol et al) 2000;48:473A
Caveolin-3
localization of caveolin-3 in the plasma membrane of normal rat skeletal muscles: fracture-label immunoelectron microscopic study (Shibuya et al) 2000;48:471A
Cavernous carotid aneurysm; *see* Carotid artery diseases
CD28
role of CD28 in the induction of experimental autoimmune encephalomyelitis (Chitnis et al) 2000;48:447A
cDNA; *see* DNA, circular
Cell adhesion molecules
aspirin inhibits secretion of monocyte chemotactic protein 1 and expression of vascular cell adhesion molecule 1 on cultured endothelial cells (Cha and Jeong) 2000;48:422A
effect of anticholesterol therapy on soluble intercellular adhesion molecule-1 in chronic stroke patients with hyperlipidemia (Tomiyasu et al) 2000;48:457A
endothelial microparticles in multiple sclerosis, as defined by expression of platelet-endothelial cell adhesion molecule-1, are elevated in exacerbation: a new aspect of disease pathogenesis (Minagar et al) 2000;48:475A
release of the neuronal glycoprotein ICAM-5 in serum after hypoxic-ischemic injury (Guo et al) 2000;48:590
Cell death
Alzheimer's disease cybrids replicate β-amyloid abnormalities through cell death pathways (Khan et al) 2000;48:148
antiapoptotic and antinecrotic therapies act synergistically to reduce ischemia-reperfusion injury (Singh et al) 2000;48:457A
expression of a copper/zinc superoxide dismutase typical of familial amyotrophic lateral sclerosis induces neuronal death in transfected VSC4.1 cells (Lee et al) 2000;48:468A
free radical–mediated damage of neuronal cortical mitochondria and the initiation of apoptosis (Solenski and Periasamy) 2000;48:457A
insulin-like growth factor I regulates a key transcription factor involved in neuronal apoptosis (Madison et al) 2000;48:416A
insulin-like growth factor-I inhibits high-glucose–induced oxidative stress and neuronal cell death in a model of diabetic neuropathy (Russell et al) 2000;48:472A
mithramycin: a prototypical, sequence-specific DNA binding drug and novel neuronal anti-apoptotic agent (Ratan et al) 2000;48:428A
neuronal cell death induced by dopamine and proteasome inhibition (Junn and Mouradian) 2000;48:428A
neuronal loss in Onuf's nucleus in three patients with progressive supranuclear palsy (Scaravilli et al) 2000;48:97
protection by synergistic effects of adenovirus-mediated XIAP and GDNF gene transfer in the MPTP model of Parkinson's disease (Schulz et al) 2000;48:415A
rapid mitochondrial transition pore opening and mitochondrial depolarization leading to apoptosis after exposure to nitric oxide in human neuroblastoma cells (Kindler and Bennett) 2000;48:444A
seizures accelerate anoxia-induced neuronal death in the neonatal rat hippocampus (Dzhala et al) 2000;48:632
Cell movement
molecular basis underlying neuronal migration and positioning (Gropman et al) 2000;48:511A
neuronal migration disorder in Zellweger mice is secondary to glutamate receptor dysfunction (Gressens et al) 2000;48:336
Cellular inclusions
late-juvenile sporadic inclusion body myositis: a newly recognized syndrome (Askanas and Engel) 2000;48:439A
novel *tau* mutation (N296N) in familial dementia with swollen achromatic neurons and corticobasal inclusion bodies (Spillantini et al) 2000;48:939

Central nervous system, abnormalities
new molecular genetic classification of central nervous system malformations (Sarnat) 2000;48:530A
Central nervous system neoplasms
clinical and neuroimaging features of primary central nervous system amyloidoma (Phan et al) 2000;48:482A
Cerebellar ataxia
novel locus for dominant cerebellar ataxia (SCA14) maps to a 10.2-cM interval flanked by D19S206 and D19S605 on chromosome 19q13.4-qter (Yamashita et al) 2000;48:156
novel type of autosomal-dominant cerebellar ataxia linked to chromosome 8q (Yamada et al) 2000;48:438A
Cerebellar diseases
cdr2-specific CTLs are detected in the blood of all patients with paraneoplastic cerebellar degeneration analyzed (Darnell and Albert) (Letter); (Greenlee) (Reply) 2000;48:270
colobomatous microphthalmia microcephaly with cerebellar hypoplasia: a new clinical syndrome (Pavone et al) 2000;48:530A
what is the role of activated Th1 cells in the cerebrospinal fluid of patients with paraneoplastic cerebellar degeneration? (Tanaka and Tanaka) 2000;48:271 (Letter)
Cerebellum
cerebellar infarction: a common, often unrecognized injury in extreme prematurity (Johnsen et al) 2000;48:527A
effects of cerebellar output on intracortical motor cortex excitability studied by transcranial magnetic stimulation (Maeda et al) 2000;48:475A
functional magnetic resonance imaging study of somatotopic encodings of somatosensory stimulation in the thalamus and the cerebellum (Takanashi et al) 2000;48:491A
Cerebral aneurysm
cavernous carotid aneurysms should not be included in the analysis of intracranial aneurysms (Kupersmith et al) 2000;48:454A
coiling, clipping, or medical management of unruptured intracranial aneurysms: time to randomize? (Broderick) 2000;48:5 (Editorial)
endovascular and surgical treatment of unruptured cerebral aneurysms: comparison of risks (Johnston et al) 2000;48:11
learning curve for a new technique: coil embolization of unruptured aneurysms (Singh and Johnston) 2000;48:499A
McCune-Albright syndrome and intracranial aneurysm: a dire association (Dillon and Hosain) 2000;48:546A
Cerebral angiography
concordant carotid Doppler and magnetic resonance angiography obviates need for cerebral angiography (Johnston and Goldstein) 2000;48:497A
Cerebral angioplasty
results of cerebral angioplasty with prospective neurologist follow-up (Chaturvedi) 2000;48:501A
Cerebral arteriovenous malformations
increased detection of cerebral vascular malformations in a large health maintenance organization (Singh et al) 2000;48:498A
Cerebral atrophy
histograms of quantitative diffusion-weighted magnetic resonance imaging produced by a semiautomated method correlate with disability and cerebral atrophy in multiple sclerosis (Wilson et al) 2000;48:480A
Cerebral cortex
brain redundancy: responsivity or plasticity? (Rossini) (Letter); (Duffau) (Reply) 2000;48:128
cerebral cortical neurogenesis and gliogenesis require transcriptional activation of inhibitor of differentiation 2 and 4 in neural stem cells by bone morphogenetic proteins (Gokhan et al) 2000;48:415A
cortical areas differentially involved in multiplication and subtraction: a functional magnetic resonance imaging study and correlation with a case of selective acalculia (Lee) 2000;48:657
extensive cortical demyelination in multiple sclerosis brains (Bø et al) 2000;48:446A
familial perisylvian polymicrogyria: a new familial syndrome of cortical maldevelopment (Guerreiro et al) 2000;48:39
functional MRI study of language and motor function in a patient with double cortex (Keene et al) 2000;48:530A
is epileptogenic cortex truly hypometabolic on interictal positron emission tomography? (Juhász et al) 2000;48:88
limited donepezil inhibition of acetylcholinesterase measured with positron emission tomography in living Alzheimer cerebral cortex (Kuhl et al) 2000;48:391
novel *tau* mutation (N296N) in familial dementia with swollen achromatic neurons and corticobasal inclusion bodies (Spillantini et al) 2000;48:939
pathologically confirmed corticobasal degeneration shares the same tau haplotype association as progressive supranuclear palsy (Houlden et al) 2000;48:436A
Cerebral embolism and thrombosis
cerebral sinovenous thrombosis and ulcerative colitis (Kao et al) 2000;48:547A
Cerebral hemorrhage
factors predisposing to secondary hemorrhagic conversion in acute ischemic stroke (Moonis et al) 2000;48:497A
metalloproteinase inhibition reduces thrombolytic-induced hemorrhage following a thromboembolic stroke (Lapchak et al) 2000;48:485A
posthemorrhagic ventriculomegaly: natural history and predictors of outcome (Inder et al) 2000;48:529A
prenatal intracranial hemorrhage and neurological complications in neonatal alloimmune thrombocytopenia (Sharif and Kuban) 2000;48:527A
stroke severity and clinical outcomes in acute intracerebral hemorrhage: comparison between Japan Stroke Scale and NIH Stroke Scale (Gotoh et al) 2000;48:500A
Cerebral infarction
cerebellar infarction: a common, often unrecognized injury in extreme prematurity (Johnsen et al) 2000;48:527A
cerebral infarction in the neurodegeneration of Menkes disease (Hsich et al) 2000;48:533A
cystathionine-β synthase mutation causing severe hyperhomocystinemia, carotid artery thrombosis, and embolic cerebral infarction: a case report and family study (Kelly et al) 2000;48:424A
multiple silent infarction in first-time stroke patients with patent foramen ovale and right-to-left shunting (Uzun et al) 2000;48:458A
newborn with brain infarction (Pavlakis et al) 2000;48:526A
Cerebral ischemia
correlation of diffusion-weighted imaging, T2 relaxation times, and magnetic resonance spectroscopy in pediatric hypoxic-ischemic injury (Ashwal et al) 2000;48:539A

correlation of neonatal cytokines with neurological injury and outcome in perinatal hypoxia-ischemia (Foster-Barber et al) 2000;48:528A
effect of citicoline on ischemic lesions as measured by diffusion-weighted magnetic resonance imaging (Warach et al) 2000;48:713
encephalodural arteriosynangiosis for atherosclerotic hemodynamic ischemia (Marshall et al) 2000;48:455A
fou rire prodromique: an unusual presentation of severe vertebrobasilar stenosis (Gondim et al) 2000;48:423A
postischemic housing influences hippocampal stem cell proliferation and differentiation after focal brain ischemia (Johansson et al) 2000;48:454A
release of the neuronal glycoprotein ICAM-5 in serum after hypoxic-ischemic injury (Guo et al) 2000;48:590
risk factors for delayed cerebral ischemia after subarachnoid hemorrhage (Claassen et al) 2000;48:422A
role of hypoxia-inducible factor-1 in hypoxia-induced ischemic tolerance in neonatal rat brain (Bergeron et al) 2000;48:285
secondary decline in apparent diffusion coefficient and neurological outcomes after a short period of focal brain ischemia in rats (Li et al) 2000;48:236

Cerebral ischemia, transient
benign recurrent transient ischemic attacks: revealing a clinical entity with multivariable models (Johnston et al) 2000;48:495A
effects of normobaric hyperoxia in a rat model of transient focal cerebral ischemia and reperfusion (Singhal et al) 2000;48:954A
neurolisteriosis presenting as recurrent transient ischemic attacks (Staudinger et al) 2000;48:661

Cerebral palsy
calcitonin treatment of osteoporosis in severe cerebral palsy (Plioplys et al) 2000;48:545A
chorioamnionitis as a risk factor for cerebral palsy: a meta-analysis (Wu and Colford) 2000;48:513A
correlation of neonatal cytokines with neurological injury and outcome in perinatal hypoxia-ischemia (Foster-Barber et al) 2000;48:528A
genetic analysis to elucidate the diagnosis of familial spastic paraparesis presenting in infancy mimicking cerebral palsy (Lavenstein et al) 2000;48:536A
osteoporosis in severe cerebral palsy (Plioplys et al) 2000;48:545A

Cerebral ventricles
changes of the third ventricular width in multiple sclerosis over 2 years (Zhao et al) 2000;48:481A

Cerebrospinal fluid
Chlamydia pneumoniae is frequently found in cerebrospinal fluid of patients with multiple sclerosis (Dong-Si et al) 2000;48:448A
clinical imaging syndromes associated with cerebrospinal fluid volume depletion (Mokri and Sencakova) 2000;48:430A
differences in the Aβ40/Aβ42 ratio associated with cerebrospinal fluid lipoproteins as a function of apolipoprotein E genotype (Fagan et al) 2000;48:201
efficacy of epidural blood patch in spontaneous cerebrospinal fluid leaks (Sencakova and Mokri) 2000;48:431A
elevated free radical products in the cerebrospinal fluid of premature infants with white matter injury (Inder et al) 2000;48:528A
enzyme-linked immunosorbent assay to quantify 14-3-3 proteins in the cerebrospinal fluid of suspected Creutzfeldt-Jakob disease patients (Kenney et al) 2000;48:395
high mortality in Nipah encephalitis is associated with presence of virus in cerebrospinal fluid (Chua et al) 2000;48:802
pipecolic acid elevation in plasma and cerebrospinal fluid of two patients with pyridoxine-dependent epilepsy (Plecko et al) 2000;48:121
selective muscarinic M1 agonist AF102B decreases levels of total amyloid-β in cerebrospinal fluid of patients with Alzheimer's disease (Nitsch et al) 2000;48:913
taps to Alzheimer's patients: a continuous Japanese study of cerebrospinal fluid biomarkers (Shoji et al) 2000;48:402 (Letter)
what is the role of activated Th1 cells in the cerebrospinal fluid of patients with paraneoplastic cerebellar degeneration? (Tanaka and Tanaka) 2000;48:271 (Letter)

Cerebrospinal fluid shunts
low-flow cerebrospinal fluid shunting in Alzheimer's disease: a phase I, controlled clinical trial (McGuire et al) 2000;48:427A

Cerebrovascular disorders, analysis
CB1 cannabinoid receptor induction in experimental stroke (Jin et al) 2000;48:257

Cerebrovascular disorders, complications
are strokes in diabetics different from nondiabetics? (Kissela et al) 2000;48:425A
children with presumed prenatal or perinatal arterial ischemic stroke have frequent coagulation abnormalities and persistent neurologic deficits (Golomb et al) 2000;48:526A
factors predisposing to secondary hemorrhagic conversion in acute ischemic stroke (Moonis et al) 2000;48:497A
incidence of seizures after acute stroke: a preliminary report (Szaflarski et al) 2000;48:462A
predictors of coagulopathy in patients with acute ischemic stroke (Bushnell et al) 2000;48:421A

Cerebrovascular disorders, diagnosis
multiple silent infarction in first-time stroke patients with patent foramen ovale and right-to-left shunting (Uzun et al) 2000;48:458A
newborn with brain infarction (Pavlakis et al) 2000;48:526A
which patients should undergo transesophageal echocardiography as part of their stroke work-up? (Narayanan and Recht) 2000;48:455A

Cerebrovascular disorders, drug therapy
antithrombotic therapies: underuse in patients with acute ischemic stroke (Bushnell and Goldstein) 2000;48:498A
dextroamphetamine paired with standard and robotic neurorehabilitation changes motor performance one day later (Volpe et al) 2000;48:454A
effect of anticholesterol therapy on soluble intercellular adhesion molecule-1 in chronic stroke patients with hyperlipidemia (Tomiyasu et al) 2000;48:457A
measure of interaction of aspirin-clopidogrel for ex vivo platelet aggregation in patients with ischemic stroke (Helgason et al) 2000;48:424A
metalloproteinase inhibition reduces thrombolytic-induced hemorrhage following a thromboembolic stroke (Lapchak et al) 2000;48:485A

Cerebrovascular disorders, etiology
stroke in a young woman: first manifestation of Fabry disease (Moretti and Fink) 2000;48:437A

Cerebrovascular disorders, genetics
ApoE phenotype and the effectiveness of intravenous

tissue-type plasminogen activator in acute ischemic stroke (Broderick et al) 2000;48:421A

Cerebrovascular disorders, pathology

diffusion-perfusion lesion patterns in hyperacute stroke (Llinas et al) 2000;48:455A

fate of hypoxic tissue on ^{18}F-fluoromisonidazole positron emission tomography after ischemic stroke (Read et al) 2000;48:228

persistent regional premotor cortex activation on functional magnetic resonance imaging in patients with pure motor stroke and wallerian degeneration (Miyai et al) 2000;48:454A

Cerebrovascular disorders, physiopathology

acute stroke increases QT dispersion in patients without cardiac disease (Afsar et al) 2000;48:421A

memory failure has different mechanisms in subcortical stroke and Alzheimer's disease (Reed et al) 2000;48:275

neural correlate of contraversive pushing (Karnath and Ferber) 2000;48:444A

physiognomical recognition of handwriting in patients with stroke and dementia (Heckmann et al) 2000;48:418A

stroke severity and clinical outcomes in acute intracerebral hemorrhage: comparison between Japan Stroke Scale and NIH Stroke Scale (Gotoh et al) 2000;48:500A

Cerebrovascular disorders, prevention and control

antihypertensive use in women and men in the African-American antiplatelet stroke prevention study (Worrall et al) 2000;48:459A

Canadian Pediatric Ischemic Stroke Registry: analysis of children with arterial ischemic stroke (deVeber and Canadian) 2000;48:514A

Cerebrovascular disorders, therapy

analysis of recombinant tissue plasminogen activator eligibility for patients admitted to a tertiary care center (Houtchens and Rose) 2000;48:501A

ApoE phenotype and the effectiveness of intravenous tissue-type plasminogen activator in acute ischemic stroke (Broderick et al) 2000;48:421A

assessment of difficulty in patient care for acute stroke patients: application of conjoint analysis (Terayama et al) 2000;48:497A

BMS-204352: a novel maxi-K potassium channel opener for the treatment of stroke: safety and clinical pharmacology in healthy subjects (Gold et al) 2000;48:422A

brain uptake and biodistribution studies in rats of the maxi-K channel opener BMS-204352, a potential neuroprotectant for the treatment of acute stroke (Starrett et al) 2000;48:457A

factors influencing functional outcome after intravenous thrombolysis with tissue plasminogen activator in acute ischemic stroke (Mendizabal et al) 2000;48:500A

interim analysis of the Canadian Activase for Stroke Effectiveness Study: outcome depends on time to treatment (Phillips et al) 2000;48:424A

targets for treatment in acute ischemic stroke (Heiss et al) 2000;48:423A

why don't stroke patients receive tissue plasminogen activator? an analysis of patient eligibility: implications for improving clinical impact by increasing future treatment numbers (Barber et al) 2000;48:421A

Cervical artery dissection

molecular analysis of type V collagen encoding genes (COL5A1 and COL5A2) in patients with spontaneous cervical artery dissections (Wigger et al) 2000;48:458A

Cervical muscles; *see* Neck muscles

cGMP; *see* Guanosine cyclic monophosphate

Charcot-Marie-Tooth disease

clinical and electrophysiologic characterization of a large family with a genetically distinct form of Charcot-Marie-Tooth syndrome type 2 (Lawson et al) 2000;48:443A

pathogenesis of Charcot-Marie-Tooth disease: a new connexin 32 mutation associated with impaired regeneration of large-caliber axons (Abrams et al) 2000;48:439A

recessive *PMP22* mutations: quantitative and qualitative aspects (Beckmann and Schröder) (Letter); (Lupski) (Reply) 2000;48:131

Chemokines

chemokine and chemokine receptor expression in γδ T cells generated from peripheral blood and cerebrospinal fluid of multiple sclerosis patients (Murzenok et al) 2000;48:476A

chemokine expression in cerebrospinal fluid of multiple sclerosis (Mahad et al) 2000;48:452A

tumor necrosis factor α leads to increased cell surface expression of the chemokine receptor CXCR4 in SKNMC cells (Rostasy et al) 2000;48:549A

Chest pain

depression and the presence of chest pain after coronary artery bypass grafting (McKhann et al) 2000;48:419A

Chlamydia pneumoniae

Chlamydia pneumoniae infection of the central nervous system in patients with monosymptomatic multiple sclerosis (Sriram et al) 2000;48:478A

Chlamydia pneumoniae is frequently found in cerebrospinal fluid of patients with multiple sclerosis (Dong-Si et al) 2000;48:448A

is *Chlamydia pneumoniae* present in the central nervous system of multiple sclerosis patients? (Morré et al) 2000;48:399 (Letter)

lack of *Chlamydia* infection of the central nervous system in multiple sclerosis (Pucci et al) 2000;48:399 (Letter)

lack of detectable *Chlamydia pneumoniae* in brain lesions of patients with multiple sclerosis (Ke et al) 2000;48:400 (Letter)

polymerase chain reaction results from two laboratories for the identification of *Chlamydia pneumoniae* in cerebrospinal fluid of multiple sclerosis patients and controls (Kaufmann et al) 2000;48:450A

Chlorides

optical current source density analyses show that chloride flow contributes to the somatic current source from hippocampal pyramidal cells during spreading depression (Kraig et al) 2000;48:445A

Cholesterol

magnetization transfer analysis of hypomyelination: correlation with defective cholesterol biosynthesis in Smith-Lemli-Opitz syndrome (Richert et al) 2000;48:483A

Choline

prenatal choline deficiency causes selective degeneration of cholinergic neurons in the medial septal nucleus (Kowall et al) 2000;48:426A

Choline acetyltransferase

T-588, a novel compound, enhances neurite outgrowth and choline acetyltransferase in cultured spinal ventral horn neurons (Ikeda et al) 2000;48:442A

Chorea

treatment of refractory choreoathetosis and dystonia with intrathecal baclofen therapy (Tilton et al) 2000;48:545A

Chorioamnionitis
chorioamnionitis as a risk factor for cerebral palsy: a meta-analysis (Wu and Colford) 2000;48:513A
Chromosome deletion
Parkin deletions in a family with adult-onset, tremor-dominant parkinsonism: expanding the phenotype (Klein et al) 2000;48:65
Chromosomes, human, pair 7
dominantly inherited speech and language disorder not linked to the *SPCH1* locus on chromosome 7q31 (Cholfin et al) 2000;48:418A
Chromosomes, human, pair 8
novel type of autosomal-dominant cerebellar ataxia linked to chromosome 8q (Yamada et al) 2000;48:438A
Chromosomes, human, pair 9
novel form of distal hereditary motor neuronopathy (HMN-J) maps to chromosome 9p21.1-p12 (Christodoulou et al) 2000;48:877
Chromosomes, human, pair 15
evidence of mitochondrial dysfunction in autistic patients with 15q inverted duplication (Filipek et al) 2000;48:542A
identification of a novel transcript in linkage disequilibrium with autism (Wang et al) 2000;48:512A
linkage of autosomal recessive hereditary spastic paraplegia with mental impairment and thin corpus callosum to chromosome 15q13–15 (Shibasaki et al) 2000;48:108
Chromosomes, human, pair 17
chronic sensory demyelinating neuropathy: another phenotypic variation of chromosome 17p11.2 deletion (Alapati and Oh) 2000;48:439A
Chromosomes, human, pair 19
novel locus for dominant ataxia maps to chromosome 19q13.4-qter (Sasaki et al) 2000;48:470A
novel locus for dominant cerebellar ataxia (SCA14) maps to a 10.2-cM interval flanked by D19S206 and D19S605 on chromosome 19q13.4-qter (Yamashita et al) 2000;48:156
Chromosomes, human, pair 22
cerebrospinal fluid catecholamines in patients with neuropsychiatric manifestations of 22Q11.2 deletion syndrome and the low-activity 108/158 catechol-*O*-methyltransferase gene polymorphism (Graf et al) 2000;48:534A
metyrosine treatment in patients with the neuropsychiatric disorder associated with 22Q11.2 deletion syndrome (Graf et al) 2000;48:534A
Chymotrypsin
gene polymorphism affecting α1-antichymotrypsin and interleukin-1 plasma levels increases Alzheimer's disease risk (Licastro et al) 2000;48:388
Cingulate gyrus; *see* Gyrus cinguli
Citicoline
effect of citicoline on ischemic lesions as measured by diffusion-weighted magnetic resonance imaging (Warach et al) 2000;48:713
c-Jun NH_2-terminal kinase; *see* Protein kinases
Clinical trials
how many patients with multiple sclerosis are ever eligible for therapeutic trials? (Wingerchuk et al) 2000;48:481A
predicting long-term implications for the course of Alzheimer's disease from short-term clinical trial results (Caro et al) 2000;48:496A
Clobazam
successful treatment of severe infantile hyperekplexia with low-dose clobazam: a report of two cases (Stewart et al) 2000;48:520A
Clopidogrel
measure of interaction of aspirin-clopidogrel for ex vivo platelet aggregation in patients with ischemic stroke (Helgason et al) 2000;48:424A
Cluster headache
reversible cognitive decline accompanies migraine and cluster headache (Meyer et al) 2000;48:430A
Clusterin
clusterin/apolipoprotein J facilitates Alzheimer's-like neuritic degeneration: dissociation between fibril formation and toxicity in vivo (Holtzman et al) 2000;48:953A
Coagulopathy; *see* Blood coagulation disorders
Cockayne syndrome
clinical and imaging longitudinal study of two siblings with early-onset Cockayne syndrome (Gabis et al) 2000;48:533A
in vivo ^1H magnetic resonance spectroscopy study in Cockayne syndrome (Gabis et al) 2000;48:489A
Codon
exercise intolerance associated with a novel stop codon mutation in the mitochondrial ND2 gene (Pulkes et al) 2000;48:469A
polymorphism at codon 129 of *PRNP* affects the phenotypic expression of Creutzfeldt-Jakob disease linked to E200K mutation (Puoti et al) 2000;48:269 (Letter)
sequence specificity of aminoglycoside-induced stop codon readthrough: potential implications for treatment of Duchenne muscular dystrophy (Howard et al) 2000;48:164
Cognition disorders
cognitive deficits in children treated for tumors of the pineal region (Giglio et al) 2000;48:541A
cognitive fatigue measured during a test of sustained attention in multiple sclerosis patients (Schwid et al) 2000;48:478A
evidence for preclinical cognitive deficits in hereditary spastic paraparesis (McMonagle et al) 2000;48:436A
measuring pain accurately in cognitively impaired children: validation of a caregiver scale (Camfield et al) 2000;48:544A
micro-mental state examination (Folstein and Fanjiang) 2000;48:495A
pediatric lead exposure: is there a behavioral signature? (Lidsky and Schneider) 2000;48:483A
progressive loss of cortical acetylcholinesterase activity in association with cognitive decline in Alzheimer's disease: a positron emission tomography study (Shinotoh et al) 2000;48:194
reversible cognitive decline accompanies migraine and cluster headache (Meyer et al) 2000;48:430A
Colitis, ulcerative
cerebral sinovenous thrombosis and ulcerative colitis (Kao et al) 2000;48:547A
Collagen
molecular analysis of type V collagen encoding genes (COL5A1 and COL5A2) in patients with spontaneous cervical artery dissections (Wigger et al) 2000;48:458A
Colobomatous microphthalmia; *see* Microphthalmos
Coma
excellent outcome following profound transient hyperammonemic coma in a toddler (Richards and McDonald) 2000;48:532A
life expectancy of children in vegetative and minimally conscious states (Ashwal et al) 2000;48:551A
preliminary study of fluid-attenuated inversion recovery and diffusion magnetic resonance imaging in comatose

survivors following cardiac resuscitation (Wijdicks et al) 2000;48:458A

Complement
construction and expression of recombinant anti-acetylcholine receptor monoclonal antibodies to study the role of complement activation in experimental autoimmune myasthenia gravis (Kirvan et al) 2000;48:451A

Complementary medicine
use of complementary medicine in children with neurological disorders (Gross-Tsur et al) 2000;48:544A

Complex I
mitochondrial complex I deficiency in the epileptic focus of patients with temporal lobe epilepsy (Kunz et al) 2000;48:766

Complex II
late-onset optic atrophy, ataxia, and myopathy associated with a mutation of a complex II gene (Birch-Machin et al) 2000;48:330

Complex III
out-of-frame cytochrome *b* gene deletion from a patient with parkinsonism is associated with impaired complex III assembly and an increase in free radical production (Rana et al) 2000;48:774

Complex regional pain syndrome
multifocal or generalized tonic dystonia of complex regional pain syndrome: a distinct clinical entity associated with HLA-DR13 (van Hilten et al) 2000;48:113

Computers
assessing genetic risk for neurological disease: a web-based approach (Harrison et al) 2000;48:501A
psychometric evaluation of a computerized program to assess migraine-specific quality of life in clinical practice (Mannix et al) 2000;48:502A
web-based teaching syllabus for child neurology training (Holt) 2000;48:550A

Congenital heart defects; *see* Heart defects, congenital

Consciousness disorders
life expectancy of children in vegetative and minimally conscious states (Ashwal et al) 2000;48:551A

Contraversive pushing
neural correlate of contraversive pushing (Karnath and Ferber) 2000;48:444A

Convulsions
benign familial neonatal convulsions: ictal EEG in a patient with a novel KCNQ2 mutation (Sigurdardottir et al) 2000;48:525A

Convulsions, febrile
off-label use of diazepam rectal gel for children with febrile seizures and infants under age 2 years (Mitchell and Lin) 2000;48:519A

Copper/zinc superoxide dismutase; *see* Superoxide dismutase

Coronary artery bypass
depression and the presence of chest pain after coronary artery bypass grafting (McKhann et al) 2000;48:419A

Corpus callosum
linkage of autosomal recessive hereditary spastic paraplegia with mental impairment and thin corpus callosum to chromosome 15q13–15 (Shibasaki et al) 2000;48:108

Corpus striatum
autoantibody repertoires in children with Tourette's syndrome: multivariate statistical comparison by discriminant analysis of activity against human striatum, muscle, and a neuroblastoma cell line (Wendlandt et al) 2000;48:512A
delayed recovery of movement-related cortical function in Parkinson's disease after striatal dopaminergic grafts (Piccini et al) 2000;48:689
inflammatory changes in the substantia nigra and striatum following MPTP intoxication (Członkowska et al) 2000;48:127 (Letter)

Corrections
aspartoacylase gene transfer to the mammalian central nervous system with therapeutic implications for Canavan disease (Leone et al) (2000;48:27) 2000;48:398
improving quality of care using the Global Headache Inventory (Hewitt et al) (2000;48:497A) 2000;48:947A
molecular physiology of ion channelopathies in skeletal muscle: from mutation to myotonia and paralysis (Cannon) 2000;48:687A

Corticospinal excitability
modulation of corticospinal excitability by action observation is highly movement and body part specific (Kleiner-Fisman et al) 2000;48:420A

Corticosteroids
Susac's syndrome: beneficial effects of corticosteroid therapy in the first Japanese case (Tashima et al) 2000;48:479A

Costs and cost analysis
cost of spasticity management (Radensky et al) 2000;48:504A
cost-effectiveness of treatment with entacapone for patients with Parkinson's disease in the United States (Palmer et al) 2000;48:496A
impact of a neuroscience intensive care unit on patient outcomes and cost of care: evidence-based support for intensivist-directed specialty ICU model of care (Mirski et al) 2000;48:496A
rivastigmine for Alzheimer's disease: Canadian interpretation of scale changes and implications to costs (Baladi et al) 2000;48:503A

Creatine
dietary supplement creatine protects against TBI (Sullivan et al) 2000;48:723
glutaric aciduria I: 3-hydroxy-glutarate–induced creatine-phosphate reduction in mixed cortex cultures can be prevented by creatine supplementation (Luecke et al) 2000;48:536A

Creutzfeldt-Jakob disease
current clinical diagnosis in Creutzfeldt-Jakob disease: identification of uncommon variants (Zerr et al) 2000;48:323
diffusion-weighted magnetic resonance imaging abnormalities in sporadic Creutzfeldt-Jakob disease correlated with post-mortem neuropathological findings (Hutchinson et al) 2000;48:427A
enzyme-linked immunosorbent assay to quantify 14-3-3 proteins in the cerebrospinal fluid of suspected Creutzfeldt-Jakob disease patients (Kenney et al) 2000;48:395
γ, ε, ζ, β, and η isoforms of 14-3-3 protein are present in the cerebrospinal fluid of patients with Creutzfeldt-Jakob disease (Shiga et al) 2000;48:489A
polymorphism at codon 129 of *PRNP* affects the phenotypic expression of Creutzfeldt-Jakob disease linked to E200K mutation (Puoti et al) 2000;48:269 (Letter)

Cryptogenic epilepsy; *see* Epilepsy

CTG trinucleotide repeats; *see* Trinucleotide repeats

Cutaneous blood flow; *see* Skin, blood supply

Cyclooxygenase-2
inhibition of cyclooxygenase-2 protects motor neurons in an organotypic model of amyotrophic lateral sclerosis (Drachman and Rothstein) 2000;48:441A, 2000;48:792

Cyclosporine
pseudotumor cerebri: an underrecognized complication of organ transplanation and cyclosporine (Joshi et al) 2000;48:548A
Cystathionine-beta synthase
cystathionine-β synthase mutation causing severe hyperhomocystinemia, carotid artery thrombosis, and embolic cerebral infarction: a case report and family study (Kelly et al) 2000;48:424A
Cystatins
cystatin C and Alzheimer's disease (Deng et al) 2000;48:425A
Cysts
ectodermal dysplasia and brain cystic changes: confirmation of a novel neurocutaneous syndrome (DiFazio and Depper) 2000;48:531A
Cytochrome *b*
out-of-frame cytochrome *b* gene deletion from a patient with parkinsonism is associated with impaired complex III assembly and an increase in free radical production (Rana et al) 2000;48:774
Cytochrome *c* oxidase
maternally inherited mitochondrial encephalomyopathy due to a novel missense mutation in the mtDNA cytochrome *c* oxidase gene (Akman et al) 2000;48:435A
Cytokines
correlation of neonatal cytokines with neurological injury and outcome in perinatal hypoxia-ischemia (Foster-Barber et al) 2000;48:528A
cytokines and multiple sclerosis severity: no correlation among Sardinians (Sotgiu et al) 2000;48:816 (Letter)
cytokines immunoreactivity in cortical and subcortical neuronal centers in periventricular leukomalacia (Kadhim et al) 2000;48:528A
glatiramer acetate treatment induces a Th1 to Th2 cytokine shift in multiple sclerosis (Chen et al) 2000;48:475A
leukemia inhibitory factor abrogates paclitaxel (Taxol)-induced neuropathy in a rodent model (Kilpatrick et al) 2000;48:473A
Cytomegaloviruses
lack of the viral DNA in sera and cerebrospinal fluid from patients with Guillain-Barré syndrome following acute cytomegalovirus infection (Irie et al) 2000;48:449A
Cytoplasm
clinicopathological aspects of the neuropathy in P-anti-neutrophil cytoplasmic autoantibody–positive patients (Yasaki et al) 2000;48:472A
Cytosol
immunohistochemical analyses of neuronal cytosolic aggregates in familial and sporadic amyotrophic lateral sclerosis (Watanabe et al) 2000;48:469A

Dandy-Walker syndrome
brainstem isthmus in normal development and in hindbrain malformations: Joubert syndrome versus Dandy-Walker syndrome (Bozorgmanesh et al) 2000;48:531A
Deafness
novel mitochondrial 12SrRNA point mutation in parkinsonism, deafness, and neuropathy (Thyagarajan et al) 2000;48:730
peripheral neuropathy with hypomyelination, chronic intestinal pseudo-obstruction and deafness: a developmental "neural crest syndrome" related to a SOX10 mutation (Pingault et al) 2000;48:671
Death; *see* Mortality
Decision-making
treatment decision-making factors in the use of immunomodulatory agents from the Registry of Multiple Sclerosis Treatment and Care (Phillips et al) 2000;48:477A
Delirium
risk factors for postoperative delirium: are there predictive clinical features? (Lippa et al) 2000;48:426A
Delusions
delusions associated with elevated muscarinic binding in dementia with Lewy bodies (Ballard et al) 2000;48:868
Dementia
adult neuronopathic Niemann-Pick disease type C without visceral storage presenting as frontal lobe dementia (Kluenemann et al) 2000;48:426A
delusions associated with elevated muscarinic binding in dementia with Lewy bodies (Ballard et al) 2000;48:868
frontotemporal dementia with novel tau pathology and a glu342Val *tau* mutation (Lippa et al) 2000;48:850
novel *tau* mutation (N296N) in familial dementia with swollen achromatic neurons and corticobasal inclusion bodies (Spillantini et al) 2000;48:939
physiognomical recognition of handwriting in patients with stroke and dementia (Heckmann et al) 2000;48:418A
quetiapine treatment of psychotic symptoms in Lewy body dementia: long-term experience in 10 patients with three pathologically confirmed cases (Juncos et al) 2000;48:418A
screening for tau mutations in frontotemporal dementia (Sobrido et al) 2000;48:427A
screening frontotemporal dementia patients for mutations in GSK-3β (Schaffer et al) 2000;48:460A
Dementia, presenile
Pick's disease is associated with mutations in *tau* gene (Pickering-Brown et al) 2000;48:859
Dementia, vascular
improved diagnostic discrimination of patients with vascular dementia using tau and β-amyloid$_{(1-42)}$ levels in cerebrospinal fluid (Mielke et al) 2000;48:459A
strategic ischemia of the anterior cingulate gyrus in vascular dementia with leukoaraiosis (Mendez et al) 2000;48:459A
Demyelinating diseases
activity-dependent hyperpolarization and conduction block in chronic inflammatory demyelinating polyneuropathy (Cappelen-Smith et al) 2000;48:826
chronic sensory demyelinating neuropathy: another phenotypic variation of chromosome 17p11.2 deletion (Alapati and Oh) 2000;48:439A
demyelinating antibodies in multiple sclerosis (Seil) (Letter); (Archelos and Hartung) (Reply) 2000;48:948
improvement with etanercept (Enbrel) in chronic inflammatory demyelinating polyneuropathy (Latov and Sherman) 2000;48:473A
multifocal sensory demyelinating neuropathy: a heretofore unrecognized entity (Oh et al) 2000;48:468A
predictive factors for response to plasma exchange in the treatment of acute, severe attacks of central nervous system demyelinating disease (Keegan et al) 2000;48:451A
Dendrites
effect of chronic electroconvulsive shock on dendritic spine density of dentate granule cells within the adult rat hippocampus (Madhav et al) 2000;48:446A
synaptic contacts are preserved during excitotoxic spine loss and recovery (Hasbani and Goldberg) 2000;48:453A

Dentatorubral-pallidoluysian atrophy
abnormal in vivo skeletal muscle energy metabolism in Huntington's disease and dentatorubropallidoluysian atrophy (Lodi et al) 2000;48:72
dentatorubral-pallidoluysian atrophy in an African-American family: severe juvenile-onset disease with both maternal and paternal transmission (Licht and Lynch) 2000;48:535A
Depression
comparative analysis between venlafaxine and selective serotonin reuptake inhibitors on remission (Entsuah et al) 2000;48:486A
depression and the presence of chest pain after coronary artery bypass grafting (McKhann et al) 2000;48:419A
interferon β-1a (Rebif) does not increase depressive symptoms or risk of depression in multiple sclerosis: evidence from a randomized controlled trial (Patten et al) 2000;48:498A
randomized, double-blinded, placebo-controlled trial of fluoxetine in depressed Parkinson's disease patients (Pappert et al) 2000;48:465A
Dexamethasone
quantitative assessment of brain growth following treatment with dexamethasone for neonatal chronic lung disease (Inder et al) 2000;48:518A
Dextroamphetamine
dextroamphetamine paired with standard and robotic neurorehabilitation changes motor performance one day later (Volpe et al) 2000;48:454A
Diabetes mellitus
are strokes in diabetics different from nondiabetics? (Kissela et al) 2000;48:425A
Diabetic neuropathies
carpal tunnel syndrome in diabetic polyneuropathy (Perkins and Bril) 2000;48:440A
diabetic neuropathic pain management with venlafaxine extended release (Kunz et al) 2000;48:487A
insulin-like growth factor-I inhibits high-glucose–induced oxidative stress and neuronal cell death in a model of diabetic neuropathy (Russell et al) 2000;48:472A
Diaphragm
lumbar artery compression by the diaphragmatic crus: a new etiology for spinal cord ischemia (Rogopoulos et al) 2000;48:261
Diastat; *see* Diazepam
Diazepam
Diastat gel and acute seizures: a parental survey (Koch and Healy) 2000;48:519A
off-label use of diazepam rectal gel for children with febrile seizures and infants under age 2 years (Mitchell and Lin) 2000;48:519A
rectally administered diazepam (Diastat) for acute seizure management of patients on the ketogenic diet (Schimschock) 2000;48:519A
retrospective study to assess the effects of rectally administered diazepam (Diastat) on respiration in pediatric epilepsy patients with prolonged seizures or seizure clusters (Bettis and Gray) 2000;48:519A
Diet therapy
concomitant treatment with topiramate and the ketogenic diet in pediatric epilepsy (Takeoka et al) 2000;48:522A
rapid initiation of the ketogenic diet without the traditional fasting period (Zupec-Kania et al) 2000;48:522A
rectally administered diazepam (Diastat) for acute seizure management of patients on the ketogenic diet (Schimschock) 2000;48:519A
zinc supplementation is effective for children with hair loss due to chronic valproic acid therapy or the ketogenic diet (Buchanan et al) 2000;48:523A
Dietary supplements
dietary supplement creatine protects against TBI (Sullivan et al) 2000;48:723
DiGeorge syndrome
cerebrospinal fluid catecholamines in patients with neuropsychiatric manifestations of 22Q11.2 deletion syndrome and the low-activity 108/158 catechol-*O*-methyltransferase gene polymorphism (Graf et al) 2000;48:534A
metyrosine treatment in patients with the neuropsychiatric disorder associated with 22Q11.2 deletion syndrome (Graf et al) 2000;48:534A
Dihydropyrimidine
multifocal inflammatory leukoencephalopathy associated with 5-fluorouracil and carboplatin therapy in a patient with partial dihydropyrimidine dehydrogenase deficiency (Franco and Greenberg) 2000;48:482A
Dizoclipine maleate
ketamine, MK-801, and phencyclidine injure limbic cortex via anterior thalamus: implications for psychosis (Sharp et al) 2000;48:474A
Dizziness
dizziness and headache: a common association in children and adolescents (Weisleder and Fife) 2000;48:546A
DNA
DNA array analysis of gene expression in peripheral blood mononuclear cells of relapsing-remitting multiple sclerosis patients (Ramanathan et al) 2000;48:490A
mithramycin: a prototypical, sequence-specific DNA binding drug and novel neuronal anti-apoptotic agent (Ratan et al) 2000;48:428A
transformation by brain factor-1 does not require DNA binding (Khakoo et al) 2000;48:549A
DNA, circular
cdr2-specific CTLs are detected in the blood of all patients with paraneoplastic cerebellar degeneration analyzed (Darnell and Albert) (Letter); (Greenlee) (Reply) 2000;48:270
custom cDNA microarray using cultures containing central nervous system stem cells for neurodevelopmental gene discovery (Geschwind et al) 2000;48:444A
DNA, mitochondrial
absence of the 414 mitochondrial DNA mutation in the brains of elderly subjects (Simon et al) 2000;48:438A
epidemiology of pathogenic mitochondrial DNA mutations (Chinnery et al) 2000;48:188
Leigh disease caused by the mitochondrial DNA G14459A mutation in unrelated families (Kirby et al) 2000;48:102
maternally inherited mitochondrial encephalomyopathy due to a novel missense mutation in the mtDNA cytochrome *c* oxidase gene (Akman et al) 2000;48:435A
mitochondrial DNA depletion syndrome: a familial disorder showing variable clinical penetration (Taanman et al) 2000;48:438A
natural history of mitochondrial DNA disease provides new insight into the pathogenetic mechanisms (Chinnery et al) 2000;48:440A
polymorphism in the mitochondrial $tRNA^{Leu(CUN)}$ gene influences A3243G-associated phenotype in humans (Pulkes et al) 2000;48:438A
DNA, viral
lack of the viral DNA in sera and cerebrospinal fluid from patients with Guillain-Barré syndrome following acute

cytomegalovirus infection (Irie et al) 2000;48:449A
Donepezil
donepezil (Aricept) use in children with autistic spectrum disorders (Chez et al) 2000;48:541A
limited donepezil inhibition of acetylcholinesterase measured with positron emission tomography in living Alzheimer cerebral cortex (Kuhl et al) 2000;48:391
Dopamine
D2 dopamine receptor gene in myoclonic dystonia and essential myoclonus (Dürr et al) 2000;48:127 (Letter)
delayed recovery of movement-related cortical function in Parkinson's disease after striatal dopaminergic grafts (Piccini et al) 2000;48:689
dopa dyskinesias and fluctuations are not related to dopa treatment duration (Muenter and Ahlskog) 2000;48:464A
dopaminergic hypersensitivity in patients with Parkinson's disease and migraine (Cubo et al) 2000;48:432A
dopaminergic therapy improves upper limb motor performance in aged rhesus monkeys (Grondin et al) 2000;48:250
dopa-responsive dystonia is induced by a dominant-negative mechanism (Hwu et al) 2000;48:609
effect of ovariectomy on the dopaminergic system of female monkeys: preliminary results (Kompoliti et al) 2000;48:434A
excessive daytime sleepiness in Parkinson's disease is associated with male gender and dopamine agonist therapy (Comella et al) 2000;48:432A
neuronal cell death induced by dopamine and proteasome inhibition (Junn and Mouradian) 2000;48:428A
phenylalanine loading in the diagnosis of dopa-responsive dystonia: the necessity for measuring biopterin (Saunders-Pullman et al) 2000;48:466A
sensory enhancement of motor output in Parkinson's disease depends on the presence of dopamine and is correlated with dopamine-induced motor improvement (Minn et al) 2000;48:464A
use of dopamine agonists in aging patients with Parkinson's disease (Shulman et al) 2000;48:466A
Double cortex; *see* Cerebral cortex
Down's syndrome
Down's syndrome is associated with increased 8,12-*iso*-$iPF_{2\alpha}$-VI levels: evidence for enhanced lipid peroxidation in vivo (Praticò et al) 2000;48:809
Duchenne muscular dystrophy; *see* Muscular dystrophy
Dysferlin
intracellular accumulation and reduced sarcolemmal expression of dysferlin in limb-girdle muscular dystrophies (Piccolo et al) 2000;48:902
Dyskinesia; *see* Movement disorders
Dyskinesia, drug-induced
low incidence of persistent tardive dyskinesia with quetiapine (Yeung et al) 2000;48:467A
Dystonia
D2 dopamine receptor gene in myoclonic dystonia and essential myoclonus (Dürr et al) 2000;48:127 (Letter)
dopa-responsive dystonia is induced by a dominant-negative mechanism (Hwu et al) 2000;48:609
effects of botulinum toxin type A on intracortical inhibition in patients with dystonia (Gilio et al) 2000;48:20
how does botulinum toxin work? (Hallett) 2000;48:7 (Editorial)
multifocal or generalized tonic dystonia of complex regional pain syndrome: a distinct clinical entity associated with HLA-DR13 (van Hilten et al) 2000;48:113
phenylalanine loading in the diagnosis of dopa-responsive dystonia: the necessity for measuring biopterin (Saunders-Pullman et al) 2000;48:466A
treatment of refractory choreoathetosis and dystonia with intrathecal baclofen therapy (Tilton et al) 2000;48:545A

Echocardiography
echocardiographic findings in patients with retinal or optic nerve ischemia or embolism (Mouradian et al) 2000;48:455A
which patients should undergo transesophageal echocardiography as part of their stroke work-up? (Narayanan and Recht) 2000;48:455A
Ectodermal dysplasia
ectodermal dysplasia and brain cystic changes: confirmation of a novel neurocutaneous syndrome (DiFazio and Depper) 2000;48:531A
Editor
message from the Editor (Johnson) 2000;48:1
Education
web-based teaching syllabus for child neurology training (Holt) 2000;48:550A
Educational status
long-term follow-up of academic achievement in adults previously identified with specific learning disabilities (Chudnow et al) 2000;48:544A
neurological and school performance status of long-term survivors of childhood brain tumors: a report from the Childhood Cancer Survivors Study (Packer et al) 2000;48:513A
predictors of poor clinical and educational outcome in childhood-onset epilepsies (Zelnik et al) 2000;48:523A
Electric stimulation
deep brain stimulation of the subthalamic nucleus for the treatment of Parkinson's disease (Stacy et al) 2000;48:466A
no tissue damage by chronic deep brain stimulation in Parkinson's disease (Haberler et al) 2000;48:372
patient acceptance of techniques for prolonging battery life in fully implantable spinal cord stimulator systems (Royal et al) 2000;48:431A
percutaneous retrograde epidural neurostimulator placement for the control of intractable pudendal neuropathy (Ferro) 2000;48:430A
spinal cord stimulation is more effective than intrathecal opioid therapy for a mixed lumbar radiculopathy with superimposed motor/sensory peripheral neuropathy (Chaumont) 2000;48:486A
treatment of occipital neuralgia by spinal cord stimulation (Chaumont) 2000;48:485A
Electrocardiography
acute stroke increases QT dispersion in patients without cardiac disease (Afsar et al) 2000;48:421A
is a syndrome of generalized electrical inexcitability an explanation for the neurological complications of sepsis? (Rich and Teener) 2000;48:443A
Electroconvulsive therapy
effect of chronic electroconvulsive shock on dendritic spine density of dentate granule cells within the adult rat hippocampus (Madhav et al) 2000;48:446A
Electrocorticography
prognostic value of intraoperative electrocorticography in temporal lobectomy: a retrospective analysis (Mathews et al) 2000;48:461A

Electroencephalography
amplitude-integrated electroencephalography: a valuable addition to the early neurological assessment of newborns with birth depression who are candidates for early therapeutic interventions (Shalak et al) 2000;48:516A
association between perioperative electroencephalographic findings and neurological outcome in young infants with congenital heart defects (Limperopoulos et al) 2000;48:548A
benign familial neonatal convulsions: ictal EEG in a patient with a novel KCNQ2 mutation (Sigurdardottir et al) 2000;48:525A
electroencephalography and clinical findings in 105 patients with benign childhood epilepsy with centrotemporal spikes (Dai and Piña-Garza) 2000;48:522A
prognostic significance of neonatal discontinous electroencephalography (Menache et al) 2000;48:525A
relationship of electroencephalographic upper quartile cortical spectral edge frequency to the presence of white matter injury in premature infants (Inder et al) 2000;48:526A
routine electroencephalography in the initial evaluation of children with suspected attention-deficit hyperactivity disorder (Richer et al) 2000;48:543A
Emerin gene
novel truncating mutation (S171X) in the emerin gene in an American family with Emery-Dreifuss muscular dystrophy (Menache et al) 2000;48:538A
Emery-Dreifuss muscular dystrophy; *see* Muscular dystrophy
Encephalitis
herpes simplex virus type 1 (HSV-1)–induced retinitis following herpes simplex encephalitis: indications for brain-to-eye transmission of HSV-1 (Maertzdorf et al) 2000;48:936
high mortality in Nipah encephalitis is associated with presence of virus in cerebrospinal fluid (Chua et al) 2000;48:802
latency-associated gene of herpes simplex virus type 1 might protect the human host from herpes encephalitis (Steiner et al) 2000;48:479A
magnetic resonance imaging volumetric analysis of the whole brain in Rasmussen's encephalitis (Takeoka et al) 2000;48:463A
neurological and neuroradiological correlation in herpes simplex encephalitis type I: is topography of lesions age dependent? (Scalais and Stevens) 2000;48:549A
Encephalodural arteriosynangiosis
encephalodural arteriosynangiosis for atherosclerotic hemodynamic ischemia (Marshall et al) 2000;48:455A
Encephalomyelitis
acute progressive encephalomyelitis: relation with toxic exposure, a review of three cases (Hernandez et al) 2000;48:547A
magnetic resonance spectroscopy of basal ganglia lesions in acute disseminated encephalomyelitis (Gabis et al) 2000;48:538A
molecular analysis of the antibody response against myelin oligodendrocyte glycoprotein in primate experimental autoimmune encephalomyelitis (von Büdingen et al) 2000;48:416A
Encephalomyelitis, autoimmune
cell trafficking into the central nervous system in multiple sclerosis and experimental autoimmune encephalomyelitis (Knobler and Oberholzer) 2000;48:451A
role of CD28 in the induction of experimental autoimmune encephalomyelitis (Chitnis et al) 2000;48:447A
Encephalomyopathy
impaired activation of oxygen consumption and blood flow in visual cortex of patients with mitochondrial encephalomyopathy (Vafaee et al) 2000;48:676
maternally inherited mitochondrial encephalomyopathy due to a novel missense mutation in the mtDNA cytochrome *c* oxidase gene (Akman et al) 2000;48:435A
Encephalopathy
clinical characteristics of acute encephalopathy associated with *Salmonella* enteritidis in Japan (Arii et al) 2000;48:547A
encephalopathy associated with respiratory syncytial virus bronchiolitis (Ng et al) 2000;48:548A
Sebire syndrome: three cases of a stereotyped encephalopathy with a good prognosis (Clarke and Leber) 2000;48:551A
Endothelial cells
endothelial microparticles in multiple sclerosis, as defined by expression of platelet-endothelial cell adhesion molecule-1, are elevated in exacerbation: a new aspect of disease pathogenesis (Minagar et al) 2000;48:475A
Endothelial growth factors
central nervous system microvascular pericyte production of vascular endothelial cell growth factor in human glioblastoma (Dore-Duffy et al) 2000;48:481A
Endothelium
aspirin inhibits secretion of monocyte chemotactic protein 1 and expression of vascular cell adhesion molecule 1 on cultured endothelial cells (Cha and Jeong) 2000;48:422A
Energy metabolism
abnormal in vivo skeletal muscle energy metabolism in Huntington's disease and dentatorubropallidoluysian atrophy (Lodi et al) 2000;48:72
impaired brain energy metabolism in Parkinson's disease (Martin et al) 2000;48:463A
Entacapone
cost-effectiveness of treatment with entacapone for patients with Parkinson's disease in the United States (Palmer et al) 2000;48:496A
Enteritidis
clinical characteristics of acute encephalopathy associated with *Salmonella* enteritidis in Japan (Arii et al) 2000;48:547A
Entrapment neuropathies; *see* Nerve compression syndromes
Enzyme-linked immunosorbent assay
enzyme-linked immunosorbent assay to quantify 14-3-3 proteins in the cerebrospinal fluid of suspected Creutzfeldt-Jakob disease patients (Kenney et al) 2000;48:395
Enzymes
increased cerebrovascular capacity following enzyme replacement therapy in Fabry disease demonstrated by positron emission tomography: a double-blind, randomized, placebo-controlled trial (Moore et al) 2000;48:488A
Epidural space
efficacy of epidural blood patch in spontaneous cerebrospinal fluid leaks (Sencakova and Mokri) 2000;48:431A
percutaneous retrograde epidural neurostimulator placement for the control of intractable pudendal neuropathy (Ferro) 2000;48:430A

Epilepsy
benign rolandic epilepsy can be safely managed without medication: a population based study (Peters et al) 2000;48:516A
clinical experience with topiramate (Topamax) dosing and serum levels in children 12 years or younger with epilepsy (Schwabe and Wheless) 2000;48:515A
concomitant treatment with topiramate and the ketogenic diet in pediatric epilepsy (Takeoka et al) 2000;48:522A
cryptogenic epilepsy: an infectious etiology? (Stommel et al) 2000;48:462A
dual epileptic foci in a single patient express distinct temporal patterns dependent on limbic versus nonlimbic brain location (Quigg and Straume) 2000;48:117
efficacy of zonisamide in pediatric epilepsy: experience in Japanese subjects (Glauser and Pellock) 2000;48:521A
electroencephalography and clinical findings in 105 patients with benign childhood epilepsy with centrotemporal spikes (Dai and Piña-Garza) 2000;48:522A
factors predicting prognosis of epilepsy after presentation with seizures (MacDonald et al) 2000;48:833
ictal measurement of cerebral hemodynamics of childhood epilepsy using near-infrared spectrophotometry (Haginoya et al) 2000;48:461
is epileptogenic cortex truly hypometabolic on interictal positron emission tomography? (Juhász et al) 2000;48:88
lateral temporal lobe volumes in patients with localization-related epilepsy (Theodore et al) 2000;48:463A
luteinizing hormone pulsatile release in women with epilepsy (Morrell et al) 2000;48:462A
micturition epilepsy: a novel type of reflex epilepsy (Clarke et al) 2000;48:520A
noninvasive mapping of the epileptogenic zone in children with tuberous sclerosis complex and refractory epilepsy (Seri et al) 2000;48:522A
pipecolic acid elevation in plasma and cerebrospinal fluid of two patients with pyridoxine-dependent epilepsy (Plecko et al) 2000;48:121
predictors of multiple seizures in a cohort of children prospectively followed from the time of their first unprovoked seizure (Shinnar et al) 2000;48:140
predictors of poor clinical and educational outcome in childhood-onset epilepsies (Zelnik et al) 2000;48:523A
retrospective study to assess the effects of rectally administered diazepam (Diastat) on respiration in pediatric epilepsy patients with prolonged seizures or seizure clusters (Bettis and Gray) 2000;48:519A
safety of zonisamide in pediatric epilepsy: the Japanese experience (Pellock and Glauser) 2000;48:521A
seizure recurrence in childhood epilepsy: "the future ain't what it used to be" (Duchowny) 2000;48:137 (Editorial)
use of complementary medicine in children with neurological disorders (Gross-Tsur et al) 2000;48:544A
visual impairment in children with epilepsy treated with vigabatrin (Gross-Tsur et al) 2000;48:60

Epilepsy, absence
neuropsychological assessment in children with absence epilepsy (Pavone et al) 2000;48:516A

Epilepsy, focal
focal cooling rapidly terminates neocortical seizures (Yang and Rothman) 2000;48:521A
focal-onset seizures: an atypical presentation of pyridoxine dependency (Yoshii et al) 2000;48:521A

Epilepsy, myoclonic
dentatorubral-pallidoluysian atrophy in an African-American family: severe juvenile-onset disease with both maternal and paternal transmission (Licht and Lynch) 2000;48:535A

Epilepsy, partial
short duration of benign partial epilepsy in infancy (Nelson et al) 2000;48:524A

Epilepsy, temporal lobe
acquired hippocampal damage after temporal lobe seizures in 2 infants (Perez et al) 2000;48:384
de novo mutation in sporadic nocturnal frontal lobe epilepsy (Phillips et al) 2000;48:264
effects of age at onset and duration of seizure disorder on severity of hippocampal sclerosis and cognitive dysfunction in temporal lobe epilepsy (Watson et al) 2000;48:463A
interleukin-1β gene polymorphism and susceptibility to temporal lobe epilepsy with hippocampal sclerosis (Heils et al) (Letter); (Kanemoto and Nishimura) (Reply) 2000;48:949
mitochondrial complex I deficiency in the epileptic focus of patients with temporal lobe epilepsy (Kunz et al) 2000;48:766
role of the insular cortex in temporal lobe epilepsy (Isnard et al) 2000;48:614

Epistasis
epistasis: a potentially important concept in multiple sclerosis (Weatherby et al) 2000;48:480A

Erythrophagocytic lymphohistiocytosis
neurological manifestations of familial erythrophagocytic lymphohistiocytosis (O'Connor et al) 2000;48:534A

Erythropoietin
erythropoietin expression was upregulated in human astrocytes by interleukin-6 and amyloid-β peptides (Nagai et al) 2000;48:443A

Etanercept
improvement with etanercept (Enbrel) in chronic inflammatory demyelinating polyneuropathy (Latov and Sherman) 2000;48:473A

Ethnic factors
characteristics of white and African-American probable Alzheimer's disease patients seen in a memory clinic (Harrell et al) 2000;48:425A

Evoked potentials
electrophysiological correlates of clinical disability in multiple sclerosis (Groozman et al) 2000;48:448A

Evoked potentials, visual
predictive value of pattern visual evoked potentials as a surrogate of visual function in multiple sclerosis (Weinstock-Guttman et al) 2000;48:480A

Excitotoxins; *see* Neurotoxins

Exercise
exercise intolerance associated with a novel stop codon mutation in the mitochondrial ND2 gene (Pulkes et al) 2000;48:469A

Experimental autoimmune encephalomyelitis; *see* Encephalomyelitis, autoimmune

Eye diseases
herpes simplex virus type 1 (HSV-1)–induced retinitis following herpes simplex encephalitis: indications for brain-to-eye transmission of HSV-1 (Maertzdorf et al) 2000;48:936

Eye movements
function of ocular proprioception in eye movement control (Lewis et al) 2000;48:445A

Fabry disease
increased cerebrovascular capacity following enzyme replacement therapy in Fabry disease demonstrated by

positron emission tomography: a double-blind, randomized, placebo-controlled trial (Moore et al) 2000; 48:488A
stroke in a young woman: first manifestation of Fabry disease (Moretti and Fink) 2000;48:437A
Facial palsy
Ramsay Hunt syndrome in children (Hato et al) 2000;48: 254
Facial paralysis
should children with Bell's palsy be treated with steroids? a systematic review (Salman and MacGregor) 2000;48: 551A
Facioscapulohumeral muscular dystrophy; *see* Muscular dystrophy
Fahr's disease
genetic heterogeneity of idiopathic basal ganglia calcification (Fahr's disease) (Sobrido et al) 2000;48:466A
Familial perisylvian polymicrogyria
familial perisylvian polymicrogyria: a new familial syndrome of cortical maldevelopment (Guerreiro et al) 2000;48:39
Farnesylthiosalicylic acid
treatment of experimental autoimmune neuritis by a Ras inhibitor s-farnesylthiosalicylic acid (Kafri et al) 2000; 48:449A
Fasting
rapid initiation of the ketogenic diet without the traditional fasting period (Zupec-Kania et al) 2000;48:522A
Fecal incontinence
bladder and bowel incontinence after traumatic brain injury: risk factors, prevalence, and outcome (Yablon et al) 2000;48:500A
Fetus
antibodies to fetal acetylcholine receptors in parous women (Vincent et al) 2000;48:479A
children with presumed prenatal or perinatal arterial ischemic stroke have frequent coagulation abnormalities and persistent neurologic deficits (Golomb et al) 2000; 48:526A
evidence for spatial neglect in infants and toddlers following prenatal or perinatal unilateral brain damage (Trauner) 2000;48:529A
prenatal intracranial hemorrhage and neurological complications in neonatal alloimmune thrombocytopenia (Sharif and Kuban) 2000;48:527A
Fibrin
clusterin/apolipoprotein J facilitates Alzheimer's-like neuritic degeneration: dissociation between fibril formation and toxicity in vivo (Holtzman et al) 2000;48:953A
Fibrinolytic agents
antithrombotic therapies: underuse in patients with acute ischemic stroke (Bushnell and Goldstein) 2000;48: 498A
Fibroblasts
growth patterns and microarray gene expression in fibroblasts grown from port wine stain and unaffected skin of a subject with Sturge-Weber syndrome (Comi et al) 2000;48:511A
Fibrous dysplasia, polyostotic
McCune-Albright syndrome and intracranial aneurysm: a dire association (Dillon and Hosain) 2000;48:546A
Finland
clinical and genetic findings in Finnish ataxia patients with the spinocerebellar ataxia 8 repeat expansion (Juvonen et al) 2000;48:354
FK-506
multicentered clinical open trial of FK506 (tacrolimus) in steroid-resistant myasthenia gravis (Konishi et al) 2000; 48:487A
Fluid-attenuated inversion recovery
preliminary study of fluid-attenuated inversion recovery and diffusion magnetic resonance imaging in comatose survivors following cardiac resuscitation (Wijdicks et al) 2000;48:458A
Fluorouracil
multifocal inflammatory leukoencephalopathy associated with 5-fluorouracil and carboplatin therapy in a patient with partial dihydropyrimidine dehydrogenase deficiency (Franco and Greenberg) 2000;48:482A
Fluoxetine
randomized, double-blinded, placebo-controlled trial of fluoxetine in depressed Parkinson's disease patients (Pappert et al) 2000;48:465A
Foot deformities
novel autosomal dominant syndrome with entrapment neuropathies and pes cavus (Sander and Danon) 2000; 48:470A
***Fou rire prodromique*; *see* Laughter**
14-3-3 protein
enzyme-linked immunosorbent assay to quantify 14-3-3 proteins in the cerebrospinal fluid of suspected Creutzfeldt-Jakob disease patients (Kenney et al) 2000; 48:395
γ, ε, ζ, β, and η isoforms of 14-3-3 protein are present in the cerebrospinal fluid of patients with Creutzfeldt-Jakob disease (Shiga et al) 2000;48:489A
Free radicals
elevated free radical products in the cerebrospinal fluid of premature infants with white matter injury (Inder et al) 2000;48:528A
free radical–mediated damage of neuronal cortical mitochondria and the initiation of apoptosis (Solenski and Periasamy) 2000;48:457A
out-of-frame cytochrome *b* gene deletion from a patient with parkinsonism is associated with impaired complex III assembly and an increase in free radical production (Rana et al) 2000;48:774
Frontal lobe
adult neuronopathic Niemann-Pick disease type C without visceral storage presenting as frontal lobe dementia (Kluenemann et al) 2000;48:426A
frontotemporal dementia with novel tau pathology and a glu342Val *tau* mutation (Lippa et al) 2000;48:850
inheritance and tau mutations in frontotemporal lobar degeneration (Short et al) 2000;48:460A
screening for tau mutations in frontotemporal dementia (Sobrido et al) 2000;48:427A
screening frontotemporal dementia patients for mutations in GSK-3β (Schaffer et al) 2000;48:460A
FTDP-17
FTDP-17: phenotypical heterogeneity within P301S (Bugiani) 2000;48:126 (Letter)

GABA
ontogeny of human $GABA_A$ receptors studied by positron emission tomography (Juhász et al) 2000;48:517A
Gabapentin
gabapentin improves walking speed by reduction of spasticity in patients with multiple sclerosis (Bohr et al) 2000;48:446A

phase III placebo-controlled trial of gabapentin in spinal muscular atrophy (Miller et al) 2000;48:468A

Galantamine

cognitive and functional benefits of galantamine: a 12-month study in Alzheimer's disease (Raskind and Truyen) 2000;48:460A

galantamine provides cognitive and functional benefits over 12 months in patients with Alzheimer's disease (Mintzer and Kershaw) 2000;48:459A

long-term cognitive benefits of galantamine treatment in patients with Alzheimer's disease (Wessel and Gaens) 2000;48:461A

Gangliosides

axonal Guillain-Barré syndrome: relation to anti-ganglioside antibodies and *Campylobacter jejuni* infection in Japan (Ogawara et al) 2000;48:624

clinical utility of anti-ganglioside antibody determination in the diagnosis of Guillain-Barré syndrome (Wirguin et al) 2000;48:472A

Guillain-Barré syndrome with IgM antibody to a ganglioside, GalNAc-GD1a (Kaida et al) 2000;48:442A

Gastrointestinal system

presence of gastrointestinal symptoms in children with primary diagnoses of autistic disorder (Chez et al) 2000;48:542A

Gene expression

DNA array analysis of gene expression in peripheral blood mononuclear cells of relapsing-remitting multiple sclerosis patients (Ramanathan et al) 2000;48:490A

expression of reporter gene with expanded CTG trinucleotide repeats in 3′-untranslated region using *Xenopus* oocytes (Furuya et al) 2000;48:441A

gene expression analysis in a transgenic model of amyotrophic lateral sclerosis and in ALS brain tissue (Rothstein et al) 2000;48:417A

gene expression profiles in the primate basal ganglia: implications for research in movement disorders (Meurers et al) 2000;48:464A

growth patterns and microarray gene expression in fibroblasts grown from port wine stain and unaffected skin of a subject with Sturge-Weber syndrome (Comi et al) 2000;48:511A

large-scale gene expression in Alzheimer's disease lymphoblasts (Scherzer et al) 2000;48:429A

oligemia and stress gene expression after chronic bilateral carotid occlusion in rat brain (Schmidt-Kastner et al) 2000;48:456A

Gene therapy

aspartoacylase gene transfer to the mammalian central nervous system with therapeutic implications for Canavan disease (Leone et al) 2000;48:27

gene therapy for Canavan disease? (Fink) 2000;48:9 (Editorial)

Gene transfer; *see* Transfection

Genetics

assessing genetic risk for neurological disease: a web-based approach (Harrison et al) 2000;48:501A

Genetics, molecular

further evidence for the need to correlate molecular genetics with expert neuropathological analysis in spinal muscular atrophy (Kadhim et al) 2000;48:537A

new molecular genetic classification of central nervous system malformations (Sarnat) 2000;48:530A

Genotype

clinical and electrophysiologic characterization of a large family with a genetically distinct form of Charcot-Marie-Tooth syndrome type 2 (Lawson et al) 2000;48:443A

differences in the Aβ40/Aβ42 ratio associated with cerebrospinal fluid lipoproteins as a function of apolipoprotein E genotype (Fagan et al) 2000;48:201

mitochondrial damage in Alzheimer's disease varies with apolipoprotein E genotype (Gibson et al) 2000;48:297

Germany

genetic and enzymatic characterization of patients with late infantile neuronal ceroid lipofuscinosis in Germany (Steinfeld et al) 2000;48:535A

Glatiramer

glatiramer acetate (Copaxone) treatment effects on arm isometric strength, fine force control, and tremor amplitude in multiple sclerosis patients (Dogan et al) 2000;48:447A

glatiramer acetate treatment induces a Th1 to Th2 cytokine shift in multiple sclerosis (Chen et al) 2000;48:475A

Glioblastoma

central nervous system microvascular pericyte production of vascular endothelial cell growth factor in human glioblastoma (Dore-Duffy et al) 2000;48:481A

two distinct major histocompatibility complex class II transactivator (CIITA) promoters are used for interferon-γ–inducible CIITA expression by human glioblastoma cells that process myelin autoantigen for presentation to $CD4^+$ T cells (Soos et al) 2000;48:490A

Glioblastoma multiforme

reactivation of human neurotropic JC virus expressing oncogenic protein in a recurrent glioblastoma multiforme (Del Valle et al) 2000;48:932

Glioma

gliomas arising in organ transplant recipients: an unrecognized complication of transplantation? (Schiff et al) 2000;48:483A

from telomeres to T antigens: many roads. . . multiple pathways. . . novel associations in the search for the origins of human gliomas (Major) 2000;48:823 (Editorial)

Gliosis

perilesional gliosis and seizure outcome: a study based on magnetization transfer magnetic resonance imaging in patients with neurocysticercosis (Pradhan et al) 2000;48:181

Global Headache Inventory

improving quality of care using the Global Headache Inventory (McKenzie et al) 2000;48:497A

Globus pallidus

clinical and neuropsychological features of the initial stages of pallidopontonigral degeneration: a longitudinal study (McRae and Wszolek) 2000;48:437A

neurophysiological characteristics of the subthalamic nucleus in patients with prior pallidotomy (Zonenshayn et al) 2000;48:467A

pallidotomy for Huntington's disease (Vitek et al) 2000;48:429A

Glucose

clinical features and follow-up in painful sensory neuropathy associated with impaired glucose tolerance (Singleton and Smith) 2000;48:471A

insulin-like growth factor-I inhibits high-glucose–induced oxidative stress and neuronal cell death in a model of diabetic neuropathy (Russell et al) 2000;48:472A

is epileptogenic cortex truly hypometabolic on interictal positron emission tomography? (Juhász et al) 2000;48:88

Glucuronyl paragloboside

variability in immunohistochemical results with IgM

M-proteins binding to sulfated glucuronyl paraglycoside (Kusunoki et al) 2000;48:443A

Glutamates

molecular analysis of transport systems required for glutamatergic neurotransmission (Reimer et al) 2000;48:954A

neuronal migration disorder in Zellweger mice is secondary to glutamate receptor dysfunction (Gressens et al) 2000;48:336

selective blockage of the mGluR1 receptor reduces traumatic neuronal injury in vitro and improves outcomes after brain trauma (Faden et al) 2000;48:485A

Glutamic acid decarboxylase 65

glutamic acid decarboxylase 65 autoantibody syndrome with progressive degeneration of nervous system (Molaie and Molaie) 2000;48:428A

Glutarates

glutaric aciduria I: 3-hydroxy-glutarate–induced creatine-phosphate reduction in mixed cortex cultures can be prevented by creatine supplementation (Luecke et al) 2000;48:536A

Glutathione

resistance to toxicity from glutathione depletion in a nitric oxide–resistant cell line (Nguyen et al) 2000;48:511A

Glycoproteins

release of the neuronal glycoprotein ICAM-5 in serum after hypoxic-ischemic injury (Guo et al) 2000;48:590

treatment experience in patients with antimyelin-associated glycoprotein neuropathy (Gorson et al) 2000;48:441A

G(M1) ganglioside

agglutination immunoassay for rapid detection of anti-GM1 antibodies in patients with neuropathy (Alaedini and Latov) 2000;48:439A

Gray matter

evaluation of diffusion anisotrophy during human cortical gray matter development (Neil et al) 2000;48:517A

selective pathological changes of the periaqueductal gray matter in Alzheimer's disease (Parvizi et al) 2000;48:344

Group A *Streptococcus*; *see* *Streptococcus*

Guanosine cyclic monophosphate

cyclic GMP/cyclic GMP-dependent protein kinase system prevents excitotoxicity in an immortalized oligodendroglial cell line (Yoshioka et al) 2000;48:474A

effects of cGMP on lateral rectus contractility (Kaminski and Richmonds) 2000;48:443A

Guillain-Barré syndrome; *see* Polyradiculoneuritis

Gyrus cinguli

strategic ischemia of the anterior cingulate gyrus in vascular dementia with leukoaraiosis (Mendez et al) 2000;48:459A

Hair loss; *see* Alopecia

Haiti

concerns of Haitian families with a disabled child (Coulter et al) 2000;48:550A

Handwriting

physiognomical recognition of handwriting in patients with stroke and dementia (Heckmann et al) 2000;48:418A

Haplotypes

α2-macroglobulin gene and Alzheimer's disease: confirmation of association by haplotypes analyses (Verpillat et al) 2000;48:400 (Letter)

Headache

dizziness and headache: a common association in children and adolescents (Weisleder and Fife) 2000;48:546A

dopaminergic hypersensitivity in patients with Parkinson's disease and migraine (Cubo et al) 2000;48:432A

efficacy and safety of sumatriptan in the treatment of acute migraine: a meta-analysis (Shafiroff and Qureshi) 2000;48:499A

efficacy of the anticonvulsant topiramate in the prophylactic treatment of episodic migraine: a pooled analysis from two randomized, placebo-controlled trials (Edwards et al) 2000;48:486A

improving quality of care using the Global Headache Inventory (McKenzie et al) 2000;48:497A

long-term use of Imitrex nasal spray in an adolescent patient population (Rothner et al) 2000;48:516A

measurement of quality of life in migraine: application of conjoint analysis (Terayama et al) 2000;48:503A

orthostatic headache in childhood (Kotagal et al) 2000;48:545A

psychometric evaluation of a computerized program to assess migraine-specific quality of life in clinical practice (Mannix et al) 2000;48:502A

reductions in medical and pharmacy resource utilization associated with "triptan" and preventive medication initiation in migraine patients previously naive to both medications (Winner et al) 2000;48:498A

reversible cognitive decline accompanies migraine and cluster headache (Meyer et al) 2000;48:430A

thalamic infarction in two adolescents with migraine (Finkel et al) 2000;48:546A

Heart, surgery

diffusion and perfusion-weighted magnetic resonance imaging in patients with neurological complications after cardiac surgery (Wityk et al) 2000;48:458A

Heart arrest

preliminary study of fluid-attenuated inversion recovery and diffusion magnetic resonance imaging in comatose survivors following cardiac resuscitation (Wijdicks et al) 2000;48:458A

Heart defects, congenital

association between perioperative electroencephalographic findings and neurological outcome in young infants with congenital heart defects (Limperopoulos et al) 2000;48:548A

Heart septal defects, atrial

multiple silent infarction in first-time stroke patients with patent foramen ovale and right-to-left shunting (Uzun et al) 2000;48:458A

Helper cells

NBI-5788, an altered MBP83-99 peptide, induces a T-helper 2–like immune response in multiple sclerosis patients (Crowe et al) 2000;48:758

Hereditary spastic paraparesis; *see* Paraparesis, tropical spastic

Hereditary spastic paraplegia; *see* Spastic paraplegia, hereditary

Herpes simplex

herpes simplex virus type 1 (HSV-1)–induced retinitis following herpes simplex encephalitis: indications for brain-to-eye transmission of HSV-1 (Maertzdorf et al) 2000;48:936

latency-associated gene of herpes simplex virus type 1 might protect the human host from herpes encephalitis (Steiner et al) 2000;48:479A

neurological and neuroradiological correlation in herpes simplex encephalitis type I: is topography of lesions age

dependent? (Scalais and Stevens) 2000;48:549A
Herpesvirus-6, human
association of human herpesvirus-6 with tumor-like acute multiple sclerosis lesions (Goodman et al) 2000;48:481A
correlation between active human herpesvirus-6 viremia and disease relapses in patients with multiple sclerosis (Lobeck et al) 2000;48:452A
high prevalence of active human herpesvirus-6 variant A infection in central nervous system and lymphoid tissues of patients with multiple sclerosis (Knox and Carrigan) 2000;48:452A
Hippocampus
acquired hippocampal damage after temporal lobe seizures in 2 infants (Perez et al) 2000;48:384
effect of chronic electroconvulsive shock on dendritic spine density of dentate granule cells within the adult rat hippocampus (Madhav et al) 2000;48:446A
interleukin-1β gene polymorphism and susceptibility to temporal lobe epilepsy with hippocampal sclerosis (Heils et al) (Letter); (Kanemoto and Nishimura) (Reply) 2000;48:949
postischemic housing influences hippocampal stem cell proliferation and differentiation after focal brain ischemia (Johansson et al) 2000;48:454A
seizures accelerate anoxia-induced neuronal death in the neonatal rat hippocampus (Dzhala et al) 2000;48:632
HIV
differentiation of human neuroepithelial precursor cells during human immunodeficiency virus type 1 infection (McCarthy et al) 2000;48:484A
incidence and risk factors of human immunodeficiency virus-associated distal sensory polyneuropathy in the Dana cohort (Schifitto et al) 2000;48:484A
long-term effect of protease inhibitors on neuropsychological function and neuroimaging in pediatric human immunodeficiency virus disease (Civitello et al) 2000;48:513A
HLA-DR13 antigen
multifocal or generalized tonic dystonia of complex regional pain syndrome: a distinct clinical entity associated with HLA-DR13 (van Hilten et al) 2000;48:113
HLA-DR15 antigen
HLA-DR15 is associated with lower age at onset in multiple sclerosis (Masterman et al) 2000;48:211
Holoprosencephaly
elucidating the clinical spectrum of holoprosencephaly through a clinical-neuroradiologic analysis (Plawner et al) 2000;48:518A
Homocystine
cystathionine-β synthase mutation causing severe hyperhomocystinemia, carotid artery thrombosis, and embolic cerebral infarction: a case report and family study (Kelly et al) 2000;48:424A
Human herpesvirus-6; *see* Herpesvirus-6, human
Human immunodeficiency virus; *see* HIV
Huntington chorea
abnormal in vivo skeletal muscle energy metabolism in Huntington's disease and dentatorubropallidoluysian atrophy (Lodi et al) 2000;48:72
do motor, behavioral, or psychiatric correlates predict the need for institutional care in patients with Huntington's disease? (Wheelock et al) 2000;48:467A
no difference in plasma or urinary F_2-isoprostanes among patients with Huntington's disease or Alzheimer's disease, and controls (Montine et al) 2000;48:949 (Letter)
pallidotomy for Huntington's disease (Vitek et al) 2000;48:429A
weight loss in Huntington's disease (Stoy and McKay) (Letter); (Pratley and Caviness) (Reply) 2000;48:130
Hydrocephalus
radiological evolution of brain lesions in tuberous sclerosis from infancy to childhood (Gupta and Rothner) 2000;48:532A
Hyperammonemia; *see* Ammonia
Hyperekplexia; *see* Muscle hypertonia
Hyperlipidemia
effect of anticholesterol therapy on soluble intercellular adhesion molecule-1 in chronic stroke patients with hyperlipidemia (Tomiyasu et al) 2000;48:457A
Hyperoxia
effects of normobaric hyperoxia in a rat model of transient focal cerebral ischemia and reperfusion (Singhal et al) 2000;48:954A
Hypertension
antihypertensive use in women and men in the African-American antiplatelet stroke prevention study (Worrall et al) 2000;48:459A
hypertension and white matter changes (Turnbull) (Letter); (Inzitari) (Reply) 2000;48:268
Hypokalemia
acetazolamide opens the muscular $K_{Ca^{2+}}$ channel: a novel mechanism of action that may explain the therapeutic effect of the drug in hypokalemic periodic paralysis (Tricarico et al) 2000;48:304
Hypotonia; *see* Muscle hypotonia
Hypoxia; *see* Anoxia

ICAM-5; *see* Cell adhesion molecules
Iceland
infantile spasms in Iceland, 1991 to 1998 (Sigurdardottir et al) 2000;48:524A
IgM
Guillain-Barré syndrome with IgM antibody to a ganglioside, GalNAc-GD1a (Kaida et al) 2000;48:442A
variability in immunohistochemical results with IgM M-proteins binding to sulfated glucuronyl paraglycoside (Kusunoki et al) 2000;48:443A
Imitrex
long-term use of Imitrex nasal spray in an adolescent patient population (Rothner et al) 2000;48:516A
Immunization
amyloid-β (Aβ) immunization results in decreased Aβ deposition in the brains of APP-PS1 mice (Vehmas et al) 2000;48:952A
immunization for Alzheimer's disease: a shot in the arm or a whiff? (Levey) 2000;48:553 (Editorial)
Immunoelectron microscopy; *see* Microscopy, immunoelectron
Immunoglobulins
multifocal motor neuropathy: diagnostic criteria that predict the response to immunoglobulin treatment (Van den Berg-Vos et al) 2000;48:919
Inclusion bodies; *see* Cellular inclusions
Infant, low birth weight
posthemorrhagic ventriculomegaly: natural history and predictors of outcome (Inder et al) 2000;48:529A
Infant, newborn
amplitude-integrated electroencephalography: a valuable addition to the early neurological assessment of newborns with birth depression who are candidates for early therapeutic interventions (Shalak et al) 2000;48:516A

benign familial neonatal convulsions: ictal EEG in a patient with a novel KCNQ2 mutation (Sigurdardottir et al) 2000;48:525A
correlation of neonatal cytokines with neurological injury and outcome in perinatal hypoxia-ischemia (Foster-Barber et al) 2000;48:528A
diagnostic profile of neonatal hypotonia (Richer et al) 2000;48:527A
newborn with brain infarction (Pavlakis et al) 2000;48:526A
outcome of perinatal brachial plexus palsy (Manwani and Hosain) 2000;48:515A
prenatal intracranial hemorrhage and neurological complications in neonatal alloimmune thrombocytopenia (Sharif and Kuban) 2000;48:527A
prognostic significance of neonatal discontinous electroencephalography (Menache et al) 2000;48:525A
prognostic value of proton magnetic resonance spectroscopy in perinatal insults (Shu et al) 2000;48:518A
quantitative assessment of brain growth following treatment with dexamethasone for neonatal chronic lung disease (Inder et al) 2000;48:518A
role of hypoxia-inducible factor-1 in hypoxia-induced ischemic tolerance in neonatal rat brain (Bergeron et al) 2000;48:285
seizures accelerate anoxia-induced neuronal death in the neonatal rat hippocampus (Dzhala et al) 2000;48:632

Infant, premature
cerebellar infarction: a common, often unrecognized injury in extreme prematurity (Johnsen et al) 2000;48:527A
elevated free radical products in the cerebrospinal fluid of premature infants with white matter injury (Inder et al) 2000;48:528A
evaluation of diffusion anisotrophy during human cortical gray matter development (Neil et al) 2000;48:517A
relationship of electroencephalographic upper quartile cortical spectral edge frequency to the presence of white matter injury in premature infants (Inder et al) 2000;48:526A
sylvian fissure development in preterm infants (Hahn et al) 2000;48:539A

Infantile spasms; *see* Spasms, infantile

Infarction
acute behavioral syndrome of anterior thalamic infarction: a prospective study of 12 cases (Ghika-Schmid and Bogousslavsky) 2000;48:220
thalamic infarction in two adolescents with migraine (Finkel et al) 2000;48:546A

Inflammation
muscle fibers in inflammatory myopathies and cultured myoblasts express the nonclassical major histocompatibility antigen HLA-G (Wiendl et al) 2000;48:679

Inhibitor of differentiation
cerebral cortical neurogenesis and gliogenesis require transcriptional activation of inhibitor of differentiation 2 and 4 in neural stem cells by bone morphogenetic proteins (Gokhan et al) 2000;48:415A

Insomnia
alteration of the serotonergic nervous system in fatal familial insomnia (Wanschitz et al) 2000;48:788
sporadic fatal insomnia: a case study (Scaravilli et al) 2000;48:665

Insular cortex
role of the insular cortex in temporal lobe epilepsy (Isnard et al) 2000;48:614

Insulin-like growth factor-I
insulin-like growth factor I regulates a key transcription factor involved in neuronal apoptosis (Madison et al) 2000;48:416A
insulin-like growth factor-I and Bcl-xL inhibit c-jun *N* terminal protein kinase and promote Schwann cell survival (Cheng et al) 2000;48:473A
insulin-like growth factor-I inhibits high-glucose–induced oxidative stress and neuronal cell death in a model of diabetic neuropathy (Russell et al) 2000;48:472A

Integrins
activation of the integrin receptor but not assembly of basal lamina is required for Schwann cell myelination (Windebank and Podratz) 2000;48:416A

Intensive care units
impact of a neuroscience intensive care unit on patient outcomes and cost of care: evidence-based support for intensivist-directed specialty ICU model of care (Mirski et al) 2000;48:496A
quadriparetic-areflexic intensive care unit illness: systematic study of peripheral nerve morphology in eight consecutive cases (Danon et al) 2000;48:440A

Intercellular adhesion molecules; *see* Cell adhesion molecules

Interferon-α
ingested interferon-α decreases new magnetic resonance imaging brain lesions in relapsing-remitting multiple sclerosis (Brod et al) 2000;48:447A

Interferon-β
antibodies to interferon-β in multiple sclerosis patients: measurement by a commercially available kit (Pachner et al) 2000;48:477A
comparison of the dose effects of three commercially available β-interferons on in vitro immune function in controls and multiple sclerosis patients (Oger et al) 2000;48:476A
contrasting responses to interferon β-1b treatment in relapsing-remitting multiple sclerosis: does baseline interleukin-12p35 messenger RNA predict the efficacy of treatment? (van Boxel-Dezaire et al) 2000;48:313
immunogenicity of interferon-β in multiple sclerosis patients: influence of preparation, dosage, dose frequency, and route of administration (Ross et al) 2000;48:706
interferon β-1a (Rebif) does not increase depressive symptoms or risk of depression in multiple sclerosis: evidence from a randomized controlled trial (Patten et al) 2000;48:498A
interferon-neutralizing antibodies reduce clinical and magnetic resonance imaging efficacy in multiple sclerosis patients treated with interferon β-1a (Rebif): observations from the PRISMS 4-year extension study (Rice and PRISMS) 2000;48:477A
Japanese multicenter, randomized, double-blind trial of interferon β-1b in relapsing-remitting multiple sclerosis: two-year results (Itoyama et al) 2000;48:487A
neuropsychological effects of interferon β-1a in relapsing multiple sclerosis (Fischer et al) 2000;48:885

Interferon-γ
elevated interferon-γ in secondary progressive multiple sclerosis is linked to both interleukin-18 and interleukin-12 (Karni et al) 2000;48:450A
two distinct major histocompatibility complex class II transactivator (CIITA) promoters are used for interferon-γ–inducible CIITA expression by human glioblastoma cells that process myelin autoantigen for presentation to $CD4^+$ T cells (Soos et al) 2000;48:490A

Interleukin-1
gene polymorphism affecting α1-antichymotrypsin and interleukin-1 plasma levels increases Alzheimer's disease risk (Licastro et al) 2000;48:388
genetic association studies of interleukin-1 (IL-1A and IL-1B) and interleukin-1 receptor antagonist genes and the risk of Alzheimer's disease (Minster et al) (Letter); (Grimaldi and Griffin) (Reply) 2000;48:817
interleukin-1β gene polymorphism and susceptibility to temporal lobe epilepsy with hippocampal sclerosis (Heils et al) (Letter); (Kanemoto and Nishimura) (Reply) 2000;48:949
Interleukin-6
erythropoietin expression was upregulated in human astrocytes by interleukin-6 and amyloid-β peptides (Nagai et al) 2000;48:443A
Interleukin-10
innate production of interleukin-10 and tumor necrosis factor affects the risk of multiple sclerosis (de Jong et al) 2000;48:641
Interleukin-12
contrasting responses to interferon β-1b treatment in relapsing-remitting multiple sclerosis: does baseline interleukin-12p35 messenger RNA predict the efficacy of treatment? (van Boxel-Dezaire et al) 2000;48:313
correlation between increased interleukin-12 expression and the presence of active lesions on magnetic resonance imaging in multiple sclerosis patients (Makhlouf et al) 2000;48:477A
elevated interferon-γ in secondary progressive multiple sclerosis is linked to both interleukin-18 and interleukin-12 (Karni et al) 2000;48:450A
Interleukin-18
elevated interferon-γ in secondary progressive multiple sclerosis is linked to both interleukin-18 and interleukin-12 (Karni et al) 2000;48:450A
Internet
assessing genetic risk for neurological disease: a web-based approach (Harrison et al) 2000;48:501A
web-based teaching syllabus for child neurology training (Holt) 2000;48:550A
Intestinal pseudo-obstruction
peripheral neuropathy with hypomyelination, chronic intestinal pseudo-obstruction and deafness: a developmental "neural crest syndrome" related to a SOX10 mutation (Pingault et al) 2000;48:671
Intracarotid sodium amytal test
modality-specific memory during the intracarotid sodium amytal test: objects, words, designs and environmental sounds (Swearer et al) 2000;48:462A
Intracranial aneurysm; *see* Cerebral aneurysm
Ion channels
molecular physiology of ion channelopathies in skeletal muscle: from mutation to myotonia and paralysis (Cannon) 2000;48:687A
Irritable mood
dramatically successful treatment of irritability in Krabbe disease with low-dose morphine (Stewart et al) 2000;48:534A
Ischemia
targeting ischemic neurons with the large-conductance calcium-activated (maxi-K) potassium-channel opener BMS-204352 (Gribkoff et al) 2000;48:423A
Ischemia-reperfusion injury; *see* Reperfusion injury
Ischemic stroke; *see* Cerebrovascular disorders
Isoprostanes
no difference in plasma or urinary F_2-isoprostanes among patients with Huntington's disease or Alzheimer's disease, and controls (Montine et al) 2000;48:949 (Letter)
Italy
cytokines and multiple sclerosis severity: no correlation among Sardinians (Sotgiu et al) 2000;48:816 (Letter)
multiple sclerosis-associated retrovirus: a survey in the Sardinian population (Sotgiu et al) 2000;48:479A

Japan
axonal Guillain-Barré syndrome: relation to anti-ganglioside antibodies and *Campylobacter jejuni* infection in Japan (Ogawara et al) 2000;48:624
clinical characteristics of acute encephalopathy associated with *Salmonella* enteritidis in Japan (Arii et al) 2000;48:547A
efficacy of zonisamide in pediatric epilepsy: experience in Japanese subjects (Glauser and Pellock) 2000;48:521A
Japanese multicenter, randomized, double-blind trial of interferon β-1b in relapsing-remitting multiple sclerosis: two-year results (Itoyama et al) 2000;48:487A
NOS3 polymorphism not associated with Alzheimer's disease in Japanese (Higuchi et al) 2000;48:685 (Letter)
safety of zonisamide in pediatric epilepsy: the Japanese experience (Pellock and Glauser) 2000;48:521A
stroke severity and clinical outcomes in acute intracerebral hemorrhage: comparison between Japan Stroke Scale and NIH Stroke Scale (Gotoh et al) 2000;48:500A
taps to Alzheimer's patients: a continuous Japanese study of cerebrospinal fluid biomarkers (Shoji et al) 2000;48:402 (Letter)
JC virus
reactivation of human neurotropic JC virus expressing oncogenic protein in a recurrent glioblastoma multiforme (Del Valle et al) 2000;48:932
Jews
oculopharyngeal muscular dystrophy among Bukhara Jews is due to a founder $(GCG)_9$ mutation in the *PABP2* gene (Blumen et al) 2000;48:436A
Joubert syndrome
brainstem isthmus in normal development and in hindbrain malformations: Joubert syndrome versus Dandy-Walker syndrome (Bozorgmanesh et al) 2000;48:531A
founder effect in Joubert syndrome (Badhwar et al) 2000;48:435A

Ketamine
ketamine, MK-801, and phencyclidine injure limbic cortex via anterior thalamus: implications for psychosis (Sharp et al) 2000;48:474A
Ketones
concomitant treatment with topiramate and the ketogenic diet in pediatric epilepsy (Takeoka et al) 2000;48:522A
rapid initiation of the ketogenic diet without the traditional fasting period (Zupec-Kania et al) 2000;48:522A
rectally administered diazepam (Diastat) for acute seizure management of patients on the ketogenic diet (Schimschock) 2000;48:519A
zinc supplementation is effective for children with hair loss due to chronic valproic acid therapy or the ketogenic diet (Buchanan et al) 2000;48:523A

Killer cells, natural
natural killer cells and the immunopathogenesis of multiple sclerosis (Kastrukoff et al) 2000;48:450A
Krabbe's disease
dramatically successful treatment of irritability in Krabbe disease with low-dose morphine (Stewart et al) 2000; 48:534A

Language
dominantly inherited speech and language disorder not linked to the *SPCH1* locus on chromosome 7q31 (Cholfin et al) 2000;48:418A
functional MRI study of language and motor function in a patient with double cortex (Keene et al) 2000;48:530A
language dominance in children as determined by magnetic source imaging and the intracarotid amobarbital procedure: a comparison (Breier et al) 2000;48:515A
language neural networks of reading in young children identified with functional magnetic resonance imaging (Gaillard et al) 2000;48:517A
Laser surgery
double-blind, placebo-controlled study of low-power laser therapy on incomplete peripheral nerve injuries (Drory et al) 2000;48:453A
Latin America
multiple sclerosis in Latin America: changing concepts, current status—a review (Cabrera-Gomez and Rivera) 2000;48:447A
Laughter
fou rire prodromique: an unusual presentation of severe vertebrobasilar stenosis (Gondim et al) 2000;48:423A
Lead poisoning
pediatric lead exposure: is there a behavioral signature? (Lidsky and Schneider) 2000;48:483A
Learning disorders
long-term follow-up of academic achievement in adults previously identified with specific learning disabilities (Chudnow et al) 2000;48:544A
Legs
restless leg syndrome: quality-of-life survey and quality-of-life impact from treatment with pramipexole (Hogan et al) 2000;48:433A
syndrome of painful legs and moving toes due to hyperexcitability of the lateral plantar nerve (Auger) 2000;48: 432A
Leigh disease
Leigh disease caused by the mitochondrial DNA G14459A mutation in unrelated families (Kirby et al) 2000;48:102
Lesch-Nyhan syndrome
animal models for Lesch-Nyhan syndrome (Jinnah and Kasim) 2000;48:533A
spectrum of mutation in Lesch-Nyhan syndrome (Jinnah et al) 2000;48:533A
Leukemia, lymphocytic
neurological lesions after intrathecal treatment with methotrexate (Pisani et al) 2000;48:539A
Leukemia inhibitory factor
leukemia inhibitory factor abrogates paclitaxel (Taxol)-induced neuropathy in a rodent model (Kilpatrick et al) 2000;48:473A
Leukoaraiosis
strategic ischemia of the anterior cingulate gyrus in vascular dementia with leukoaraiosis (Mendez et al) 2000;48: 459A
Leukoencephalopathy
multifocal inflammatory leukoencephalopathy associated with 5-fluorouracil and carboplatin therapy in a patient with partial dihydropyrimidine dehydrogenase deficiency (Franco and Greenberg) 2000;48:482A
Leukomalacia, periventricular
chorioamnionitis as a risk factor for cerebral palsy: a meta-analysis (Wu and Colford) 2000;48:513A
cytokines immunoreactivity in cortical and subcortical neuronal centers in periventricular leukomalacia (Kadhim et al) 2000;48:528A
protective effects of topiramate in a rodent model of periventricular leukomalacia (Follett et al) 2000;48:527A
Levodopa
loss of clinical response to L-dopa in Parkinson's disease: role of D_3 and not D_2 receptor (Joyce et al) 2000;48: 434A
Lewy bodies
delusions associated with elevated muscarinic binding in dementia with Lewy bodies (Ballard et al) 2000;48:868
Lewy body disease; *see* Parkinson's disease
Lidocaine
lidocaine changes neural activity associated with the loudness of tinnitus in auditory cortex (Reyes et al) 2000; 48:490A
Life expectancy
life expectancy of children in vegetative and minimally conscious states (Ashwal et al) 2000;48:551A
Limbic system
dual epileptic foci in a single patient express distinct temporal patterns dependent on limbic versus nonlimbic brain location (Quigg and Straume) 2000;48:117
Limb-kinetic apraxia; *see* Apraxia
Linkage
founder effect in Joubert syndrome (Badhwar et al) 2000; 48:435A
identification of a novel transcript in linkage disequilibrium with autism (Wang et al) 2000;48:512A
linkage of autosomal recessive hereditary spastic paraplegia with mental impairment and thin corpus callosum to chromosome 15q13–15 (Shibasaki et al) 2000;48:108
Lipid peroxidation
Down's syndrome is associated with increased 8,12-*iso*-$iPF_{2\alpha}$-VI levels: evidence for enhanced lipid peroxidation in vivo (Praticò et al) 2000;48:809
increased 8,12-*iso*-$iPF_{2\alpha}$-VI in Alzheimer's disease: correlation of a noninvasive index of lipid peroxidation with disease severity (Praticò et al) 2000;48:795
Lipoproteins
differences in the Aβ40/Aβ42 ratio associated with cerebrospinal fluid lipoproteins as a function of apolipoprotein E genotype (Fagan et al) 2000;48:201
Listeria monocytogenes
neurolisteriosis presenting as recurrent transient ischemic attacks (Staudinger et al) 2000;48:661
Lumbar artery
lumbar artery compression by the diaphragmatic crus: a new etiology for spinal cord ischemia (Rogopoulos et al) 2000;48:261
Lumbar radiculopathy
spinal cord stimulation is more effective than intrathecal opioid therapy for a mixed lumbar radiculopathy with superimposed motor/sensory peripheral neuropathy (Chaumont) 2000;48:486A
Lung diseases
quantitative assessment of brain growth following treat-

ment with dexamethasone for neonatal chronic lung disease (Inder et al) 2000;48:518A

Luteinizing hormone

luteinizing hormone pulsatile release in women with epilepsy (Morrell et al) 2000;48:462A

Lymphoblasts

large-scale gene expression in Alzheimer's disease lymphoblasts (Scherzer et al) 2000;48:429A

Lymphohistiocytosis

neurological manifestations of familial erythrophagocytic lymphohistiocytosis (O'Connor et al) 2000;48:534A

Magnetic resonance angiography; *see* Angiography

Magnetic resonance imaging

clinical imaging syndromes associated with cerebrospinal fluid volume depletion (Mokri and Sencakova) 2000; 48:430A

correlation between increased interleukin-12 expression and the presence of active lesions on magnetic resonance imaging in multiple sclerosis patients (Makhlouf et al) 2000;48:477A

correlation of diffusion-weighted imaging, T2 relaxation times, and magnetic resonance spectroscopy in pediatric hypoxic-ischemic injury (Ashwal et al) 2000;48:539A

cortical areas differentially involved in multiplication and subtraction: a functional magnetic resonance imaging study and correlation with a case of selective acalculia (Lee) 2000;48:657

diffusion and perfusion-weighted magnetic resonance imaging in patients with neurological complications after cardiac surgery (Wityk et al) 2000;48:458A

diffusion-perfusion lesion patterns in hyperacute stroke (Llinas et al) 2000;48:455A

diffusion-weighted magnetic resonance imaging abnormalities in sporadic Creutzfeldt-Jakob disease correlated with post-mortem neuropathological findings (Hutchinson et al) 2000;48:427A

effect of citicoline on ischemic lesions as measured by diffusion-weighted magnetic resonance imaging (Warach et al) 2000;48:713

functional magnetic resonance imaging study of somatotopic encodings of somatosensory stimulation in the thalamus and the cerebellum (Takanashi et al) 2000;48: 491A

functional MRI study of language and motor function in a patient with double cortex (Keene et al) 2000;48:530A

histograms of quantitative diffusion-weighted magnetic resonance imaging produced by a semiautomated method correlate with disability and cerebral atrophy in multiple sclerosis (Wilson et al) 2000;48:480A

identifying arterial input from perfusion-weighted magnetic resonance imaging time series (Chen and Schlaug) 2000;48:422A

ingested interferon-α decreases new magnetic resonance imaging brain lesions in relapsing-remitting multiple sclerosis (Brod et al) 2000;48:447A

interferon-neutralizing antibodies reduce clinical and magnetic resonance imaging efficacy in multiple sclerosis patients treated with interferon β-1a (Rebif): observations from the PRISMS 4-year extension study (Rice and PRISMS) 2000;48:477A

language neural networks of reading in young children identified with functional magnetic resonance imaging (Gaillard et al) 2000;48:517A

magnetic resonance imaging volumetric analysis of the whole brain in Rasmussen's encephalitis (Takeoka et al) 2000;48:463A

perilesional gliosis and seizure outcome: a study based on magnetization transfer magnetic resonance imaging in patients with neurocysticercosis (Pradhan et al) 2000; 48:181

persistent regional premotor cortex activation on functional magnetic resonance imaging in patients with pure motor stroke and wallerian degeneration (Miyai et al) 2000;48:454A

preliminary study of fluid-attenuated inversion recovery and diffusion magnetic resonance imaging in comatose survivors following cardiac resuscitation (Wijdicks et al) 2000;48:458A

secondary decline in apparent diffusion coefficient and neurological outcomes after a short period of focal brain ischemia in rats (Li et al) 2000;48:236

ventricular dilatation on magnetic resonance imaging predicts early onset of urinary incontinence in patients with probable Alzheimer's disease (Sevush et al) 2000; 48:429A

vitamin D and seasonal fluctuations of gadolinium-enhancing magnetic resonance imaging lesions in multiple sclerosis (Embry et al) 2000;48:271 (Letter)

Magnetic resonance spectroscopy; *see* Nuclear magnetic resonance

Magnetic source imaging

language dominance in children as determined by magnetic source imaging and the intracarotid amobarbital procedure: a comparison (Breier et al) 2000;48:515A

Magnetic stimulation, transcranial

effects of cerebellar output on intracortical motor cortex excitability studied by transcranial magnetic stimulation (Maeda et al) 2000;48:475A

modulation of the brain-behavior relationship in a working memory task by repetitive transcranial magnetic stimulation: a positron emission tomography study (Mottaghy et al) 2000;48:490A

relationship between personality traits and cortical synaptic transmission measured with transcranial magnetic stimulation (Wasserman et al) 2000;48:420A

tactile "imagery" in the blind: a transcranial magnetic stimulation study (Murray et al) 2000;48:419A

Magnetics

magnetization transfer analysis of hypomyelination: correlation with defective cholesterol biosynthesis in Smith-Lemli-Opitz syndrome (Richert et al) 2000;48:483A

Major histocompatibility antigen

muscle fibers in inflammatory myopathies and cultured myoblasts express the nonclassical major histocompatibility antigen HLA-G (Wiendl et al) 2000;48:679

Major histocompatibility complex

two distinct major histocompatibility complex class II transactivator (CIITA) promoters are used for interferon-γ–inducible CIITA expression by human glioblastoma cells that process myelin autoantigen for presentation to $CD4^+$ T cells (Soos et al) 2000;48:490A

Managed care programs

comparison of claims data and healthcare professional perceptions in the management of attention-deficit hyperactivity disorder in children and young adults within a commercially insured, managed care population in Georgia (Steinbuchel et al) 2000;48:543A

Maternal age

maternal effect on Parkinson's disease (de la Fuente-Fernández) 2000;48:782

Mathematics
cortical areas differentially involved in multiplication and subtraction: a functional magnetic resonance imaging study and correlation with a case of selective acalculia (Lee) 2000;48:657
McCune-Albright syndrome; *see* Fibrous dysplasia, polyostotic
Medial septal nucleus; *see* Septal nuclei
Median nerve
regeneration of median nerve in monkey: electrophysiological studies of the effect of a nerve guide tube (Krarup et al) 2000;48:453A
Medulla oblongata
medial medullary injury during adenoidectomy (Kang et al) 2000;48:548A
Memory
memory failure has different mechanisms in subcortical stroke and Alzheimer's disease (Reed et al) 2000;48:275
modality-specific memory during the intracarotid sodium amytal test: objects, words, designs and environmental sounds (Swearer et al) 2000;48:462A
modulation of the brain-behavior relationship in a working memory task by repetitive transcranial magnetic stimulation: a positron emission tomography study (Mottaghy et al) 2000;48:490A
retention-weighted memory improves discrimination of Alzheimer's disease (Buschke and Sliwinski) 2000;48:425A
Menkes syndrome
cerebral infarction in the neurodegeneration of Menkes disease (Hsich et al) 2000;48:533A
Mental disorders
mental status changes in children with cancer (Antunes) 2000;48:540A
Message from the Editor
message from the Editor (Johnson) 2000;48:1
Metalloproteinases
immunohistochemistry of matrix metalloproteinases and opening of the blood–brain barrier in reperfusion injury (Rosenberg et al) 2000;48:456A
metalloproteinase inhibition reduces thrombolytic-induced hemorrhage following a thromboembolic stroke (Lapchak et al) 2000;48:485A
Methotrexate
neurological lesions after intrathecal treatment with methotrexate (Pisani et al) 2000;48:539A
1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine
inflammatory changes in the substantia nigra and striatum following MPTP intoxication (Członkowska et al) 2000;48:127 (Letter)
protection by synergistic effects of adenovirus-mediated XIAP and GDNF gene transfer in the MPTP model of Parkinson's disease (Schulz et al) 2000;48:415A
Metyrosine
metyrosine treatment in patients with the neuropsychiatric disorder associated with 22Q11.2 deletion syndrome (Graf et al) 2000;48:534A
Microcephaly
colobomatous microphthalmia microcephaly with cerebellar hypoplasia: a new clinical syndrome (Pavone et al) 2000;48:530A
Micro-Mental State Examination
micro-mental state examination (Folstein and Fanjiang) 2000;48:495A
Microphthalmos
colobomatous microphthalmia microcephaly with cerebellar hypoplasia: a new clinical syndrome (Pavone et al) 2000;48:530A
Microscopy, immunoelectron
localization of caveolin-3 in the plasma membrane of normal rat skeletal muscles: fracture-label immunoelectron microscopic study (Shibuya et al) 2000;48:471A
Micturition; *see* Urination
Midazolam
midazolam as a first-line agent for status epilepticus in children (Yoshikawa et al) 2000;48:523A
Migraine
dopaminergic hypersensitivity in patients with Parkinson's disease and migraine (Cubo et al) 2000;48:432A
efficacy and safety of sumatriptan in the treatment of acute migraine: a meta-analysis (Shafiroff and Qureshi) 2000;48:499A
efficacy of the anticonvulsant topiramate in the prophylactic treatment of episodic migraine: a pooled analysis from two randomized, placebo-controlled trials (Edwards et al) 2000;48:486A
long-term use of Imitrex nasal spray in an adolescent patient population (Rothner et al) 2000;48:516A
measurement of quality of life in migraine: application of conjoint analysis (Terayama et al) 2000;48:503A
psychometric evaluation of a computerized program to assess migraine-specific quality of life in clinical practice (Mannix et al) 2000;48:502A
reductions in medical and pharmacy resource utilization associated with "triptan" and preventive medication initiation in migraine patients previously naive to both medications (Winner et al) 2000;48:498A
reversible cognitive decline accompanies migraine and cluster headache (Meyer et al) 2000;48:430A
thalamic infarction in two adolescents with migraine (Finkel et al) 2000;48:546A
Military service
epidemiology of multiple sclerosis in American veterans of Vietnam and later military service: preliminary results (Wallin et al) 2000;48:480A
Mithramycin
mithramycin: a prototypical, sequence-specific DNA binding drug and novel neuronal anti-apoptotic agent (Ratan et al) 2000;48:428A
Mitochondria
compromised mitochondrial function exacerbates the Parkinson's disease-like changes induced by antipsychotic drugs (Mazurek et al) 2000;48:464A
evidence of mitochondrial dysfunction in autistic patients with 15q inverted duplication (Filipek et al) 2000;48:542A
exercise intolerance associated with a novel stop codon mutation in the mitochondrial ND2 gene (Pulkes et al) 2000;48:469A
free radical–mediated damage of neuronal cortical mitochondria and the initiation of apoptosis (Solenski and Periasamy) 2000;48:457A
impaired activation of oxygen consumption and blood flow in visual cortex of patients with mitochondrial encephalomyopathy (Vafaee et al) 2000;48:676
mitochondrial complex I deficiency in the epileptic focus of patients with temporal lobe epilepsy (Kunz et al) 2000;48:766
mitochondrial damage in Alzheimer's disease varies with apolipoprotein E genotype (Gibson et al) 2000;48:297
mitochondrial disorders: an underrecognized cause of infantile spasms (Shah and Mitchell) 2000;48:536A

novel mitochondrial 12SrRNA point mutation in parkinsonism, deafness, and neuropathy (Thyagarajan et al) 2000;48:730
rapid mitochondrial transition pore opening and mitochondrial depolarization leading to apoptosis after exposure to nitric oxide in human neuroblastoma cells (Kindler and Bennett) 2000;48:444A
MK-801; *see* Dizoclipine maleate
Molecular genetics; *see* Genetics, molecular
Monoclonal antibodies; *see* Antibodies, monoclonal
Monocytes
aspirin inhibits secretion of monocyte chemotactic protein 1 and expression of vascular cell adhesion molecule 1 on cultured endothelial cells (Cha and Jeong) 2000;48:422A
multiple sclerosis: expression of CCR1 and CCR5 on mononuclear phagocytes in the central nervous system (Trebst et al) 2000;48:954A
Morphine
dramatically successful treatment of irritability in Krabbe disease with low-dose morphine (Stewart et al) 2000;48:534A
Mortality
alteration of the serotonergic nervous system in fatal familial insomnia (Wanschitz et al) 2000;48:788
high mortality in Nipah encephalitis is associated with presence of virus in cerebrospinal fluid (Chua et al) 2000;48:802
sporadic fatal insomnia: a case study (Scaravilli et al) 2000;48:665
Motion perception
impaired complex motion perception in two patients with Balint-Holmes syndrome (Vaina et al) 2000;48:420A
Motor cortex
effects of cerebellar output on intracortical motor cortex excitability studied by transcranial magnetic stimulation (Maeda et al) 2000;48:475A
modulation of corticospinal excitability by action observation is highly movement and body part specific (Kleiner-Fisman et al) 2000;48:420A
persistent regional premotor cortex activation on functional magnetic resonance imaging in patients with pure motor stroke and wallerian degeneration (Miyai et al) 2000;48:454A
relationship between personality traits and cortical synaptic transmission measured with transcranial magnetic stimulation (Wasserman et al) 2000;48:420A
Motor neuron disease
stem cell transplantation: in vitro and in vivo models of motor neuron disease—appraoches for treating amyotrophic lateral sclerosis (Maragakis et al) 2000;48:468A
T-588, a novel neuroenhancer, promotes neuronal function of central and peripheral nervous system in wobbler mouse motoneuron disease (Ikeda et al) 2000;48:442A
topiramate: a possible neuroprotectant for motor neuron disease (Ganel et al) 2000;48:470A
Motor neurons
inhibition of cyclooxygenase-2 protects motor neurons in an organotypic model of amyotrophic lateral sclerosis (Drachman and Rothstein) 2000;48:441A, 2000;48:792
motor unit number estimates in idiopathic Parkinson's disease (Caviness et al) 2000;48:432A
novel form of distal hereditary motor neuronopathy (HMN-J) maps to chromosome 9p21.1-p12 (Christodoulou et al) 2000;48:877
spinal muscular atrophy: beyond the motor neuron (Anagnostou et al) 2000;48:537A
Motor skills
functional MRI study of language and motor function in a patient with double cortex (Keene et al) 2000;48:530A
Movement
modulation of corticospinal excitability by action observation is highly movement and body part specific (Kleiner-Fisman et al) 2000;48:420A
Movement disorders
dopa dyskinesias and fluctuations are not related to dopa treatment duration (Muenter and Ahlskog) 2000;48:464A
gene expression profiles in the primate basal ganglia: implications for research in movement disorders (Meurers et al) 2000;48:464A
MPTP; *see* 1-Methyl-4-phenyl-1,2,3,6-tetrahydropyridine
mRNA; *see* RNA, messenger
mtDNA; *see* DNA, mitochondrial
Multifocal inflammatory leukoencephalopathy; *see* Leukoencephalopathy
Multifocal motor neuropathy
multifocal motor neuropathy: diagnostic criteria that predict the response to immunoglobulin treatment (Van den Berg-Vos et al) 2000;48:919
Multifocal sensory demyelinating neuropathy; *see* Demyelinating diseases
Multi-minicore disease
multi-minicore disease—searching for boundaries: phenotype analysis of 38 cases (Ferreiro et al) 2000;48:745
Multiple sclerosis, analysis
analysis of myelin antigen–specific autoreactive T cells from opticospinal multiple sclerosis patients (Minohara et al) 2000;48:475A
chemokine and chemokine receptor expression in γδ T cells generated from peripheral blood and cerebrospinal fluid of multiple sclerosis patients (Murzenok et al) 2000;48:476A
chemokine expression in cerebrospinal fluid of multiple sclerosis (Mahad et al) 2000;48:452A
DNA array analysis of gene expression in peripheral blood mononuclear cells of relapsing-remitting multiple sclerosis patients (Ramanathan et al) 2000;48:490A
elevated interferon-γ in secondary progressive multiple sclerosis is linked to both interleukin-18 and interleukin-12 (Karni et al) 2000;48:450A
innate production of interleukin-10 and tumor necrosis factor affects the risk of multiple sclerosis (de Jong et al) 2000;48:641
multiple sclerosis: expression of CCR1 and CCR5 on mononuclear phagocytes in the central nervous system (Trebst et al) 2000;48:954A
Multiple sclerosis, complications
perverted vestibular nystagmus and multiple sclerosis (Tusa et al) 2000;48:474A
Multiple sclerosis, drug therapy
demographic and clinical factors associated with choice of immune-modulating therapy in a population-based multiple sclerosis clinic (Bakker and Metz) 2000;48:496A
gabapentin improves walking speed by reduction of spasticity in patients with multiple sclerosis (Bohr et al) 2000;48:446A
glatiramer acetate (Copaxone) treatment effects on arm isometric strength, fine force control, and tremor amplitude in multiple sclerosis patients (Dogan et al) 2000;48:447A

glatiramer acetate treatment induces a Th1 to Th2 cytokine shift in multiple sclerosis (Chen et al) 2000;48:475A
how many patients with multiple sclerosis are ever eligible for therapeutic trials? (Wingerchuk et al) 2000;48:481A
micellar paclitaxel for the treatment of secondary progressive multiple sclerosis: preliminary results of the phase 1 extension study (O'Connor et al) 2000;48:476A
treatment decision-making factors in the use of immunomodulatory agents from the Registry of Multiple Sclerosis Treatment and Care (Phillips et al) 2000;48:477A

Multiple sclerosis, epidemiology
conjugal multiple sclerosis: population-based prevalence and recurrence risks in offspring (Ebers et al) 2000;48:927
epidemiology of multiple sclerosis in American veterans of Vietnam and later military service: preliminary results (Wallin et al) 2000;48:480A
multiple sclerosis in Latin America: changing concepts, current status—a review (Cabrera-Gomez and Rivera) 2000;48:447A

Multiple sclerosis, etiology
vitamin D and seasonal fluctuations of gadolinium-enhancing magnetic resonance imaging lesions in multiple sclerosis (Embry et al) 2000;48:271 (Letter)

Multiple sclerosis, genetics
conjugal multiple sclerosis: population-based prevalence and recurrence risks in offspring (Ebers et al) 2000;48:927
epistasis: a potentially important concept in multiple sclerosis (Weatherby et al) 2000;48:480A
population-based association study of apolipoprotein E variants with multiple sclerosis (Kantarci et al) 2000;48:450A
susceptibility to multiple sclerosis is associated with inheritance of a gene linked to the variable region of the T-cell receptor α-chain locus: use of affected family-based controls (Beall et al) 2000;48:446A

Multiple sclerosis, immunology
antibodies to interferon-β in multiple sclerosis patients: measurement by a commercially available kit (Pachner et al) 2000;48:477A
cytokines and multiple sclerosis severity: no correlation among Sardinians (Sotgiu et al) 2000;48:816 (Letter)
demyelinating antibodies in multiple sclerosis (Seil) (Letter); (Archelos and Hartung) (Reply) 2000;48:948
HLA-DR15 is associated with lower age at onset in multiple sclerosis (Masterman et al) 2000;48:211
NBI-5788, an altered MBP83-99 peptide, induces a T-helper 2–like immune response in multiple sclerosis patients (Crowe et al) 2000;48:758
patients with active relapsing-remitting multiple sclerosis synthesize antibodies recognizing oligodendrocyte progenitor cell surface protein: implications for remyelination (Niehaus et al) 2000;48:362

Multiple sclerosis, microbiology
association of human herpesvirus-6 with tumor-like acute multiple sclerosis lesions (Goodman et al) 2000;48:481A
Chlamydia pneumoniae infection of the central nervous system in patients with monosymptomatic multiple sclerosis (Sriram et al) 2000;48:478A
Chlamydia pneumoniae is frequently found in cerebrospinal fluid of patients with multiple sclerosis (Dong-Si et al) 2000;48:448A
correlation between active human herpesvirus-6 viremia and disease relapses in patients with multiple sclerosis (Lobeck et al) 2000;48:452A
high prevalence of active human herpesvirus-6 variant A infection in central nervous system and lymphoid tissues of patients with multiple sclerosis (Knox and Carrigan) 2000;48:452A
is *Chlamydia pneumoniae* present in the central nervous system of multiple sclerosis patients? (Morré et al) 2000;48:399 (Letter)
lack of *Chlamydia* infection of the central nervous system in multiple sclerosis (Pucci et al) 2000;48:399 (Letter)
lack of detectable *Chlamydia pneumoniae* in brain lesions of patients with multiple sclerosis (Ke et al) 2000;48:400 (Letter)
multiple sclerosis-associated retrovirus: a survey in the Sardinian population (Sotgiu et al) 2000;48:479A
polymerase chain reaction results from two laboratories for the identification of *Chlamydia pneumoniae* in cerebrospinal fluid of multiple sclerosis patients and controls (Kaufmann et al) 2000;48:450A

Multiple sclerosis, pathology
cell trafficking into the central nervous system in multiple sclerosis and experimental autoimmune encephalomyelitis (Knobler and Oberholzer) 2000;48:451A
changes of the third ventricular width in multiple sclerosis over 2 years (Zhao et al) 2000;48:481A
correlation between increased interleukin-12 expression and the presence of active lesions on magnetic resonance imaging in multiple sclerosis patients (Makhlouf et al) 2000;48:477A
endothelial microparticles in multiple sclerosis, as defined by expression of platelet-endothelial cell adhesion molecule-1, are elevated in exacerbation: a new aspect of disease pathogenesis (Minagar et al) 2000;48:475A
extensive cortical demyelination in multiple sclerosis brains (Bø et al) 2000;48:446A
histograms of quantitative diffusion-weighted magnetic resonance imaging produced by a semiautomated method correlate with disability and cerebral atrophy in multiple sclerosis (Wilson et al) 2000;48:480A
magnetic resonance spectroscopy of normal-appearing white matter in patients with clinically suspected multiple sclerosis (Rose et al) 2000;48:478A
natural killer cells and the immunopathogenesis of multiple sclerosis (Kastrukoff et al) 2000;48:450A
neurological disability correlates with spinal cord axonal loss and reduced *N*-acetyl aspartate in chronic multiple sclerosis patients (Bjartmar et al) 2000;48:893

Multiple sclerosis, physiopathology
cognitive fatigue measured during a test of sustained attention in multiple sclerosis patients (Schwid et al) 2000;48:478A
electrophysiological correlates of clinical disability in multiple sclerosis (Groozman et al) 2000;48:448A
medical outcomes study 36-Item Short-Form Health Survey in multiple sclerosis: why assumptions must be tested (Hobart et al) 2000;48:495A
multiple sclerosis impact scale is a new, patient-based, and rigorous measure of the health impact of multiple sclerosis (Hobart et al) 2000;48:448A
neuroanatomic basis of tonic spasms in multiple sclerosis (Jeffries et al) 2000;48:449A
predictive value of pattern visual evoked potentials as a surrogate of visual function in multiple sclerosis (Weinstock-Guttman et al) 2000;48:480A

Multiple sclerosis, therapy
comparison of the dose effects of three commercially available β-interferons on in vitro immune function in controls and multiple sclerosis patients (Oger et al) 2000; 48:476A
contrasting responses to interferon β-1b treatment in relapsing-remitting multiple sclerosis: does baseline interleukin-12p35 messenger RNA predict the efficacy of treatment? (van Boxel-Dezaire et al) 2000;48:313
demographic and clinical factors associated with choice of immune-modulating therapy in a population-based multiple sclerosis clinic (Bakker and Metz) 2000;48: 496A
immunogenicity of interferon-β in multiple sclerosis patients: influence of preparation, dosage, dose frequency, and route of administration (Ross et al) 2000;48:706
ingested interferon-α decreases new magnetic resonance imaging brain lesions in relapsing-remitting multiple sclerosis (Brod et al) 2000;48:447A
interferon β-1a (Rebif) does not increase depressive symptoms or risk of depression in multiple sclerosis: evidence from a randomized controlled trial (Patten et al) 2000;48:498A
interferon-neutralizing antibodies reduce clinical and magnetic resonance imaging efficacy in multiple sclerosis patients treated with interferon β-1a (Rebif): observations from the PRISMS 4-year extension study (Rice and PRISMS) 2000;48:477A
Japanese multicenter, randomized, double-blind trial of interferon β-1b in relapsing-remitting multiple sclerosis: two-year results (Itoyama et al) 2000;48:487A
neuropsychological effects of interferon β-1a in relapsing multiple sclerosis (Fischer et al) 2000;48:885
Multiple system atrophy; *see* Atrophy
Multiplication; *see* Mathematics
Muscarinic receptors
delusions associated with elevated muscarinic binding in dementia with Lewy bodies (Ballard et al) 2000;48:868
selective muscarinic M1 agonist AF102B decreases levels of total amyloid-β in cerebrospinal fluid of patients with Alzheimer's disease (Nitsch et al) 2000;48:913
Muscle, smooth, vascular
sarcoglycan-sarcospan complex in vascular smooth muscle: role in the pathogenesis of cardiomyopathy and muscular dystrophy (Cohn et al) 2000;48:538A
Muscle contraction
effects of cGMP on lateral rectus contractility (Kaminski and Richmonds) 2000;48:443A
Muscle cramp
patients with writer's cramp have decreased tactile sensitivity to the orientation of spatial gratings (Sanger et al) 2000;48:465A
Muscle hypertonia
successful treatment of severe infantile hyperekplexia with low-dose clobazam: a report of two cases (Stewart et al) 2000;48:520A
Muscle hypotonia
diagnostic profile of neonatal hypotonia (Richer et al) 2000;48:527A
Muscle spasticity
cost of spasticity management (Radensky et al) 2000;48: 504A
gabapentin improves walking speed by reduction of spasticity in patients with multiple sclerosis (Bohr et al) 2000;48:446A
Muscular atrophy, spinal
further evidence for the need to correlate molecular genetics with expert neuropathological analysis in spinal muscular atrophy (Kadhim et al) 2000;48:537A
phase III placebo-controlled trial of gabapentin in spinal muscular atrophy (Miller et al) 2000;48:468A
spinal muscular atrophy: beyond the motor neuron (Anagnostou et al) 2000;48:537A
Muscular diseases; *see also specific diseases*
polyglucosan body myopathy (Carniciu et al) 2000;48: 440A
Muscular dystrophy
analytical studies on the mechanism of the depletion of the aquaporin 4 molecule in the muscle plasma membrane with Duchenne muscular dystrophy (Wakayama et al) 2000;48:471A
clinical and molecular genetic spectrum of autosomal dominant Emery-Dreifuss muscular dystrophy due to mutations of the lamin A/C gene (Bonne et al) 2000; 48:170
efficacy of strength training and albuterol in facioscapulohumeral muscular dystrophy (van der Kooi et al) 2000; 48:500A
intracellular accumulation and reduced sarcolemmal expression of dysferlin in limb-girdle muscular dystrophies (Piccolo et al) 2000;48:902
intranuclear inclusions in oculopharyngeal muscular dystrophy contain poly(A) binding protein 2 (Becher et al) 2000;48:812
novel association of Duchenne muscular dystrophy with autistic spectrum disorder (Wu et al) 2000;48:538A
novel truncating mutation (S171X) in the emerin gene in an American family with Emery-Dreifuss muscular dystrophy (Menache et al) 2000;48:538A
nuclear accumulation of expanded *PABP2* gene product in oculopharyngeal muscular dystrophy (Uyama et al) 2000;48:471A
oculopharyngeal muscular dystrophy among Bukhara Jews is due to a founder $(GCG)_9$ mutation in the *PABP2* gene (Blumen et al) 2000;48:436A
PABP2 polyalanine tract expansion causes intranuclear inclusions in oculopharyngeal muscular dystrophy (Shanmugam et al) 2000;48:798
sarcoglycan-sarcospan complex in vascular smooth muscle: role in the pathogenesis of cardiomyopathy and muscular dystrophy (Cohn et al) 2000;48:538A
sequence specificity of aminoglycoside-induced stop codon readthrough: potential implications for treatment of Duchenne muscular dystrophy (Howard et al) 2000;48: 164
side effects of long-term prednisone treatment in Duchenne dystrophy (Pandya et al) 2000;48:469A
transmission of dystrophinopathy by X chromosome inversion (Yum et al) 2000;48:537A
weekly high-dose oral prednisone improves strength in boys with Duchenne muscular dystrophy with fewer side effects compared with daily prednisone (Connolly et al) 2000;48:514A
Music
macrostructural adaptation of the brain in musicians (Schlaug et al) 2000;48:419A
Mutation
benign familial neonatal convulsions: ictal EEG in a patient with a novel KCNQ2 mutation (Sigurdardottir et al) 2000;48:525A
clinical, genetic, and expression studies of mutations in the potassium channel gene KCNA1 reveal new pheno-

typic variability (Eunson et al) 2000;48:647
clinical and molecular genetic spectrum of autosomal dominant Emery-Dreifuss muscular dystrophy due to mutations of the lamin A/C gene (Bonne et al) 2000; 48:170
cystathionine-β synthase mutation causing severe hyperhomocystinemia, carotid artery thrombosis, and embolic cerebral infarction: a case report and family study (Kelly et al) 2000;48:424A
de novo mutation in sporadic nocturnal frontal lobe epilepsy (Phillips et al) 2000;48:264
epidemiology of pathogenic mitochondrial DNA mutations (Chinnery et al) 2000;48:188
exercise intolerance associated with a novel stop codon mutation in the mitochondrial ND2 gene (Pulkes et al) 2000;48:469A
familial Alzheimer's disease: site of mutation influences clinical phenotype (Lippa et al) 2000;48:376
frontotemporal dementia with novel tau pathology and a glu342Val *tau* mutation (Lippa et al) 2000;48:850
inheritance and tau mutations in frontotemporal lobar degeneration (Short et al) 2000;48:460A
late-onset optic atrophy, ataxia, and myopathy associated with a mutation of a complex II gene (Birch-Machin et al) 2000;48:330
Leigh disease caused by the mitochondrial DNA G14459A mutation in unrelated families (Kirby et al) 2000;48:102
maternally inherited mitochondrial encephalomyopathy due to a novel missense mutation in the mtDNA cytochrome *c* oxidase gene (Akman et al) 2000;48:435A
molecular physiology of ion channelopathies in skeletal muscle: from mutation to myotonia and paralysis (Cannon) 2000;48:687A
novel mitochondrial 12SrRNA point mutation in parkinsonism, deafness, and neuropathy (Thyagarajan et al) 2000;48:730
novel mutations, pseudo-dominant inheritance, and possible familial affects in patients with autosomal recessive juvenile parkinsonism (Maruyama et al) 2000;48:245
novel point mutation in the *parkin* gene accounts for a benign form of autosomal recessive juvenile parkinsonism (Nisipeanu et al) 2000;48:437A
novel *tau* mutation (N296N) in familial dementia with swollen achromatic neurons and corticobasal inclusion bodies (Spillantini et al) 2000;48:939
novel truncating mutation (S171X) in the emerin gene in an American family with Emery-Dreifuss muscular dystrophy (Menache et al) 2000;48:538A
oculopharyngeal muscular dystrophy among Bukhara Jews is due to a founder $(GCG)_9$ mutation in the *PABP2* gene (Blumen et al) 2000;48:436A
pathogenesis of Charcot-Marie-Tooth disease: a new connexin 32 mutation associated with impaired regeneration of large-caliber axons (Abrams et al) 2000;48:439A
peripheral neuropathy with hypomyelination, chronic intestinal pseudo-obstruction and deafness: a developmental "neural crest syndrome" related to a SOX10 mutation (Pingault et al) 2000;48:671
physiological basis of conduction slowing in amyotrophic lateral sclerosis patients homozygous for the autosomal recessive D90A copper/zinc superoxide dismutase mutation (Weber et al) 2000;48:470A
Pick's disease is associated with mutations in *tau* gene (Pickering-Brown et al) 2000;48:859
polymorphism at codon 129 of *PRNP* affects the phenotypic expression of Creutzfeldt-Jakob disease linked to E200K mutation (Puoti et al) 2000;48:269 (Letter)
recessive *PMP22* mutations: quantitative and qualitative aspects (Beckmann and Schröder) (Letter); (Lupski) (Reply) 2000;48:131
screening for tau mutations in frontotemporal dementia (Sobrido et al) 2000;48:427A
screening frontotemporal dementia patients for mutations in GSK-3β (Schaffer et al) 2000;48:460A
severe congenital myasthenic syndrome due to homozygosity of the 1293insG ε-acetylcholine receptor subunit mutation (Sieb et al) 2000;48:379
spectrum of mutation in Lesch-Nyhan syndrome (Jinnah et al) 2000;48:533A
TSC1 mutations are associated with milder neurologic disease than TSC2 mutations in TS children (Józwiak et al) 2000;48:532A
variant Alzheimer's disease with spastic paraparesis and cotton wool plaques is caused by PS-1 mutations that lead to exceptionally high amyloid-β concentrations (Houlden et al) 2000;48:806

Myasthenia gravis

antibodies to the receptor tyrosine kinase MuSK in myasthenia gravis seronegative for acetylcholine receptor antibodies (McConville et al) 2000;48:952A
construction and expression of recombinant anti-acetylcholine receptor monoclonal antibodies to study the role of complement activation in experimental autoimmune myasthenia gravis (Kirvan et al) 2000;48:451A
modulation of acetylcholine receptor expression in seronegative myasthenia gravis (Poea et al) 2000;48:696
multicentered clinical open trial of FK506 (tacrolimus) in steroid-resistant myasthenia gravis (Konishi et al) 2000; 48:487A
normalization of elevated $CD4^-/CD8^-$ (double-negative) T cells after thymectomy parallels clinical remission in myasthenia gravis associated with thymic hyperplasia but not thymoma (Reinhardt and Melms) 2000;48:603
severe congenital myasthenic syndrome due to homozygosity of the 1293insG ε-acetylcholine receptor subunit mutation (Sieb et al) 2000;48:379

Myelin proteins

activation of the integrin receptor but not assembly of basal lamina is required for Schwann cell myelination (Windebank and Podratz) 2000;48:416A
analysis of myelin antigen–specific autoreactive T cells from opticospinal multiple sclerosis patients (Minohara et al) 2000;48:475A
human neural stem cells grafted into myelin mutant shiverer mouse brain induce myelination (Kim et al) 2000; 48:952A
magnetization transfer analysis of hypomyelination: correlation with defective cholesterol biosynthesis in Smith-Lemli-Opitz syndrome (Richert et al) 2000;48:483A
molecular analysis of the antibody response against myelin oligodendrocyte glycoprotein in primate experimental autoimmune encephalomyelitis (von Büdingen et al) 2000;48:416A
NBI-5788, an altered MBP83-99 peptide, induces a T-helper 2–like immune response in multiple sclerosis patients (Crowe et al) 2000;48:758
patients with active relapsing-remitting multiple sclerosis synthesize antibodies recognizing oligodendrocyte progenitor cell surface protein: implications for remyelination (Niehaus et al) 2000;48:362
peripheral neuropathy with hypomyelination, chronic intestinal pseudo-obstruction and deafness: a developmental "neural crest syndrome" related to a SOX10 mutation (Pingault et al) 2000;48:671

three-dimensional modeling of a myelin basic protein–specific human T-cell receptor (Richert et al) 2000;48:452A
treatment experience in patients with antimyelin-associated glycoprotein neuropathy (Gorson et al) 2000;48:441A
two distinct major histocompatibility complex class II transactivator (CIITA) promoters are used for interferon-γ–inducible CIITA expression by human glioblastoma cells that process myelin autoantigen for presentation to $CD4^+$ T cells (Soos et al) 2000;48:490A

Myelitis, transverse
recurrent transverse myelitis in African-Americans (Khan et al) 2000;48:451A

Myoblasts
muscle fibers in inflammatory myopathies and cultured myoblasts express the nonclassical major histocompatibility antigen HLA-G (Wiendl et al) 2000;48:679

Myoclonus
D2 dopamine receptor gene in myoclonic dystonia and essential myoclonus (Dürr et al) 2000;48:127 (Letter)

Myopathy; *see* Muscular diseases

Myositis
late-juvenile sporadic inclusion body myositis: a newly recognized syndrome (Askanas and Engel) 2000;48:439A

Myotonia
molecular physiology of ion channelopathies in skeletal muscle: from mutation to myotonia and paralysis (Cannon) 2000;48:687A

***N*-acetyl-aspartate**
neurological disability correlates with spinal cord axonal loss and reduced *N*-acetyl aspartate in chronic multiple sclerosis patients (Bjartmar et al) 2000;48:893

Narcolepsy
REM sleep physiology in normal and abnormal sleep (Pearl et al) 2000;48:525A

Nasal administration; *see* Administration, intranasal

Natural killer cells; *see* Killer cells, natural

Near-infrared spectrophotometry; *see* Spectrophotometry, infrared

Neck muscles
differential patterns of cervical muscle involvement in torticollis subsets: a 9-year, 407-patient retrospective (Russo and Arce) 2000;48:465A

Neck-tongue syndrome
neck-tongue syndrome (Lewis and Frank) 2000;48:546A

Necrosis
antiapoptotic and antinecrotic therapies act synergistically to reduce ischemia-reperfusion injury (Singh et al) 2000;48:457A

Nemaline myopathy
nemaline myopathy: a clinical study of 128 cases (Ryan et al) 2000;48:514A

Neonate; *see* Infant, newborn

Neoplasms
[^{18}F]fluorodeoxyglucose positron emission tomography in the diagnosis of cancer in patients with paraneoplastic neurological syndrome and anti-Hu antibodies (Antoine et al) 2000;48:105
mental status changes in children with cancer (Antunes) 2000;48:540A

Nerve compression syndromes
novel autosomal dominant syndrome with entrapment neuropathies and pes cavus (Sander and Danon) 2000;48:470A

Nerve growth factors
nerve growth factor binding to $p75^{LNGFR}$ triggers different signal transduction events depending on the p75/TrkA ratio of the cell (Schor and Nylander) 2000;48:474A

Nerve regeneration
regeneration of median nerve in monkey: electrophysiological studies of the effect of a nerve guide tube (Krarup et al) 2000;48:453A

Neural conduction
activity-dependent hyperpolarization and conduction block in chronic inflammatory demyelinating polyneuropathy (Cappelen-Smith et al) 2000;48:826

Neural crest
peripheral neuropathy with hypomyelination, chronic intestinal pseudo-obstruction and deafness: a developmental "neural crest syndrome" related to a SOX10 mutation (Pingault et al) 2000;48:671

Neuralgia
treatment of occipital neuralgia by spinal cord stimulation (Chaumont) 2000;48:485A

Neurites
clusterin/apolipoprotein J facilitates Alzheimer's-like neuritic degeneration: dissociation between fibril formation and toxicity in vivo (Holtzman et al) 2000;48:953A
T-588, a novel compound, enhances neurite outgrowth and choline acetyltransferase in cultured spinal ventral horn neurons (Ikeda et al) 2000;48:442A

Neuroaxonal dystrophy
infantile neuroaxonal dystrophy: early, accurate diagnosis by nerve and muscle biopsy (Frost et al) 2000;48:537A

Neurobiology
neurobiology of schizophrenia (Pearlson) 2000;48:556 (Neurological progress)

Neuroblastoma
autoantibody repertoires in children with Tourette's syndrome: multivariate statistical comparison by discriminant analysis of activity against human striatum, muscle, and a neuroblastoma cell line (Wendlandt et al) 2000;48:512A
rapid mitochondrial transition pore opening and mitochondrial depolarization leading to apoptosis after exposure to nitric oxide in human neuroblastoma cells (Kindler and Bennett) 2000;48:444A

Neurocysticercosis
perilesional gliosis and seizure outcome: a study based on magnetization transfer magnetic resonance imaging in patients with neurocysticercosis (Pradhan et al) 2000;48:181

Neuroepithelial precursor cells
differentiation of human neuroepithelial precursor cells during human immunodeficiency virus type 1 infection (McCarthy et al) 2000;48:484A

Neurofibrillary tangles
expression profile of transcripts in Alzheimer's disease tangle-bearing CA1 neurons (Ginsberg et al) 2000;48:77
orbitofrontal and anterior cingulate cortex neurofibrillary tangle burden is associated with agitation in Alzheimer's disease (Tekin et al) 2000;48:461A

Neurolisteriosis; *see Listeria monocytogenes*

Neuronal ceroid-lipofuscinosis
classification of neuronal ceroid lipofuscinosis (Wisniewski et al) 2000;48:536A
disorder of biogenic amine and pterin metabolism in a girl with late-onset ceroid lipofuscinosis (Barisic et al) 2000;48:483A
genetic and enzymatic characterization of patients with

late infantile neuronal ceroid lipofuscinosis in Germany (Steinfeld et al) 2000;48:535A

Neuronal plasticity
epileptogenesis after status epilepticus reflects age- and model-dependent plasticity (Sankar et al) 2000;48:580

Neurons
delayed recovery of movement-related cortical function in Parkinson's disease after striatal dopaminergic grafts (Piccini et al) 2000;48:689
molecular basis underlying neuronal migration and positioning (Gropman et al) 2000;48:511A
neuronal migration disorder in Zellweger mice is secondary to glutamate receptor dysfunction (Gressens et al) 2000;48:336
seizures accelerate anoxia-induced neuronal death in the neonatal rat hippocampus (Dzhala et al) 2000;48:632
selective blockage of the mGluR1 receptor reduces traumatic neuronal injury in vitro and improves outcomes after brain trauma (Faden et al) 2000;48:485A

Neuropathies, sensory
clinical features and follow-up in painful sensory neuropathy associated with impaired glucose tolerance (Singleton and Smith) 2000;48:471A
incidence and risk factors of human immunodeficiency virus-associated distal sensory polyneuropathy in the Dana cohort (Schifitto et al) 2000;48:484A

Neuropsychological tests
neuropsychological assessment in children with absence epilepsy (Pavone et al) 2000;48:516A

Neuroregulators
molecular analysis of transport systems required for glutamatergic neurotransmission (Reimer et al) 2000;48:954A

Neurostimulation; *see* Electric stimulation

Neurotoxins
synaptic contacts are preserved during excitotoxic spine loss and recovery (Hasbani and Goldberg) 2000;48:453A

Neutrophils
clinicopathological aspects of the neuropathy in P-anti-neutrophil cytoplasmic autoantibody–positive patients (Yasaki et al) 2000;48:472A

Newborn; *see* Infant, newborn

Nicotine
nicotine alters sciatic nerve–derived Schwann cells and in low concentrations reduces sympathetic Schwann cell numbers in culture (Johnson and Thompson) 2000;48:549A

Niemann-Pick disease
adult neuronopathic Niemann-Pick disease type C without visceral storage presenting as frontal lobe dementia (Kluenemann et al) 2000;48:426A

Nipah encephalitis
high mortality in Nipah encephalitis is associated with presence of virus in cerebrospinal fluid (Chua et al) 2000;48:802

Nitric oxide
NOS3 polymorphism not associated with Alzheimer's disease in Japanese (Higuchi et al) 2000;48:685 (Letter)
rapid mitochondrial transition pore opening and mitochondrial depolarization leading to apoptosis after exposure to nitric oxide in human neuroblastoma cells (Kindler and Bennett) 2000;48:444A
resistance to toxicity from glutathione depletion in a nitric oxide–resistant cell line (Nguyen et al) 2000;48:511A
therapeutic benefit of polyamine-modified catalase as a scavenger of H_2O_2 and nitric oxide in familial amyotrophic lateral sclerosis transgenics (Poduslo et al) 2000;48:943

Nociceptors
skin biopsies provide objective evidence of injury to nociceptors in patients with complex regional pain syndrome (reflex sympathetic dystrophy) (Oaklander et al) 2000;48:430A

Norepinephrine
norepinephrine regulates behavior in an animal model of hyperactivity (Hess and Jones) 2000;48:512A

Nuclear magnetic resonance
correlation of diffusion-weighted imaging, T2 relaxation times, and magnetic resonance spectroscopy in pediatric hypoxic-ischemic injury (Ashwal et al) 2000;48:539A
in vivo ^{1}H magnetic resonance spectroscopy study in Cockayne syndrome (Gabis et al) 2000;48:489A
magnetic resonance spectroscopy for evaluation of acute pediatric brain injury (Ashwal and Holshouser) 2000;48:539A
magnetic resonance spectroscopy of basal ganglia lesions in acute disseminated encephalomyelitis (Gabis et al) 2000;48:538A
magnetic resonance spectroscopy of normal-appearing white matter in patients with clinically suspected multiple sclerosis (Rose et al) 2000;48:478A
prognostic value of proton magnetic resonance spectroscopy in perinatal insults (Shu et al) 2000;48:518A

Nystagmus
perverted vestibular nystagmus and multiple sclerosis (Tusa et al) 2000;48:474A
torsional nystagmus due to focal dysgenesis of lateral occipital-temporal cortex (Stasheff et al) 2000;48:529A

Obsessive-compulsive disorder
antibodies to the calpain-calpastatin complex in patients with tics, Tourette syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:542A
serum antibodies to specific brain proteins in patients with tics, Tourette's syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:511A

Occipital lobe
torsional nystagmus due to focal dysgenesis of lateral occipital-temporal cortex (Stasheff et al) 2000;48:529A

Occipital nerve
treatment of occipital neuralgia by spinal cord stimulation (Chaumont) 2000;48:485A

Ocular muscles
nuclear accumulation of expanded *PABP2* gene product in oculopharyngeal muscular dystrophy (Uyama et al) 2000;48:471A

Oculopharyngeal muscular dystrophy; *see* Muscular dystrophy

Oligemia
oligemia and stress gene expression after chronic bilateral carotid occlusion in rat brain (Schmidt-Kastner et al) 2000;48:456A

Oligodendroglia
cyclic GMP/cyclic GMP-dependent protein kinase system prevents excitotoxicity in an immortalized oligodendroglial cell line (Yoshioka et al) 2000;48:474A
molecular analysis of the antibody response against myelin oligodendrocyte glycoprotein in primate experimental autoimmune encephalomyelitis (von Büdingen et al) 2000;48:416A
patients with active relapsing-remitting multiple sclerosis synthesize antibodies recognizing oligodendrocyte pro-

genitor cell surface protein: implications for remyelination (Niehaus et al) 2000;48:362

Oncogenic proteins
reactivation of human neurotropic JC virus expressing oncogenic protein in a recurrent glioblastoma multiforme (Del Valle et al) 2000;48:932

Onuf's nucleus
neuronal loss in Onuf's nucleus in three patients with progressive supranuclear palsy (Scaravilli et al) 2000;48:97

Oocytes
expression of reporter gene with expanded CTG trinucleotide repeats in 3′-untranslated region using *Xenopus* oocytes (Furuya et al) 2000;48:441A

Opioids
spinal cord stimulation is more effective than intrathecal opioid therapy for a mixed lumbar radiculopathy with superimposed motor/sensory peripheral neuropathy (Chaumont) 2000;48:486A

Optic atrophy
late-onset optic atrophy, ataxia, and myopathy associated with a mutation of a complex II gene (Birch-Machin et al) 2000;48:330

Optic nerve
clinical spectrum of optic nerve hypoplasia in children (Ty et al) 2000;48:531A
echocardiographic findings in patients with retinal or optic nerve ischemia or embolism (Mouradian et al) 2000;48:455A

Orbicularis oculi muscles
orbicularis oculi premotor neurons within the supraoculomotor area (LeDoux and Rupprecht) 2000;48:435A

Organ transplantation
gliomas arising in organ transplant recipients: an unrecognized complication of transplantation? (Schiff et al) 2000;48:483A
pseudotumor cerebri: an underrecognized complication of organ transplanation and cyclosporine (Joshi et al) 2000;48:548A

Oromandibular dystonia
quality-of-life impact of botulinum toxin treatments for spasmodic dysphonia and oromandibular dystonia (Bhattacharyya and Tarsy) 2000;48:504A

Orthostatic headache; *see* Headache

Osteoma, osteoid
osteoid osteoma presenting with focal neurological signs (Hsich et al) 2000;48:547A

Osteoporosis
calcitonin treatment of osteoporosis in severe cerebral palsy (Plioplys et al) 2000;48:545A
osteoporosis in severe cerebral palsy (Plioplys et al) 2000;48:545A

Ovariectomy
effect of ovariectomy on the dopaminergic system of female monkeys: preliminary results (Kompoliti et al) 2000;48:434A

Oxygen consumption
impaired activation of oxygen consumption and blood flow in visual cortex of patients with mitochondrial encephalomyopathy (Vafaee et al) 2000;48:676

PABP2; *see* Carrier proteins

Paclitaxel
leukemia inhibitory factor abrogates paclitaxel (Taxol)-induced neuropathy in a rodent model (Kilpatrick et al) 2000;48:473A
micellar paclitaxel for the treatment of secondary progressive multiple sclerosis: preliminary results of the phase 1 extension study (O'Connor et al) 2000;48:476A

Pain
patient acceptance of techniques for prolonging battery life in fully implantable spinal cord stimulator systems (Royal et al) 2000;48:431A
phantom limb pain in the human brain: unraveling neural circuitries of phantom limb sensations using positron emission tomography (Willoch et al) 2000;48:842
skin biopsies provide objective evidence of injury to nociceptors in patients with complex regional pain syndrome (reflex sympathetic dystrophy) (Oaklander et al) 2000;48:430A

Pain measurement
measuring pain accurately in cognitively impaired children: validation of a caregiver scale (Camfield et al) 2000;48:544A

Pallidotomy; *see* Globus pallidus

PANDAS; *see* Autoimmune diseases

Paralysis
acetazolamide opens the muscular $K_{Ca^{2+}}$ channel: a novel mechanism of action that may explain the therapeutic effect of the drug in hypokalemic periodic paralysis (Tricarico et al) 2000;48:304
molecular physiology of ion channelopathies in skeletal muscle: from mutation to myotonia and paralysis (Cannon) 2000;48:687A

Paraneoplastic syndromes
cdr2-specific CTLs are detected in the blood of all patients with paraneoplastic cerebellar degeneration analyzed (Darnell and Albert) (Letter); (Greenlee) (Reply) 2000;48:270
[^{18}F]fluorodeoxyglucose positron emission tomography in the diagnosis of cancer in patients with paraneoplastic neurological syndrome and anti-Hu antibodies (Antoine et al) 2000;48:105
what is the role of activated Th1 cells in the cerebrospinal fluid of patients with paraneoplastic cerebellar degeneration? (Tanaka and Tanaka) 2000;48:271 (Letter)

Paraparesis, tropical spastic
evidence for preclinical cognitive deficits in hereditary spastic paraparesis (McMonagle et al) 2000;48:436A
genetic analysis to elucidate the diagnosis of familial spastic paraparesis presenting in infancy mimicking cerebral palsy (Lavenstein et al) 2000;48:536A
variant Alzheimer's disease with spastic paraparesis and cotton wool plaques is caused by PS-1 mutations that lead to exceptionally high amyloid-β concentrations (Houlden et al) 2000;48:806

Paresis
quadriparetic-areflexic intensive care unit illness: systematic study of peripheral nerve morphology in eight consecutive cases (Danon et al) 2000;48:440A

Parkin; *see* Parkinson's disease, genetics

Parkinson's disease, analysis
metabolite changes in the basal ganglia in patients with Parkinson's disease (Terakawa et al) 2000;48:467A
motor unit number estimates in idiopathic Parkinson's disease (Caviness et al) 2000;48:432A

Parkinson's disease, drug therapy
controlled trial of rasagiline in early Parkinson's disease (Parkinson) 2000;48:489A
cost-effectiveness of treatment with entacapone for patients with Parkinson's disease in the United States (Palmer et al) 2000;48:496A

does selegiline increase mortality among Parkinson patients in long-term care? (Fernandez and Lapane) 2000;48:433A
dopaminergic hypersensitivity in patients with Parkinson's disease and migraine (Cubo et al) 2000;48:432A
loss of clinical response to L-dopa in Parkinson's disease: role of D_3 and not D_2 receptor (Joyce et al) 2000;48:434A
placebo-related improvements in motor function in early Parkinson's disease (Goetz et al) 2000;48:433A
quetiapine treatment of psychotic symptoms in Lewy body dementia: long-term experience in 10 patients with three pathologically confirmed cases (Juncos et al) 2000;48:418A
randomized, double-blinded, placebo-controlled trial of fluoxetine in depressed Parkinson's disease patients (Pappert et al) 2000;48:465A
use of dopamine agonists in aging patients with Parkinson's disease (Shulman et al) 2000;48:466A

Parkinson's disease, etiology
maternal effect on Parkinson's disease (de la Fuente-Fernández) 2000;48:782
prospective study of caffeine intake and risk of Parkinson's disease in men and women (Ascherio et al) 2000;48:431A

Parkinson's disease, genetics
association studies of Parkinson's disease and *parkin* polymorphisms (Klein et al) 2000;48:126 (Letter)
novel mitochondrial 12SrRNA point mutation in parkinsonism, deafness, and neuropathy (Thyagarajan et al) 2000;48:730
novel mutations, pseudo-dominant inheritance, and possible familial affects in patients with autosomal recessive juvenile parkinsonism (Maruyama et al) 2000;48:245
novel point mutation in the *parkin* gene accounts for a benign form of autosomal recessive juvenile parkinsonism (Nisipeanu et al) 2000;48:437A
out-of-frame cytochrome *b* gene deletion from a patient with parkinsonism is associated with impaired complex III assembly and an increase in free radical production (Rana et al) 2000;48:774
Parkin deletions in a family with adult-onset, tremor-dominant parkinsonism: expanding the phenotype (Klein et al) 2000;48:65
parkin is a E3 ubiquitin-protein ligase: implications for Parkinson's disease (Zhang et al) 2000;48:952A
parkin is associated with actin filaments in neuronal and nonneural cells (Huynh et al) 2000;48:745
protection by synergistic effects of adenovirus-mediated XIAP and GDNF gene transfer in the MPTP model of Parkinson's disease (Schulz et al) 2000;48:415A
regulation of the ubiquitin proteasome pathway by Parkin (Oyler et al) 2000;48:428A

Parkinson's disease, pathology
impaired brain energy metabolism in Parkinson's disease (Martin et al) 2000;48:463A

Parkinson's disease, physiopathology
autonomic testing in patients with orthostatic instability: comparison between Parkinson's disease and multiple system atrophy (Kujawa et al) 2000;48:434A
compromised mitochondrial function exacerbates the Parkinson's disease-like changes induced by antipsychotic drugs (Mazurek et al) 2000;48:464A
correlational study of perceived and actual balance abilities in patients with Parkinson's disease (Adler et al) 2000;48:431A
excessive daytime sleepiness in Parkinson's disease is associated with male gender and dopamine agonist therapy (Comella et al) 2000;48:432A
patient, caregiver, and physician perspectives in Parkinson's disease: symptoms, activities of daily living, and life limitations (Apetauerova et al) 2000;48:503A
sensory enhancement of motor output in Parkinson's disease depends on the presence of dopamine and is correlated with dopamine-induced motor improvement (Minn et al) 2000;48:464A
"stops walking when talking" does not predict falls in Parkinson's disease (Bloem et al) 2000;48:268 (Letter)

Parkinson's disease, surgery
quality of life in a double-blind surgical placebo trial for the treatment of Parkinson's disease: caregivers' perspectives (McRae et al) 2000;48:487A

Parkinson's disease, therapy
deep brain stimulation of the subthalamic nucleus for the treatment of Parkinson's disease (Stacy et al) 2000;48:466A
delayed recovery of movement-related cortical function in Parkinson's disease after striatal dopaminergic grafts (Piccini et al) 2000;48:689
no tissue damage by chronic deep brain stimulation in Parkinson's disease (Haberler et al) 2000;48:372

Partial epilepsy; *see* Epilepsy, partial

Patent foramen ovale; *see* Heart septal defects, atrial

Patient care difficulty
assessment of difficulty in patient care for acute stroke patients: application of conjoint analysis (Terayama et al) 2000;48:497A

Patient satisfaction
factors associated with stress and satisfaction with family and patient care in parents of children diagnosed with brain or spinal cord tumors (Freeman et al) 2000;48:540A

Pentanucleotide repeats
large expansion of ATTCT pentanucleotide repeat in spinocerebellar ataxia type 10 (Matsuura et al) 2000;48:416A

Perfusion, regional
identifying arterial input from perfusion-weighted magnetic resonance imaging time series (Chen and Schlaug) 2000;48:422A

Periaqueductal gray matter
selective pathological changes of the periaqueductal gray matter in Alzheimer's disease (Parvizi et al) 2000;48:344

Pericytes
central nervous system microvascular pericyte production of vascular endothelial cell growth factor in human glioblastoma (Dore-Duffy et al) 2000;48:481A

Peripheral nerve diseases
peripheral neuropathy with hypomyelination, chronic intestinal pseudo-obstruction and deafness: a developmental "neural crest syndrome" related to a SOX10 mutation (Pingault et al) 2000;48:671
spinal cord stimulation is more effective than intrathecal opioid therapy for a mixed lumbar radiculopathy with superimposed motor/sensory peripheral neuropathy (Chaumont) 2000;48:486A

Peripheral nerves
double-blind, placebo-controlled study of low-power laser therapy on incomplete peripheral nerve injuries (Drory et al) 2000;48:453A
peripheral nerve hyperexcitability associated with schwan-

noma and antibodies to voltage-gated potassium channels (Potter et al) 2000;48:472A
Periventricular leukomalacia; *see* Leukomalacia, periventricular
Personality
relationship between personality traits and cortical synaptic transmission measured with transcranial magnetic stimulation (Wasserman et al) 2000;48:420A
Pes cavus; *see* Foot deformities
Phagocytes
multiple sclerosis: expression of CCR1 and CCR5 on mononuclear phagocytes in the central nervous system (Trebst et al) 2000;48:954A
Phantom limb
phantom limb pain in the human brain: unraveling neural circuitries of phantom limb sensations using positron emission tomography (Willoch et al) 2000;48:842
Pharyngeal muscles
nuclear accumulation of expanded *PABP2* gene product in oculopharyngeal muscular dystrophy (Uyama et al) 2000;48:471A
Phencyclidine
ketamine, MK-801, and phencyclidine injure limbic cortex via anterior thalamus: implications for psychosis (Sharp et al) 2000;48:474A
Phenotype
clinical, genetic, and expression studies of mutations in the potassium channel gene KCNA1 reveal new phenotypic variability (Eunson et al) 2000;48:647
current clinical diagnosis in Creutzfeldt-Jakob disease: identification of uncommon variants (Zerr et al) 2000; 48:323
familial Alzheimer's disease: site of mutation influences clinical phenotype (Lippa et al) 2000;48:376
FTDP-17: phenotypical heterogeneity within P301S (Bugiani) 2000;48:126 (Letter)
multi-minicore disease—searching for boundaries: phenotype analysis of 38 cases (Ferreiro et al) 2000;48:745
Parkin deletions in a family with adult-onset, tremor-dominant parkinsonism: expanding the phenotype (Klein et al) 2000;48:65
polymorphism in the mitochondrial $tRNA^{Leu(CUN)}$ gene influences A3243G-associated phenotype in humans (Pulkes et al) 2000;48:438A
Phenylalanine
phenylalanine loading in the diagnosis of dopa-responsive dystonia: the necessity for measuring biopterin (Saunders-Pullman et al) 2000;48:466A
Phosphocreatine
glutaric aciduria I: 3-hydroxy-glutarate–induced creatine-phosphate reduction in mixed cortex cultures can be prevented by creatine supplementation (Luecke et al) 2000;48:536A
Pick's disease; *see* Dementia, presenile
Pigmentation disorders
growth patterns and microarray gene expression in fibroblasts grown from port wine stain and unaffected skin of a subject with Sturge-Weber syndrome (Comi et al) 2000;48:511A
Pineal body
benign pineal cysts and seizures: causation or epiphenomenon? (McAbee and Scheinthal) 2000;48:541A
cognitive deficits in children treated for tumors of the pineal region (Giglio et al) 2000;48:541A
Pipecolic acids
pipecolic acid elevation in plasma and cerebrospinal fluid of two patients with pyridoxine-dependent epilepsy (Plecko et al) 2000;48:121
Placebos
placebo-related improvements in motor function in early Parkinson's disease (Goetz et al) 2000;48:433A
Plantar nerve
syndrome of painful legs and moving toes due to hyperexcitability of the lateral plantar nerve (Auger) 2000;48: 432A
Plasma exchange
predictive factors for response to plasma exchange in the treatment of acute, severe attacks of central nervous system demyelinating disease (Keegan et al) 2000;48:451A
Plasminogen activator, tissue-type
analysis of recombinant tissue plasminogen activator eligibility for patients admitted to a tertiary care center (Houtchens and Rose) 2000;48:501A
factors influencing functional outcome after intravenous thrombolysis with tissue plasminogen activator in acute ischemic stroke (Mendizabal et al) 2000;48:500A
Platelet aggregation
measure of interaction of aspirin-clopidogrel for ex vivo platelet aggregation in patients with ischemic stroke (Helgason et al) 2000;48:424A
PMP22
recessive *PMP22* mutations: quantitative and qualitative aspects (Beckmann and Schröder) (Letter); (Lupski) (Reply) 2000;48:131
Poliomyelitis
nonpoliovirus poliomyelitis (Felix et al) 2000;48:484A
Polyalanines
PABP2 polyalanine tract expansion causes intranuclear inclusions in oculopharyngeal muscular dystrophy (Shanmugam et al) 2000;48:798
Polyamines
therapeutic benefit of polyamine-modified catalase as a scavenger of H_2O_2 and nitric oxide in familial amyotrophic lateral sclerosis transgenics (Poduslo et al) 2000; 48:943
Polyglucosan
polyglucosan body myopathy (Carniciu et al) 2000;48: 440A
Polymerase chain reaction
polymerase chain reaction results from two laboratories for the identification of *Chlamydia pneumoniae* in cerebrospinal fluid of multiple sclerosis patients and controls (Kaufmann et al) 2000;48:450A
Polyradiculoneuritis
axonal Guillain-Barré syndrome: relation to anti-ganglioside antibodies and *Campylobacter jejuni* infection in Japan (Ogawara et al) 2000;48:624
clinical utility of anti-ganglioside antibody determination in the diagnosis of Guillain-Barré syndrome (Wirguin et al) 2000;48:472A
early predictors of incomplete recovery in children with Guillain-Barre syndrome (Vajsar et al) 2000;48:514A
Guillain-Barré syndrome with IgM antibody to a ganglioside, GalNAc-GD1a (Kaida et al) 2000;48:442A
lack of the viral DNA in sera and cerebrospinal fluid from patients with Guillain-Barré syndrome following acute cytomegalovirus infection (Irie et al) 2000;48:449A
mild Guillain-Barré syndrome (Green and Ropper) 2000; 48:442A
nonpoliovirus poliomyelitis (Felix et al) 2000;48:484A
sera from patients with Guillain-Barré syndrome increases the permeability in an in vitro blood–nerve barrier model (Kanda et al) 2000;48:449A

Pons
clinical and neuropsychological features of the initial stages of pallidopontonigral degeneration: a longitudinal study (McRae and Wszolek) 2000;48:437A
Port wine stain; *see* Pigmentation disorders
Positron emission tomography; *see* Tomography, emission-computed
Postoperative complications
risk factors for postoperative delirium: are there predictive clinical features? (Lippa et al) 2000;48:426A
Potassium channels
acetazolamide opens the muscular $K_{Ca^{2+}}$ channel: a novel mechanism of action that may explain the therapeutic effect of the drug in hypokalemic periodic paralysis (Tricarico et al) 2000;48:304
BMS-204352: a novel maxi-K potassium channel opener for the treatment of stroke: safety and clinical pharmacology in healthy subjects (Gold et al) 2000;48:422A
brain uptake and biodistribution studies in rats of the maxi-K channel opener BMS-204352, a potential neuroprotectant for the treatment of acute stroke (Starrett et al) 2000;48:457A
clinical, genetic, and expression studies of mutations in the potassium channel gene KCNA1 reveal new phenotypic variability (Eunson et al) 2000;48:647
peripheral nerve hyperexcitability associated with schwannoma and antibodies to voltage-gated potassium channels (Potter et al) 2000;48:472A
targeting ischemic neurons with the large-conductance calcium-activated (maxi-K) potassium-channel opener BMS-204352 (Gribkoff et al) 2000;48:423A
Prader-Willi syndrome
cutaneous blood flow and temperature regulation in patients with Prader-Willi syndrome (DiMario and Burleson) 2000;48:530A
Pramipexole
restless leg syndrome: quality-of-life survey and quality-of-life impact from treatment with pramipexole (Hogan et al) 2000;48:433A
Prednisone
side effects of long-term prednisone treatment in Duchenne dystrophy (Pandya et al) 2000;48:469A
weekly high-dose oral prednisone improves strength in boys with Duchenne muscular dystrophy with fewer side effects compared with daily prednisone (Connolly et al) 2000;48:514A
Premotor cortex; *see* Motor cortex
Prenatal care
prenatal choline deficiency causes selective degeneration of cholinergic neurons in the medial septal nucleus (Kowall et al) 2000;48:426A
Prenatal infant; *see* Fetus
Preserved temporal crescent
preserved temporal crescent (Lepore) 2000;48:489A
Preterm infant; *see* Infant, premature
Prions
polymorphism at codon 129 of *PRNP* affects the phenotypic expression of Creutzfeldt-Jakob disease linked to E200K mutation (Puoti et al) 2000;48:269 (Letter)
Progenitor cells; *see* Stem cells
Progressive supranuclear palsy; *see* Supranuclear palsy, progressive
Proprioception
function of ocular proprioception in eye movement control (Lewis et al) 2000;48:445A
Prostaglandins
expression of prostaglandin H synthese-2 in human brain tumors (Matsuo et al) 2000;48:482A
Protease inhibitors
long-term effect of protease inhibitors on neuropsychological function and neuroimaging in pediatric human immunodeficiency virus disease (Civitello et al) 2000;48:513A
Proteasomes
neuronal cell death induced by dopamine and proteasome inhibition (Junn and Mouradian) 2000;48:428A
regulation of the ubiquitin proteasome pathway by Parkin (Oyler et al) 2000;48:428A
Protein kinases
activation of c-Jun NH_2-terminal kinase pathway in traumatic brain injury (Zhu et al) 2000;48:485A
cyclic GMP/cyclic GMP-dependent protein kinase system prevents excitotoxicity in an immortalized oligodendroglial cell line (Yoshioka et al) 2000;48:474A
insulin-like growth factor-I and Bcl-xL inhibit c-jun *N* terminal protein kinase and promote Schwann cell survival (Cheng et al) 2000;48:473A
Pseudotumor cerebri
pseudotumor cerebri: an underrecognized complication of organ transplanation and cyclosporine (Joshi et al) 2000;48:548A
Psychotic disorders
ketamine, MK-801, and phencyclidine injure limbic cortex via anterior thalamus: implications for psychosis (Sharp et al) 2000;48:474A
Pterins
disorder of biogenic amine and pterin metabolism in a girl with late-onset ceroid lipofuscinosis (Barisic et al) 2000;48:483A
Pudendal neuropathy
percutaneous retrograde epidural neurostimulator placement for the control of intractable pudendal neuropathy (Ferro) 2000;48:430A
Purkinje cells
cerebellar Purkinje cells in spinocerebellar ataxia-1 and -3 (SCA-1 and -3) (Subramony et al) 2000;48:491A
Pyridoxine
focal-onset seizures: an atypical presentation of pyridoxine dependency (Yoshii et al) 2000;48:521A
pipecolic acid elevation in plasma and cerebrospinal fluid of two patients with pyridoxine-dependent epilepsy (Plecko et al) 2000;48:121

QT interval; *see* Electrocardiography
Quadriparesis; *see* Paresis
Quadriplegia
is a syndrome of generalized electrical inexcitability an explanation for the neurological complications of sepsis? (Rich and Teener) 2000;48:443A
Quality of care
improving quality of care using the Global Headache Inventory (McKenzie et al) 2000;48:497A
Quality of life
measurement of quality of life in migraine: application of conjoint analysis (Terayama et al) 2000;48:503A
multiple sclerosis impact scale is a new, patient-based, and rigorous measure of the health impact of multiple sclerosis (Hobart et al) 2000;48:448A
patient, caregiver, and physician perspectives in Parkinson's disease: symptoms, activities of daily living, and life limitations (Apetauerova et al) 2000;48:503A

psychometric evaluation of a computerized program to assess migraine-specific quality of life in clinical practice (Mannix et al) 2000;48:502A
quality of life in a double-blind surgical placebo trial for the treatment of Parkinson's disease: caregivers' perspectives (McRae et al) 2000;48:487A
quality-of-life impact of botulinum toxin treatments for spasmodic dysphonia and oromandibular dystonia (Bhattacharyya and Tarsy) 2000;48:504A
quality-of-life scales: who determines the individual item weights and does it matter: lessons learned from the ALSQOL-11 (Armon et al) 2000;48:502A
restless leg syndrome: quality-of-life survey and quality-of-life impact from treatment with pramipexole (Hogan et al) 2000;48:433A
what's the best scale for assessing quality of life after subarachnoid hemorrhage? (Copeland et al) 2000;48:502A

Quetiapine
low incidence of persistent tardive dyskinesia with quetiapine (Yeung et al) 2000;48:467A
quetiapine treatment of psychotic symptoms in Lewy body dementia: long-term experience in 10 patients with three pathologically confirmed cases (Juncos et al) 2000;48:418A

Ramsay Hunt syndrome
Ramsay Hunt syndrome in children (Hato et al) 2000;48:254

Rasagiline
controlled trial of rasagiline in early Parkinson's disease (Parkinson) 2000;48:489A

Rasmussen's encephalitis; *see* Encephalitis

Reading
language neural networks of reading in young children identified with functional magnetic resonance imaging (Gaillard et al) 2000;48:517A

Red wine
lyophilized red wine administration prolongs survival in an animal model of amyotrophic lateral sclerosis (Esposito et al) 2000;48:686 (Letter)

Redox factor-1
early decrease of redox factor-1 in the spinal cord of a transgenic model for amyotrophic lateral sclerosis (Warita et al) 2000;48:429A

Reflex
micturition epilepsy: a novel type of reflex epilepsy (Clarke et al) 2000;48:520A

Reflex, abnormal
quadriparetic-areflexic intensive care unit illness: systematic study of peripheral nerve morphology in eight consecutive cases (Danon et al) 2000;48:440A

Reflex sympathetic dystrophy
skin biopsies provide objective evidence of injury to nociceptors in patients with complex regional pain syndrome (reflex sympathetic dystrophy) (Oaklander et al) 2000;48:430A
sympathetic innervation and function in reflex sympathetic dystrophy (Goldstein et al) 2000;48:49

REM sleep; *see* Sleep, REM

Reperfusion
effects of normobaric hyperoxia in a rat model of transient focal cerebral ischemia and reperfusion (Singhal et al) 2000;48:954A

Reperfusion injury
antiapoptotic and antinecrotic therapies act synergistically to reduce ischemia-reperfusion injury (Singh et al) 2000;48:457A
immunohistochemistry of matrix metalloproteinases and opening of the blood–brain barrier in reperfusion injury (Rosenberg et al) 2000;48:456A
tumor necrosis factor-α acts as a mediator of retinal ischemia-reperfusion injury (Rosenbaum et al) 2000;48:456A

Respiratory syncytial viruses
encephalopathy associated with respiratory syncytial virus bronchiolitis (Ng et al) 2000;48:548A

Restless legs
restless leg syndrome: quality-of-life survey and quality-of-life impact from treatment with pramipexole (Hogan et al) 2000;48:433A

Retina
tumor necrosis factor-α acts as a mediator of retinal ischemia-reperfusion injury (Rosenbaum et al) 2000;48:456A

Retinal nerve
echocardiographic findings in patients with retinal or optic nerve ischemia or embolism (Mouradian et al) 2000;48:455A

Retinitis
herpes simplex virus type 1 (HSV-1)–induced retinitis following herpes simplex encephalitis: indications for brain-to-eye transmission of HSV-1 (Maertzdorf et al) 2000;48:936

Retrovirus infections
multiple sclerosis-associated retrovirus: a survey in the Sardinian population (Sotgiu et al) 2000;48:479A

Risk factors
risk factors for delayed cerebral ischemia after subarachnoid hemorrhage (Claassen et al) 2000;48:422A
risk factors for postoperative delirium: are there predictive clinical features? (Lippa et al) 2000;48:426A

RNA
novel mitochondrial 12SrRNA point mutation in parkinsonism, deafness, and neuropathy (Thyagarajan et al) 2000;48:730

RNA, messenger
contrasting responses to interferon β-1b treatment in relapsing-remitting multiple sclerosis: does baseline interleukin-12p35 messenger RNA predict the efficacy of treatment? (van Boxel-Dezaire et al) 2000;48:313

RNA, transfer, Leu
polymorphism in the mitochondrial $tRNA^{Leu(CUN)}$ gene influences A3243G-associated phenotype in humans (Pulkes et al) 2000;48:438A

Robotics
dextroamphetamine paired with standard and robotic neurorehabilitation changes motor performance one day later (Volpe et al) 2000;48:454A

Salmonella
clinical characteristics of acute encephalopathy associated with *Salmonella* enteritidis in Japan (Arii et al) 2000;48:547A

Sarcoglycan-sarcospan complex
sarcoglycan-sarcospan complex in vascular smooth muscle: role in the pathogenesis of cardiomyopathy and muscular dystrophy (Cohn et al) 2000;48:538A

Sarcolemma
intracellular accumulation and reduced sarcolemmal expression of dysferlin in limb-girdle muscular dystrophies (Piccolo et al) 2000;48:902

Sardinia; *see* Italy
Schizophrenia
neurobiology of schizophrenia (Pearlson) 2000;48:556 (Neurological progress)
Schwann cells
activation of the integrin receptor but not assembly of basal lamina is required for Schwann cell myelination (Windebank and Podratz) 2000;48:416A
insulin-like growth factor-I and Bcl-xL inhibit c-jun *N* terminal protein kinase and promote Schwann cell survival (Cheng et al) 2000;48:473A
nicotine alters sciatic nerve–derived Schwann cells and in low concentrations reduces sympathetic Schwann cell numbers in culture (Johnson and Thompson) 2000;48:549A
Schwann cell caveolin-1 expression increases during development and decreases following axotomy (Mikol et al) 2000;48:473A
Schwannoma
peripheral nerve hyperexcitability associated with schwannoma and antibodies to voltage-gated potassium channels (Potter et al) 2000;48:472A
Sciatic nerve
nicotine alters sciatic nerve–derived Schwann cells and in low concentrations reduces sympathetic Schwann cell numbers in culture (Johnson and Thompson) 2000;48:549A
Sebire syndrome
Sebire syndrome: three cases of a stereotyped encephalopathy with a good prognosis (Clarke and Leber) 2000;48:551A
Secretin
use of secretin to treat autism: a pilot study (Roseman et al) 2000;48:541A
Seizures
acquired hippocampal damage after temporal lobe seizures in 2 infants (Perez et al) 2000;48:384
benign pineal cysts and seizures: causation or epiphenomenon? (McAbee and Scheinthal) 2000;48:541A
Diastat gel and acute seizures: a parental survey (Koch and Healy) 2000;48:519A
does carbamazepine really exacerbate seizures? (Huang and D'Cruz) 2000;48:520A
dual epileptic foci in a single patient express distinct temporal patterns dependent on limbic versus nonlimbic brain location (Quigg and Straume) 2000;48:117
effects of age at onset and duration of seizure disorder on severity of hippocampal sclerosis and cognitive dysfunction in temporal lobe epilepsy (Watson et al) 2000;48:463A
factors predicting prognosis of epilepsy after presentation with seizures (MacDonald et al) 2000;48:833
focal cooling rapidly terminates neocortical seizures (Yang and Rothman) 2000;48:521A
focal-onset seizures: an atypical presentation of pyridoxine dependency (Yoshii et al) 2000;48:521A
incidence of seizures after acute stroke: a preliminary report (Szaflarski et al) 2000;48:462A
micturition epilepsy: a novel type of reflex epilepsy (Clarke et al) 2000;48:520A
off-label use of diazepam rectal gel for children with febrile seizures and infants under age 2 years (Mitchell and Lin) 2000;48:519A
perilesional gliosis and seizure outcome: a study based on magnetization transfer magnetic resonance imaging in patients with neurocysticercosis (Pradhan et al) 2000;48:181
predictors of multiple seizures in a cohort of children prospectively followed from the time of their first unprovoked seizure (Shinnar et al) 2000;48:140
rapid initiation of the ketogenic diet without the traditional fasting period (Zupec-Kania et al) 2000;48:522A
rectally administered diazepam (Diastat) for acute seizure management of patients on the ketogenic diet (Schimschock) 2000;48:519A
retrospective study to assess the effects of rectally administered diazepam (Diastat) on respiration in pediatric epilepsy patients with prolonged seizures or seizure clusters (Bettis and Gray) 2000;48:519A
seizure recurrence in childhood epilepsy: "the future ain't what it used to be" (Duchowny) 2000;48:137 (Editorial)
seizures accelerate anoxia-induced neuronal death in the neonatal rat hippocampus (Dzhala et al) 2000;48:632
Selegiline
does selegiline increase mortality among Parkinson patients in long-term care? (Fernandez and Lapane) 2000;48:433A
Sensory neuropathies; *see* Neuropathies, sensory
Septal nuclei
prenatal choline deficiency causes selective degeneration of cholinergic neurons in the medial septal nucleus (Kowall et al) 2000;48:426A
Septicemia
is a syndrome of generalized electrical inexcitability an explanation for the neurological complications of sepsis? (Rich and Teener) 2000;48:443A
Serotonin
alteration of the serotonergic nervous system in fatal familial insomnia (Wanschitz et al) 2000;48:788
comparative analysis between venlafaxine and selective serotonin reuptake inhibitors on remission (Entsuah et al) 2000;48:486A
Short-Form Health Survey
medical outcomes study 36-Item Short-Form Health Survey in multiple sclerosis: why assumptions must be tested (Hobart et al) 2000;48:495A
Sigmoid
aneurysm of a dural sigmoid sinus: a novel vascular cause of pulsatile tinnitus (Houdart et al) 2000;48:669
Signal transduction
nerve growth factor binding to $p75^{LNGFR}$ triggers different signal transduction events depending on the p75/TrkA ratio of the cell (Schor and Nylander) 2000;48:474A
Skin, blood supply
cutaneous blood flow and temperature regulation in patients with Prader-Willi syndrome (DiMario and Burleson) 2000;48:530A
Skin diseases
ectodermal dysplasia and brain cystic changes: confirmation of a novel neurocutaneous syndrome (DiFazio and Depper) 2000;48:531A
Sleep, REM
REM sleep physiology in normal and abnormal sleep (Pearl et al) 2000;48:525A
Sleep disorders
alteration of the serotonergic nervous system in fatal familial insomnia (Wanschitz et al) 2000;48:788
excessive daytime sleepiness in Parkinson's disease is associated with male gender and dopamine agonist therapy (Comella et al) 2000;48:432A
sporadic fatal insomnia: a case study (Scaravilli et al) 2000;48:665

Smith-Lemli-Opitz syndrome
magnetization transfer analysis of hypomyelination: correlation with defective cholesterol biosynthesis in Smith-Lemli-Opitz syndrome (Richert et al) 2000;48:483A
Spasm
neuroanatomic basis of tonic spasms in multiple sclerosis (Jeffries et al) 2000;48:449A
Spasmodic dysphonia; *see* Voice disorders
Spasms, infantile
early-onset spinocerebellar ataxia type 2 with infantile spasms (Shafrir et al) 2000;48:535A
infantile neuroaxonal dystrophy: early, accurate diagnosis by nerve and muscle biopsy (Frost et al) 2000;48:537A
infantile spasms in Iceland, 1991 to 1998 (Sigurdardottir et al) 2000;48:524A
mitochondrial disorders: an underrecognized cause of infantile spasms (Shah and Mitchell) 2000;48:536A
topiramate for the treatment of infantile spasms (Hosain et al) 2000;48:524A
Spastic paraparesis; *see* Paraparesis, tropical spastic
Spastic paraplegia, hereditary
linkage of autosomal recessive hereditary spastic paraplegia with mental impairment and thin corpus callosum to chromosome 15q13–15 (Shibasaki et al) 2000;48:108
Spatial neglect
evidence for spatial neglect in infants and toddlers following prenatal or perinatal unilateral brain damage (Trauner) 2000;48:529A
Spectrophotometry, infrared
ictal measurement of cerebral hemodynamics of childhood epilepsy using near-infrared spectrophotometry (Haginoya et al) 2000;48:461
Speech
dominantly inherited speech and language disorder not linked to the *SPCH1* locus on chromosome 7q31 (Cholfin et al) 2000;48:418A
"stops walking when talking" does not predict falls in Parkinson's disease (Bloem et al) 2000;48:268 (Letter)
Spinal cord
lumbar artery compression by the diaphragmatic crus: a new etiology for spinal cord ischemia (Rogopoulos et al) 2000;48:261
neurological disability correlates with spinal cord axonal loss and reduced *N*-acetyl aspartate in chronic multiple sclerosis patients (Bjartmar et al) 2000;48:893
patient acceptance of techniques for prolonging battery life in fully implantable spinal cord stimulator systems (Royal et al) 2000;48:431A
Spinal cord neoplasms
factors associated with stress and satisfaction with family and patient care in parents of children diagnosed with brain or spinal cord tumors (Freeman et al) 2000;48:540A
Spinal cord stimulation; *see* Electric stimulation
Spinal muscular atrophy; *see* Muscular atrophy, spinal
Spinocerebellar degeneration
cerebellar Purkinje cells in spinocerebellar ataxia-1 and -3 (SCA-1 and -3) (Subramony et al) 2000;48:491A
clinical and genetic findings in Finnish ataxia patients with the spinocerebellar ataxia 8 repeat expansion (Juvonen et al) 2000;48:354
early-onset spinocerebellar ataxia type 2 with infantile spasms (Shafrir et al) 2000;48:535A
genetic and clinical analysis of spinocerebellar ataxia type 8 repeat expansion (Forleo et al) 2000;48:433A
large expansion of ATTCT pentanucleotide repeat in spinocerebellar ataxia type 10 (Matsuura et al) 2000;48:416A
Spreading cortical depression
neuronal calcium rises progressively only during recurrent spreading depression (Kunkler and Kraig) 2000;48:445A
optical current source density analyses show that chloride flow contributes to the somatic current source from hippocampal pyramidal cells during spreading depression (Kraig et al) 2000;48:445A
Status epilepticus
epileptogenesis after status epilepticus reflects age- and model-dependent plasticity (Sankar et al) 2000;48:580
midazolam as a first-line agent for status epilepticus in children (Yoshikawa et al) 2000;48:523A
outcome of refractory status epilepticus in children (Sahin et al) 2000;48:524A
Stem cells
bone marrow to brain: marrow stromal cells can be induced to express neural markers (Azizi et al) 2000;48:453A
cerebral cortical neurogenesis and gliogenesis require transcriptional activation of inhibitor of differentiation 2 and 4 in neural stem cells by bone morphogenetic proteins (Gokhan et al) 2000;48:415A
custom cDNA microarray using cultures containing central nervous system stem cells for neurodevelopmental gene discovery (Geschwind et al) 2000;48:444A
generation of immortalized human neural stem cells and brain transplantation in animal models of Parkinson's disease (Kim et al) 2000;48:434A
human neural stem cells grafted into myelin mutant shiverer mouse brain induce myelination (Kim et al) 2000;48:952A
patients with active relapsing-remitting multiple sclerosis synthesize antibodies recognizing oligodendrocyte progenitor cell surface protein: implications for remyelination (Niehaus et al) 2000;48:362
postischemic housing influences hippocampal stem cell proliferation and differentiation after focal brain ischemia (Johansson et al) 2000;48:454A
stem cell transplantation: in vitro and in vivo models of motor neuron disease—appraoches for treating amyotrophic lateral sclerosis (Maragakis et al) 2000;48:468A
Stents
elective angioplasty and stenting of tandem lesions in the carotid territory (Kadimi et al) 2000;48:424A
Steroids
should children with Bell's palsy be treated with steroids? a systematic review (Salman and MacGregor) 2000;48:551A
Streptococcus
anti-brain antibodies are frequently present in children with PANDAS but not uncomplicated active group A streptococcal infections (Bianchini et al) 2000;48:512A
Stress, psychological
factors associated with stress and satisfaction with family and patient care in parents of children diagnosed with brain or spinal cord tumors (Freeman et al) 2000;48:540A
Stroke; *see* Cerebrovascular disorders
Sturge-Weber syndrome
growth patterns and microarray gene expression in fibroblasts grown from port wine stain and unaffected skin of a subject with Sturge-Weber syndrome (Comi et al) 2000;48:511A
Sturge-Weber syndrome with unihemispheric involvement: correlation between clinical characteristics and

positron emission tomography fluorodeoxyglucose findings (Lee et al) 2000;48:531A
Subarachnoid hemorrhage
does reaction time tell us anything about brain injury after subarachnoid hemorrhage? (Rosengart et al) 2000;48:501A
predictors of mortality after subarachnoid hemorrhage (Mayer et al) 2000;48:499A
predictors of severe disability after subarachnoid hemorrhage (Claassen et al) 2000;48:499A
risk factors for delayed cerebral ischemia after subarachnoid hemorrhage (Claassen et al) 2000;48:422A
what's the best scale for assessing quality of life after subarachnoid hemorrhage? (Copeland et al) 2000;48:502A
Substantia nigra
clinical and neuropsychological features of the initial stages of pallidopontonigral degeneration: a longitudinal study (McRae and Wszolek) 2000;48:437A
inflammatory changes in the substantia nigra and striatum following MPTP intoxication (Członkowska et al) 2000;48:127 (Letter)
Subthalamic nucleus
deep brain stimulation of the subthalamic nucleus for the treatment of Parkinson's disease (Stacy et al) 2000;48:466A
neurophysiological characteristics of the subthalamic nucleus in patients with prior pallidotomy (Zonenshayn et al) 2000;48:467A
Subtraction; *see* Mathematics
Sumatriptan
efficacy and safety of sumatriptan in the treatment of acute migraine: a meta-analysis (Shafiroff and Qureshi) 2000;48:499A
reductions in medical and pharmacy resource utilization associated with "triptan" and preventive medication initiation in migraine patients previously naive to both medications (Winner et al) 2000;48:498A
Superoxide dismutase
expression of a copper/zinc superoxide dismutase typical of familial amyotrophic lateral sclerosis induces neuronal death in transfected VSC4.1 cells (Lee et al) 2000;48:468A
physiological basis of conduction slowing in amyotrophic lateral sclerosis patients homozygous for the autosomal recessive D90A copper/zinc superoxide dismutase mutation (Weber et al) 2000;48:470A
therapeutic benefit of polyamine-modified catalase as a scavenger of H_2O_2 and nitric oxide in familial amyotrophic lateral sclerosis transgenics (Poduslo et al) 2000;48:943
Supranuclear palsy, progressive
neuronal loss in Onuf's nucleus in three patients with progressive supranuclear palsy (Scaravilli et al) 2000;48:97
pathologically confirmed corticobasal degeneration shares the same tau haplotype association as progressive supranuclear palsy (Houlden et al) 2000;48:436A
Susac's syndrome
Susac's syndrome: beneficial effects of corticosteroid therapy in the first Japanese case (Tashima et al) 2000;48:479A
Sylvian fissure
sylvian fissure development in preterm infants (Hahn et al) 2000;48:539A
Sympathetic nervous system
sympathetic innervation and function in reflex sympathetic dystrophy (Goldstein et al) 2000;48:49
Synapses
synaptic contacts are preserved during excitotoxic spine loss and recovery (Hasbani and Goldberg) 2000;48:453A
Syncope
prediction of outcome in severe infantile syncope (Stephenson) 2000;48:550A

T antigens; *see* Antigens, viral, tumor
T-588
T-588, a novel neuroenhancer, promotes neuronal function of central and peripheral nervous system in wobbler mouse motoneuron disease (Ikeda et al) 2000;48:442A
T-588, a novel compound, enhances neurite outgrowth and choline acetyltransferase in cultured spinal ventral horn neurons (Ikeda et al) 2000;48:442A
Tacrolimus; *see* FK-506
Talking; *see* Speech
Tardive dyskinesia; *see* Dyskinesia, drug-induced
Tau proteins
frontotemporal dementia with novel tau pathology and a glu342Val *tau* mutation (Lippa et al) 2000;48:850
FTDP-17: phenotypical heterogeneity within P301S (Bugiani) 2000;48:126 (Letter)
improved diagnostic discrimination of patients with vascular dementia using tau and β-amyloid$_{(1-42)}$ levels in cerebrospinal fluid (Mielke et al) 2000;48:459A
inheritance and tau mutations in frontotemporal lobar degeneration (Short et al) 2000;48:460A
novel *tau* mutation (N296N) in familial dementia with swollen achromatic neurons and corticobasal inclusion bodies (Spillantini et al) 2000;48:939
pathologically confirmed corticobasal degeneration shares the same tau haplotype association as progressive supranuclear palsy (Houlden et al) 2000;48:436A
Pick's disease is associated with mutations in *tau* gene (Pickering-Brown et al) 2000;48:859
screening for tau mutations in frontotemporal dementia (Sobrido et al) 2000;48:427A
Telomere
from telomeres to T antigens: many roads... multiple pathways... novel associations in the search for the origins of human gliomas (Major) 2000;48:823 (Editorial)
Temporal lobe
frontotemporal dementia with novel tau pathology and a glu342Val *tau* mutation (Lippa et al) 2000;48:850
inheritance and tau mutations in frontotemporal lobar degeneration (Short et al) 2000;48:460A
lateral temporal lobe volumes in patients with localization-related epilepsy (Theodore et al) 2000;48:463A
prognostic value of intraoperative electrocorticography in temporal lobectomy: a retrospective analysis (Mathews et al) 2000;48:461A
screening for tau mutations in frontotemporal dementia (Sobrido et al) 2000;48:427A
screening frontotemporal dementia patients for mutations in GSK-3β (Schaffer et al) 2000;48:460A
torsional nystagmus due to focal dysgenesis of lateral occipital-temporal cortex (Stasheff et al) 2000;48:529A
Temporal lobe epilepsy; *see* Epilepsy, temporal lobe
Thalamic diseases
acute behavioral syndrome of anterior thalamic infarction: a prospective study of 12 cases (Ghika-Schmid and Bogousslavsky) 2000;48:220

thalamic infarction in two adolescents with migraine (Finkel et al) 2000;48:546A

Thalamus

functional magnetic resonance imaging study of somatotopic encodings of somatosensory stimulation in the thalamus and the cerebellum (Takanashi et al) 2000;48:491A

Thrombocytopenia

prenatal intracranial hemorrhage and neurological complications in neonatal alloimmune thrombocytopenia (Sharif and Kuban) 2000;48:527A

Thromboembolism

metalloproteinase inhibition reduces thrombolytic-induced hemorrhage following a thromboembolic stroke (Lapchak et al) 2000;48:485A

Thrombosis

cerebral sinovenous thrombosis and ulcerative colitis (Kao et al) 2000;48:547A

Thymectomy

normalization of elevated $CD4^-/CD8^-$ (double-negative) T cells after thymectomy parallels clinical remission in myasthenia gravis associated with thymic hyperplasia but not thymoma (Reinhardt and Melms) 2000;48:603

Thymoma

normalization of elevated $CD4^-/CD8^-$ (double-negative) T cells after thymectomy parallels clinical remission in myasthenia gravis associated with thymic hyperplasia but not thymoma (Reinhardt and Melms) 2000;48:603

role of thymoma in inducing autoimmunity: raised numbers of mature T cells exported from primary and recurrent thymomas (Buckley et al) 2000;48:953A

Tic

antibodies to the calpain-calpastatin complex in patients with tics, Tourette syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:542A

serum antibodies to specific brain proteins in patients with tics, Tourette's syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:511A

suppression of tics with baclofen: double-blind, placebo-controlled, crossover clinical trial (Singer et al) 2000;48:544A

Tinnitus

aneurysm of a dural sigmoid sinus: a novel vascular cause of pulsatile tinnitus (Houdart et al) 2000;48:669

lidocaine changes neural activity associated with the loudness of tinnitus in auditory cortex (Reyes et al) 2000;48:490A

Tissue plasminogen activator; *see* Alteplase

T-lymphocytes

analysis of myelin antigen–specific autoreactive T cells from opticospinal multiple sclerosis patients (Minohara et al) 2000;48:475A

chemokine and chemokine receptor expression in γδ T cells generated from peripheral blood and cerebrospinal fluid of multiple sclerosis patients (Murzenok et al) 2000;48:476A

NBI-5788, an altered MBP83-99 peptide, induces a T-helper 2–like immune response in multiple sclerosis patients (Crowe et al) 2000;48:758

normalization of elevated $CD4^-/CD8^-$ (double-negative) T cells after thymectomy parallels clinical remission in myasthenia gravis associated with thymic hyperplasia but not thymoma (Reinhardt and Melms) 2000;48:603

role of thymoma in inducing autoimmunity: raised numbers of mature T cells exported from primary and recurrent thymomas (Buckley et al) 2000;48:953A

susceptibility to multiple sclerosis is associated with inheritance of a gene linked to the variable region of the T-cell receptor α-chain locus: use of affected family-based controls (Beall et al) 2000;48:446A

three-dimensional modeling of a myelin basic protein–specific human T-cell receptor (Richert et al) 2000;48:452A

T-lymphocytes, cytotoxic

cdr2-specific CTLs are detected in the blood of all patients with paraneoplastic cerebellar degeneration analyzed (Darnell and Albert) (Letter); (Greenlee) (Reply) 2000;48:270

what is the role of activated Th1 cells in the cerebrospinal fluid of patients with paraneoplastic cerebellar degeneration? (Tanaka and Tanaka) 2000;48:271 (Letter)

Toes

syndrome of painful legs and moving toes due to hyperexcitability of the lateral plantar nerve (Auger) 2000;48:432A

Tomography, emission-computed

fate of hypoxic tissue on ^{18}F-fluoromisonidazole positron emission tomography after ischemic stroke (Read et al) 2000;48:228

[^{18}F]fluorodeoxyglucose positron emission tomography in the diagnosis of cancer in patients with paraneoplastic neurological syndrome and anti-Hu antibodies (Antoine et al) 2000;48:105

increased cerebrovascular capacity following enzyme replacement therapy in Fabry disease demonstrated by positron emission tomography: a double-blind, randomized, placebo-controlled trial (Moore et al) 2000;48:488A

is epileptogenic cortex truly hypometabolic on interictal positron emission tomography? (Juhász et al) 2000;48:88

limited donepezil inhibition of acetylcholinesterase measured with positron emission tomography in living Alzheimer cerebral cortex (Kuhl et al) 2000;48:391

modulation of the brain-behavior relationship in a working memory task by repetitive transcranial magnetic stimulation: a positron emission tomography study (Mottaghy et al) 2000;48:490A

ontogeny of human $GABA_A$ receptors studied by positron emission tomography (Juhász et al) 2000;48:517A

phantom limb pain in the human brain: unraveling neural circuitries of phantom limb sensations using positron emission tomography (Willoch et al) 2000;48:842

progressive loss of cortical acetylcholinesterase activity in association with cognitive decline in Alzheimer's disease: a positron emission tomography study (Shinotoh et al) 2000;48:194

Sturge-Weber syndrome with unihemispheric involvement: correlation between clinical characteristics and positron emission tomography fluorodeoxyglucose findings (Lee et al) 2000;48:531A

Tongue

neck-tongue syndrome (Lewis and Frank) 2000;48:546A

Tonic spasm; *see* Spasm

Topiramate

clinical experience with topiramate (Topamax) dosing and serum levels in children 12 years or younger with epilepsy (Schwabe and Wheless) 2000;48:515A

concomitant treatment with topiramate and the ketogenic diet in pediatric epilepsy (Takeoka et al) 2000;48:522A

efficacy of the anticonvulsant topiramate in the prophylactic treatment of episodic migraine: a pooled analysis from two randomized, placebo-controlled trials (Edwards et al) 2000;48:486A

efficacy of topiramate in the treatment of essential tremor: a randomized, double-blind, placebo-controlled, crossover study (Connor) 2000;48:486A
protective effects of topiramate in a rodent model of periventricular leukomalacia (Follett et al) 2000;48:527A
topiramate: a possible neuroprotectant for motor neuron disease (Ganel et al) 2000;48:470A
topiramate for the treatment of infantile spasms (Hosain et al) 2000;48:524A
topiramate in tuberous sclerosis (Franz et al) 2000;48:523A
Torticollis
differential patterns of cervical muscle involvement in torticollis subsets: a 9-year, 407-patient retrospective (Russo and Arce) 2000;48:465A
Tourette's syndrome
antibodies to the calpain-calpastatin complex in patients with tics, Tourette syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:542A
autoantibody repertoires in children with Tourette's syndrome: multivariate statistical comparison by discriminant analysis of activity against human striatum, muscle, and a neuroblastoma cell line (Wendlandt et al) 2000;48:512A
norepinephrine regulates behavior in an animal model of hyperactivity (Hess and Jones) 2000;48:512A
oculomotor findings in boys with Tourette syndrome with and without attention-deficit hyperactivity disorder (Mostofsky et al) 2000;48:542A
serum antibodies to specific brain proteins in patients with tics, Tourette's syndrome, or obsessive-compulsive disorder (Trifiletti and Bandele) 2000;48:511A
treatment of attention deficit hyperactivity disorder in children with Tourette's syndrome (TACT Trial) (Tourette and Kurlan) 2000;48:953A
Toxins
acute progressive encephalomyelitis: relation with toxic exposure, a review of three cases (Hernandez et al) 2000;48:547A
Toxoplasma gondii
cryptogenic epilepsy: an infectious etiology? (Stommel et al) 2000;48:462A
Tranquilizing agents, major
compromised mitochondrial function exacerbates the Parkinson's disease-like changes induced by antipsychotic drugs (Mazurek et al) 2000;48:464A
Transcranial magnetic stimulation; *see* Magnetic stimulation, transcranial
Transcription, genetic
expression profile of transcripts in Alzheimer's disease tangle-bearing CA1 neurons (Ginsberg et al) 2000;48:77
Transcription factors
insulin-like growth factor I regulates a key transcription factor involved in neuronal apoptosis (Madison et al) 2000;48:416A
Transesophageal echocardiography; *see* Echocardiography
Transfection
aspartoacylase gene transfer to the mammalian central nervous system with therapeutic implications for Canavan disease (Leone et al) 2000;48:27
Transverse myelitis; *see* Myelitis, transverse
Tremor
efficacy of topiramate in the treatment of essential tremor: a randomized, double-blind, placebo-controlled, crossover study (Connor) 2000;48:486A
glatiramer acetate (Copaxone) treatment effects on arm isometric strength, fine force control, and tremor amplitude in multiple sclerosis patients (Dogan et al) 2000;48:447A
Parkin deletions in a family with adult-onset, tremor-dominant parkinsonism: expanding the phenotype (Klein et al) 2000;48:65
Trinucleotide repeats
expression of reporter gene with expanded CTG trinucleotide repeats in 3′-untranslated region using *Xenopus* oocytes (Furuya et al) 2000;48:441A
genetic and clinical analysis of spinocerebellar ataxia type 8 repeat expansion (Forleo et al) 2000;48:433A
novel locus for dominant cerebellar ataxia (SCA14) maps to a 10.2-cM interval flanked by D19S206 and D19S605 on chromosome 19q13.4-qter (Yamashita et al) 2000;48:156
PABP2 polyalanine tract expansion causes intranuclear inclusions in oculopharyngeal muscular dystrophy (Shanmugam et al) 2000;48:798
Triptan
reductions in medical and pharmacy resource utilization associated with "triptan" and preventive medication initiation in migraine patients previously naive to both medications (Winner et al) 2000;48:498A
tRNA, Leu; *see* RNA, transfer, Leu
Tuberous sclerosis
noninvasive mapping of the epileptogenic zone in children with tuberous sclerosis complex and refractory epilepsy (Seri et al) 2000;48:522A
radiological evolution of brain lesions in tuberous sclerosis from infancy to childhood (Gupta and Rothner) 2000;48:532A
topiramate in tuberous sclerosis (Franz et al) 2000;48:523A
TSC1 mutations are associated with milder neurologic disease than TSC2 mutations in TS children (Józwiak et al) 2000;48:532A
Tubulin
class III β-tubulin: a marker for malignancy in astrocytomas (Katsetos et al) 2000;48:540A
Tumor necrosis factor
innate production of interleukin-10 and tumor necrosis factor affects the risk of multiple sclerosis (de Jong et al) 2000;48:641
tumor necrosis factor α leads to increased cell surface expression of the chemokine receptor CXCR4 in SKNMC cells (Rostasy et al) 2000;48:549A
tumor necrosis factor-α acts as a mediator of retinal ischemia-reperfusion injury (Rosenbaum et al) 2000;48:456A
Tyrosine kinase
antibodies to the receptor tyrosine kinase MuSK in myasthenia gravis seronegative for acetylcholine receptor antibodies (McConville et al) 2000;48:952A

Ubiquitin
neuronal cell death induced by dopamine and proteasome inhibition (Junn and Mouradian) 2000;48:428A
parkin is a E3 ubiquitin-protein ligase: implications for Parkinson's disease (Zhang et al) 2000;48:952A
regulation of the ubiquitin proteasome pathway by Parkin (Oyler et al) 2000;48:428A
Ulcerative colitis; *see* Colitis, ulcerative
Ultrasonography
concordant carotid Doppler and magnetic resonance angiography obviates need for cerebral angiography (Johnston and Goldstein) 2000;48:497A

Upper limb; *see* Arm
Urinary incontinence
bladder and bowel incontinence after traumatic brain injury: risk factors, prevalence, and outcome (Yablon et al) 2000;48:500A
ventricular dilatation on magnetic resonance imaging predicts early onset of urinary incontinence in patients with probable Alzheimer's disease (Sevush et al) 2000; 48:429A
Urination
micturition epilepsy: a novel type of reflex epilepsy (Clarke et al) 2000;48:520A

Vaccination
immunization for Alzheimer's disease: a shot in the arm or a whiff? (Levey) 2000;48:553 (Editorial)
Valproic acid
zinc supplementation is effective for children with hair loss due to chronic valproic acid therapy or the ketogenic diet (Buchanan et al) 2000;48:523A
Vascular cell adhesion molecules; *see* Cell adhesion molecules
Vascular dementia; *see* Dementia, vascular
Vascular endothelial cell growth factors; *see* Endothelial growth factors
Vascular malformations; *see* Arteriovenous malformations
Vascular smooth muscle; *see* Muscle, smooth, vascular
Vegetative state; *see* Coma
Venlafaxine
comparative analysis between venlafaxine and selective serotonin reuptake inhibitors on remission (Entsuah et al) 2000;48:486A
diabetic neuropathic pain management with venlafaxine extended release (Kunz et al) 2000;48:487A
Ventriculomegaly
posthemorrhagic ventriculomegaly: natural history and predictors of outcome (Inder et al) 2000;48:529A
Vertebrobasilar insufficiency
fou rire prodromique: an unusual presentation of severe vertebrobasilar stenosis (Gondim et al) 2000;48:423A
Vietnam
epidemiology of multiple sclerosis in American veterans of Vietnam and later military service: preliminary results (Wallin et al) 2000;48:480A
Vigabatrin
visual impairment in children with epilepsy treated with vigabatrin (Gross-Tsur et al) 2000;48:60
Vincristine
gene for slow wallerian degeneration is also protective against vincristine neuropathy (Glass et al) 2000;48: 444A
Viruses
high mortality in Nipah encephalitis is associated with presence of virus in cerebrospinal fluid (Chua et al) 2000;48:802
Vision disorders
visual impairment in children with epilepsy treated with vigabatrin (Gross-Tsur et al) 2000;48:60
Visual cortex
impaired activation of oxygen consumption and blood flow in visual cortex of patients with mitochondrial encephalomyopathy (Vafaee et al) 2000;48:676
role of visual cortex in tactile Braille reading: the early blind, the sighted, and the blindfolded (Kauffman et al) 2000;48:418A
Visual evoked potentials; *see* Evoked potentials, visual
Visual fields
preserved temporal crescent (Lepore) 2000;48:489A
Vitamin D
vitamin D and seasonal fluctuations of gadolinium-enhancing magnetic resonance imaging lesions in multiple sclerosis (Embry et al) 2000;48:271 (Letter)
Voice disorders
quality-of-life impact of botulinum toxin treatments for spasmodic dysphonia and oromandibular dystonia (Bhattacharyya and Tarsy) 2000;48:504A

Walking
gabapentin improves walking speed by reduction of spasticity in patients with multiple sclerosis (Bohr et al) 2000;48:446A
"stops walking when talking" does not predict falls in Parkinson's disease (Bloem et al) 2000;48:268 (Letter)
Wallerian degeneration
gene for slow wallerian degeneration is also protective against vincristine neuropathy (Glass et al) 2000;48: 444A
persistent regional premotor cortex activation on functional magnetic resonance imaging in patients with pure motor stroke and wallerian degeneration (Miyai et al) 2000;48:454A
Weight loss
weight loss in Huntington's disease (Stoy and McKay) (Letter); (Pratley and Caviness) (Reply) 2000;48:130
White matter
elevated free radical products in the cerebrospinal fluid of premature infants with white matter injury (Inder et al) 2000;48:528A
hypertension and white matter changes (Turnbull) (Letter); (Inzitari) (Reply) 2000;48:268
magnetic resonance spectroscopy of normal-appearing white matter in patients with clinically suspected multiple sclerosis (Rose et al) 2000;48:478A
relationship of electroencephalographic upper quartile cortical spectral edge frequency to the presence of white matter injury in premature infants (Inder et al) 2000; 48:526A
World Wide Web
web-based teaching syllabus for child neurology training (Holt) 2000;48:550A
Writing
patients with writer's cramp have decreased tactile sensitivity to the orientation of spatial gratings (Sanger et al) 2000;48:465A

X chromosome
transmission of dystrophinopathy by X chromosome inversion (Yum et al) 2000;48:537A
Xaliproden
prospective quality control of vital capacity as primary endpoint in international multicenter therapeutic trial of SR57746A (xaliproden) in amyotrophic lateral sclerosis (Sanjak et al) 2000;48:488A
Xenopus
expression of reporter gene with expanded CTG trinucleotide repeats in 3′-untranslated region using *Xenopus* oocytes (Furuya et al) 2000;48:441A

Zellweger syndrome
neuronal migration disorder in Zellweger mice is secondary to glutamate receptor dysfunction (Gressens et al) 2000;48:336
Zinc
zinc supplementation is effective for children with hair loss due to chronic valproic acid therapy or the ketogenic diet (Buchanan et al) 2000;48:523A
Zonisamide
efficacy of zonisamide in pediatric epilepsy: experience in Japanese subjects (Glauser and Pellock) 2000;48:521A
safety of zonisamide in pediatric epilepsy: the Japanese experience (Pellock and Glauser) 2000;48:521A